

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

AS MATHEMATICS

Paper 1

Time allowed: 1 hour 30 minutes

Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
TOTAL	



Section AAnswer **all** questions in the spaces provided.

- 1** Express as a single logarithm

$$\log_{10} 2 - \log_{10} x$$

Circle your answer.

[1 mark]

$\log_{10} (2 + x)$

$\log_{10} (2 - x)$

$\log_{10} (2x)$

$\log_{10} \left(\frac{2}{x} \right)$





- 2 The graph of the function $y = \cos \frac{1}{2}x$ for $0^\circ \leq x \leq 360^\circ$ is one of the graphs shown below.


Identify the correct graph.


Tick (✓) **one** box.

[1 mark]









Turn over ►



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0 7

*Do not write
outside the
box*

Turn over for the next question

Turn over ►



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►




10 Curve C has equation $y = \frac{\sqrt{2}}{x^2}$

10 (a) Find an equation of the tangent to C at the point $\left(2, \frac{\sqrt{2}}{4}\right)$

[4 marks]

10 (b) Show that the tangent to C at the point $\left(2, \frac{\sqrt{2}}{4}\right)$ is also a normal to the curve at a different point.



[5 marks]



Section B

Answer **all** questions in the spaces provided.


- 11** A car, initially at rest, moves with constant acceleration along a straight horizontal road.


One of the graphs below shows how the car's velocity, $v \text{ m s}^{-1}$, changes over time, t seconds.


Identify the correct graph.


Tick (✓) **one** box.

[1 mark]











- 12** A horizontal force of 30 N causes a crate to travel with an acceleration of 2 ms^{-2} , in a straight line, on a smooth horizontal surface.

Find the **weight** of the crate.

Circle your answer.

[1 mark]

15 kg

15g N

15 N

15g kg

- 13** Two points A and B lie in a horizontal plane and have coordinates $(-2, 7)$ and $(3, 19)$ respectively.

A particle moves in a straight line from A to B under the action of a constant resultant force of magnitude 6.5 N

Express the resultant force in vector form.

[3 marks]

Turn over ►



Turn over for the next question

*Do not write
outside the
box*


**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



2 1

17



A car and caravan, connected by a tow bar, move forward together along a horizontal road.

Their velocity $v \text{ m s}^{-1}$ at time t seconds, for $0 \leq t < 20$, is given by

$$v = 0.5t + 0.01t^2$$

17 (a) Show that when $t = 15$ their acceleration is 0.8 m s^{-2}

[2 marks]

17 (b) The car has a mass of 1500 kg

The caravan has a mass of 850 kg

When $t = 15$ the tension in the tow bar is 800 N and the car experiences a resistance force of 100 N

17 (b) (i) Find the total resistance force experienced by the caravan when $t = 15$

[2 marks]



17 (b) (ii) Find the driving force being applied by the car when $t = 15$

[3 marks]

17 (c) State one assumption you have made about the tow bar.

[1 mark]

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



3 2

Jun22/7356/1



2 2 6 A 7 3 5 6 / 1