


① a) nearest 0.1cm  $\rightarrow$  21.05 to 21.15

b)



b)  $E(X) = 0$  (by symmetry)

$Var(X) = \frac{1}{12} (0.05 - (-0.05))^2$

$= \frac{1}{12} (1/100) = 1/1200$

$\rightarrow$   $SD(X) = \sqrt{1/1200} = 1/\sqrt{2053}$

c) Form diagram =  $0.04 \times 10 = 0.4$

② a) i)  $H_0: \mu = 61.4$

$H_1: \mu \neq 61.4$

$n = 16$


$\bar{x} = 65$

$\sigma = 7.5$

we know  $\sigma$ , so use  $Z$

Test Statistic:  $Z = \frac{65 - 61.4}{7.5/\sqrt{16}} = 1.92$

Critical Value:  $Z$ , 5%, 2 tailed  $\rightarrow Z = \pm 1.96$



$1.92 < 1.96$

$\therefore$  Accept  $H_0$

Not enough evidence at 5% level to suggest mean age has changed

ii) Try 3  $SD$ s from mean  $\rightarrow 61.4 - 3(7.5) = 38.9$

It's unlikely anyone is  $\leq 38.9$  years old

$\therefore$  likely to be 0 people  $< 25$  years old

b) i)  $n = 12$

$\bar{y} = 703/12 = 58.5$

$s^2 = 88.25/11 = 353/43$

don't know  $\sigma$  and  $n < 30$   $\therefore$  use  $t$

$v = 12 - 1 = 11$

t value:  $v = 11$ , 90% CI, 2 tailed = 1.796

$$\begin{aligned} \therefore 90\% \text{ CI} &= 58.5 \pm 1.796 \times \frac{8.02}{\sqrt{12}} \\ &= 58.5 \pm 4.185 \\ &= (57.03, 59.97) \\ &= (57.0, 60.0) \text{ (1dp)} \end{aligned}$$

ii) upper limit of CI  $\rightarrow$  < 61.4 years old  $\rightarrow$   $\therefore$  lowered age

- 3) a) i) (a)  $\frac{mp}{N}$     (b)  $\frac{mq}{N}$     (c)  $\frac{np}{N}$     (d)  $\frac{nq}{N}$

$$\begin{aligned} \text{ii) } \sum E &= \frac{mp + mq + np + nq}{N} \\ &= \frac{m(p+q)}{N} + \frac{n(p+q)}{N} \end{aligned}$$

$$p+q = N \rightarrow \frac{mN}{N} + \frac{nN}{N} = m+n$$

$$m+n = N \rightarrow = N$$

b) Expected (\*)

	wind	No. wind
W	17.82	15.18
L	9.18	17.82


As 2x2, need Yates' correction:

$$X^2 = \frac{(|O - E| - 0.5)^2}{E}$$

	wind	No. wind
W	0.3020	0.3546
L	0.5863	0.6883

$$\sum X^2 = 1.93 = \text{Test Statistic}$$

Critical Value:  $X^2_{(0.05)} (v=1) = 2.706$



$$1.93 < 2.706$$

$\therefore$  Accept  $H_0$

No Association between And's results and the weather conditions

- (\*)  $H_0$ : No Association between weather & results  
 $H_1$ : Association between weather & results

4) a) i) Poisson

$$\text{ii) } E(3X - 1) = 3E(X) - 1 = 3\lambda - 1$$

$$\text{Var}(3X - 1) = 9 \text{Var}(X) = 9\lambda$$

$$\begin{aligned} \text{iii) Using formula: } P(X = x+1) &= \frac{e^{-\lambda} \times \lambda^{x+1}}{(x+1)!} \\ &= \frac{e^{-\lambda} \times \lambda^x \times \lambda^1}{x! \times (x+1)} = \frac{\lambda}{x+1} \times \frac{e^{-\lambda} \times \lambda^x}{x!} \\ &= \frac{\lambda}{x+1} \times P(X = x) \end{aligned}$$

b) i) Total vehicles per hour = 500 + 10 = 510

→ vehicles per min = 510/60 = 8.5

∴  $V \sim P(8.5)$

$$\begin{aligned} P(V \geq 10) &= 1 - P(V \leq 9) \\ &= 1 - 0.6530 = 0.347 \end{aligned}$$

ii) Total vehicles per hour = 836 + 22 = 858

→ vehicles per min = 858/60 = 14.3

$$\begin{aligned} P(V \leq 3) &= P(V=0) + P(V=1) + P(V=2) + P(V=3) \\ &= e^{-14.3} \left[ \frac{14.3^0}{0!} + \frac{14.3^1}{1!} + \frac{14.3^2}{2!} + \frac{14.3^3}{3!} \right] \\ &= e^{-14.3} \times 604.912... \\ &= 0.00037 \quad (2 \text{sf}) \end{aligned}$$

5) a)

n	1	2	3	4	5
P(N=n)	1/2	1/4	1/8	1/16	1/16

$$\begin{aligned} E(n) &= 1 \times \frac{1}{2} + 2 \times \frac{1}{4} + 3 \times \frac{1}{8} + 4 \times \frac{1}{16} + 5 \times \frac{1}{16} \\ &= \frac{31}{16} \end{aligned}$$

b)


m	1	2	3	4	5
P(M=m)	1/4	3/16	9/64	27/256	81/256
		↑	↑	↑	↑
		$\frac{3}{4} \times \frac{1}{4}$	$\left(\frac{3}{4}\right)^2 \times \frac{1}{4}$	$\left(\frac{3}{4}\right)^3 \times \frac{1}{4}$	$\left(\frac{3}{4}\right)^4 \times \frac{1}{4}$

a) i) Both 1  $\rightarrow \frac{1}{2} \times \frac{1}{4} = \frac{1}{8}$   
 Both 2  $\rightarrow \frac{1}{4} \times \frac{3}{16} = \frac{3}{64}$   
 Both 3  $\rightarrow \frac{1}{8} \times \frac{4}{64} = \frac{1}{512}$   
 Both 4  $\rightarrow \frac{1}{16} \times \frac{27}{256} = \frac{27}{4096}$   
 Both 5  $\rightarrow \frac{1}{16} \times \frac{81}{512} = \frac{81}{8192}$

$P(\text{equal losses}) = \text{Sum} = \frac{221}{1024}$

ii) Use Binomial, prob success =  $\frac{221}{1024}$

$P(X \geq 2) = P(X=2) + P(X=3)$   
 $= {}^3C_2 \times \left(\frac{221}{1024}\right)^2 \times \left(\frac{803}{1024}\right) + {}^3C_3 \times \left(\frac{221}{1024}\right)^3$   
 $= 0.120 \text{ (3dp)}$



b)  $E(X) = \int_1^5 x \beta(x)$   
 $= \int_1^5 x \left[ \frac{1}{40}(x+7) \right]$   
 $= \frac{1}{40} \int_1^5 (x^2 + 7x)$   
 $= \frac{1}{40} \left[ \frac{x^3}{3} + \frac{7x^2}{2} \right]_1^5$   
 $= \frac{1}{40} \left[ \left( \frac{5^3}{3} + \frac{7(5^2)}{2} \right) - \left( \frac{1}{3} + \frac{7}{2} \right) \right]$   
 $= 3 \frac{2}{15} \text{ or } \frac{47}{15}$

c)  $F(x) = \int_1^x \beta(x) dx$   
 $= \frac{1}{40} \int_1^x (x+7) dx$   
 $= \frac{1}{40} \left[ \frac{x^2}{2} + 7x \right]_1^x$   
 $= \frac{1}{40} \left[ \frac{x^2}{2} + 7x - \frac{1}{2} - 7 \right]$   
 $= \frac{1}{80} [x^2 + 14x - 15]$   
 $= \frac{1}{80} (x+15)(x-1)$

d) i)  $P(2.5 \leq X \leq 4.5) = F(4.5) - F(2.5)$   
 $= \frac{1}{80} (4.5 + 15)(4.5 - 1) - \frac{1}{80} (2.5 + 15)(4.5 - 1)$   
 $= \frac{2}{40}$

ii)  $F(m) = 0.5$

$$\rightarrow \frac{1}{80} (m + 15)(m - 1) = 0.5$$

$$\rightarrow (m + 15)(m - 1) = 40$$

$$\rightarrow m^2 + 14m - 15 = 40$$

$$\rightarrow m^2 + 14m - 55 = 0$$

e) Use quadratic formula:

$$m = \frac{-14 \pm \sqrt{14^2 - 4 \times 1 \times (-55)}}{2}$$

$$= \frac{-14 \pm \sqrt{416}}{2}$$

$$= \frac{-14 \pm 20.396}{2}$$

$$\text{As } m > 1 \rightarrow \frac{-14 + 20.396}{2} = 3.198 \text{ (3dp)}$$