



**Cambridge International Examinations**  
Cambridge International Advanced Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

\* 5 7 7 0 3 3 4 0 8 5 \*

**MATHEMATICS**

**9709/52**

Paper 5 Mechanics 2 (M2)

**October/November 2017**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

Additional Materials: List of Formulae (MF9)

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.  
Write in dark blue or black pen.  
You may use an HB pencil for any diagrams or graphs.  
Do not use staples, paper clips, glue or correction fluid.  
**DO NOT WRITE IN ANY BARCODES.**

Answer **all** the questions.  
Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.  
Where a numerical value for the acceleration due to gravity is needed, use  $10 \text{ m s}^{-2}$ .  
The use of an electronic calculator is expected, where appropriate.  
You are reminded of the need for clear presentation in your answers.


At the end of the examination, fasten all your work securely together.  
The number of marks is given in brackets [ ] at the end of each question or part question.  
The total number of marks for this paper is 50.

This document consists of **13** printed pages and **3** blank pages.



3

2



A uniform solid cone has height 0.6 m and base radius 0.2 m. A uniform hollow cylinder, open at both ends, has the same dimensions. An object is made by putting the cone inside the cylinder so that the base of the cone coincides with one end of the cylinder (see diagram, which shows a cross-section). The total weight of the object is 60 N and its centre of mass is 0.25 m from the base of the cone. Calculate the weight of the cone. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 3 A particle  $P$  of mass  $0.4 \text{ kg}$  is released from rest at a point  $O$  on a smooth plane inclined at  $30^\circ$  to the horizontal.  $P$  moves down the line of greatest slope through  $O$ . The velocity of  $P$  is  $v \text{ m s}^{-1}$  when its displacement from  $O$  is  $x \text{ m}$ . A retarding force of magnitude  $0.2v^2 \text{ N}$  acts on  $P$  in the direction  $PO$ .

(i) Show that  $v \frac{dv}{dx} = 5 - 0.5v^2$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Express  $v$  in terms of  $x$ . [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

Handwriting practice area consisting of 20 horizontal dotted lines.







$OAB$  is a uniform lamina in the shape of a quadrant of a circle with centre  $O$  and radius  $0.8\text{ m}$  which has its centre of mass at  $G$ . The lamina is smoothly hinged at  $A$  to a fixed point and is free to rotate in a vertical plane. A horizontal force of magnitude  $12\text{ N}$  acting in the plane of the lamina is applied to the lamina at  $B$ . The lamina is in equilibrium with  $AG$  horizontal (see diagram).

- (i) Calculate the length  $AG$ . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



(ii) Find the weight of the lamina.

[2]

A series of horizontal dotted lines for writing the answer.

6 One end of a light elastic string of natural length 0.4 m and modulus of elasticity 8 N is attached to a fixed point  $O$  on a smooth horizontal plane. The other end of the string is attached to a particle  $P$  of mass 0.2 kg which moves on the plane in a circular path with centre  $O$ . The speed of  $P$  is  $v \text{ m s}^{-1}$  and the extension of the string is  $x \text{ m}$ .

(i) Given that  $v = 2.5$ , find  $x$ . [4]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

It is given instead that the kinetic energy of  $P$  is twice the elastic potential energy stored in the string

**(ii)** Form two simultaneous equations and hence find  $x$  and  $v$ . [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

7 A small ball  $B$  is projected from a point  $O$  which is  $h$  m above a horizontal plane. At time 2 s after projection  $B$  has speed  $18 \text{ m s}^{-1}$  and is moving in the direction  $30^\circ$  above the horizontal.

(i) Find the initial speed and the angle of projection of  $B$ . [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

$B$  has speed  $38 \text{ m s}^{-1}$  immediately before it strikes the plane.

(ii) Calculate  $h$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*B* bounces when it strikes the plane, and leaves the plane with speed  $20 \text{ m s}^{-1}$  but with its horizontal component of velocity unchanged.

- (iii) Find the total time which elapses between the initial projection of *B* and the instant when it strikes the plane for the second time. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cie.org.uk](http://www.cie.org.uk) after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.