

**ADVANCED GCE**  
**MATHEMATICS**  
Probability & Statistics 4

**4735**

Candidates answer on the Answer Booklet

**OCR Supplied Materials:**

- 8 page Answer Booklet
- List of Formulae (MF1)

**Other Materials Required:**

None

**Friday 19 June 2009**  
**Afternoon**

**Duration:** 1 hour 30 minutes



**INSTRUCTIONS TO CANDIDATES**

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

**INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

- 1  $X_1$  and  $X_2$  are independent random variables with distributions  $N(\mu_1, \sigma_1^2)$  and  $N(\mu_2, \sigma_2^2)$  respectively. Assuming that the moment generating function of a normal variable with mean  $\mu$  and variance  $\sigma^2$  is  $e^{\mu t + \frac{1}{2}\sigma^2 t^2}$ , find the moment generating function of  $X_1 + X_2$ . Hence identify the distribution of  $X_1 + X_2$ , stating the value(s) of any parameter(s). [5]
- 2 A company wishes to buy a new lathe for making chair legs. Two models of lathe, 'Allegro' and 'Vivace', were trialled. The company asked 12 randomly selected employees to make a particular type of chair leg on each machine. The times, in seconds, for each employee are shown in the table.

Employee	1	2	3	4	5	6	7	8	9	10	11	12
Time on Allegro	162	111	194	159	202	210	183	168	165	150	185	160
Time on Vivace	182	130	193	181	192	205	186	184	192	180	178	189

The company wishes to test whether there is any difference in average times for the two machines.

- (i) State the circumstances under which a non-parametric test should be used. [1]
- (ii) Use two different non-parametric tests and show that they lead to different conclusions at the 5% significance level. [9]
- (iii) State, with a reason, which conclusion is to be preferred. [1]
- 3 The continuous random variable  $X$  has probability density function given by

$$f(x) = \begin{cases} e^{2x} & x < 0, \\ e^{-2x} & x \geq 0. \end{cases}$$

- (i) Show that the moment generating function of  $X$  is  $\frac{4}{4-t^2}$ , where  $|t| < 2$ , and explain why the condition  $|t| < 2$  is necessary. [5]
- (ii) Find  $\text{Var}(X)$ . [4]
- 4 The probability generating function of the discrete random variable  $Y$  is given by

$$G_Y(t) = \frac{a + bt^3}{t},$$

where  $a$  and  $b$  are constants.

- (i) Given that  $E(Y) = -0.7$ , find the values of  $a$  and  $b$ . [4]
- (ii) Find  $\text{Var}(Y)$ . [2]
- (iii) Find the probability that the sum of 10 random observations of  $Y$  is  $-7$ . [4]

- 5 Alana and Ben work for an estate agent. The joint probability distribution of the number of houses they sell in a randomly chosen week,  $X_A$  and  $X_B$  respectively, is shown in the table.

		$X_A$			
		0	1	2	3
$X_B$	0	0.02	0.13	0.07	0.03
	1	0.16	0.22	0.03	0.04
	2	0.09	0.06	0.03	0.02
	3	0.03	0.04	0.02	0.01

- (i) Find  $E(X_A)$  and  $\text{Var}(X_A)$ . [3]
- (ii) Determine whether  $X_A$  and  $X_B$  are independent. [2]
- (iii) Given that  $E(X_B) = 1.15$ ,  $\text{Var}(X_B) = 0.8275$  and  $E(X_A X_B) = 1.09$ , find  $\text{Cov}(X_A, X_B)$  and  $\text{Var}(X_A - X_B)$ . [4]
- (iv) During a particular week only one house was sold by Alana and Ben. Find the probability that it was sold by Alana. [4]
- 6 The continuous random variable  $X$  has probability density function given by

$$f(x) = \begin{cases} 0 & x < a, \\ e^{-(x-a)} & x \geq a, \end{cases}$$

where  $a$  is a constant.  $X_1, X_2, \dots, X_n$  are  $n$  independent observations of  $X$ , where  $n \geq 4$ .

- (i) Show that  $E(X) = a + 1$ . [3]

$T_1$  and  $T_2$  are proposed estimators of  $a$ , where

$$T_1 = X_1 + 2X_2 - X_3 - X_4 - 1 \quad \text{and} \quad T_2 = \frac{X_1 + X_2}{4} + \frac{X_3 + X_4 + \dots + X_n}{2(n-2)} - 1.$$

- (ii) Show that  $T_1$  and  $T_2$  are unbiased estimators of  $a$ . [4]
- (iii) Determine which is the more efficient estimator. [4]
- (iv) Suggest another unbiased estimator of  $a$  using all of the  $n$  observations. [2]

[Question 7 is printed overleaf.]

7 A particular disease occurs in a proportion  $p$  of the population of a town. A diagnostic test has been developed, in which a positive result indicates the presence of the disease. It has a probability 0.98 of giving a true positive result, i.e. of indicating the presence of the disease when it is actually present. The test will give a false positive result with probability 0.08 when the disease is not present. A randomly chosen person is given the test.

(i) Find, in terms of  $p$ , the probability that

(a) the person has the disease when the result is positive, [3]

(b) the test will lead to a wrong conclusion. [2]

It is decided that if the result of the test on someone is positive, that person is tested again. The result of the second test is independent of the result of the first test.

(ii) Find the probability that the person has the disease when the result of the second test is positive. [2]

(iii) The town has 24 000 children and plans to test all of them at a cost of £5 per test. Assuming that  $p = 0.001$ , calculate the expected total cost of carrying out these tests. [4]

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity. For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1PB.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.