

1.  $x^3 - 4x^{\frac{3}{2}} + x^{-1} + 4x + C$  A4  
ALLOW IF MISSING

2. (a)  $\sqrt{7} + 7 + 2 + 2\sqrt{7}$  M1 (ALLOW ONE OR OTHER)  
 $9 + 3\sqrt{7}$  A1 c.a.o

(b)  $\frac{5\sqrt{2} + 3\sqrt{2}}{2\sqrt{2}}$  OR  $\frac{\sqrt{400} + \sqrt{144}}{8}$  M1  
 4 A1 c.a.o

3.  $\frac{20}{2} [17 + 264]$  OR  $\frac{20}{2} [2 \times 17 + 19 \times 13]$  M3 DEPENDENT ON STRUCTURE  
 2810 A1 c.a.o

IF NO MARKS ARE SCORED ALLOW 1 MARK FOR  $17 + 30 + 43$   
 OR  $17, 30, 43,$

4.  $\int 6x^2 - 4x \, dx$  B1  
 $2x^3 - 2x^2 + C$  A2 -1 eeo  
 $x=1 \quad y=1$  OR  $3 = 2 \times 1^3 - 2 \times 1^2 + C$  OR SIMILAR M1 ft  
 $C=3$  OR  $f(x) = 2x^3 - 2x^2 + 3$  A1 c.a.o

5. (a) ATTEMPTED SUBSTITUTION

SIMPLIFIES TO  $x^2 - 6x - 16 = 0$  OR  $y^2 - 11y - 26 = 0$  M1

FACTORIZES  $(x+2)(x-8)$  OR  $(y-13)(y+2)$  M1

$x = -2, 8$  OR  $y = -2, 13$  A1

$P(-2, -2)$   $Q(8, 13)$  A1 c.a.o  
(ALLOW MISSING LABELS)

b) GRAD  $\frac{-2+3}{-2-0}$  OR  $\frac{13+3}{8-0}$  M1  
OE O.E

GRAD =  $-\frac{1}{2}$  OR  $-2$  A1

EVALUATES THE GRADIENT OF THE STRAIGHT "HE"  
DID NOT USE + COMMON E1


6.

$x = \text{LENGTH}$

$x(x-6) > 40$  M1

$x^2 - 6x - 40 > 0$  M1

$(x+4)(x-10) > 0$  A1



OR M1  
SIMILAR A1 ↑ dep

$x < -4$  OR  $x > 10$  A1


$x > 10$  clearly stated A1 ↑ dep  
OR LENGTH  $> 10$

$x = \text{WIDTH}$

$x(x+6) > 40$  M1

$x^2 + 6x - 40 > 0$  M1

$(x+10)(x-4) > 0$  M1



OR M1  
SIMILAR A1 ↑ dep

$x < -10$  OR  $x > 4$  A1 ↑ dep

clearly implies A1 ↑ dep  
LENGTH  $> 10$

- ALLOW  $\geq$  THROUGHOUT
- DO NOT ALLOW BAD NOTATION f.g  $10 > x > -4$
- ALLOW  $x < -4$  AND  $x > 10$

7. a)  $300 + 11 \times 5$  M1  
 $355$  A1

b)  $\frac{48}{2} [2 \times 300 + 47 \times 5]$  M1  
 $20040$  A1

c) "20040" =  $\frac{48}{2} [2a + 47 \times 5]$  M1 ft structure  
M1  
 ATTEMPTS SENSIBLE SOLUTION WITH  
 AT LEAST ONE "SIGNIFICANT" STEP M1 ft  
 $a = 65$  A1 c.a.o

8. a)  $b^2 - 4ac = 0$  OR  $(2m)^2 - 4 \times 1 \times (3m+4) = 0$  M1

$4m^2 - 12m - 16$  OR  $m^2 - 3m - 4 = 0$  M1

$(m+1)(m-4)$  A1


$m = \left\langle \begin{matrix} -1 \\ 4 \end{matrix} \right.$  (BOTH) A1

b)  $x^2 - 2x + 1$  M1  
 $(1, 0)$  A1 dtp  
 $(-4, 0)$  A1

OR

$x^2 + 8x + 16$  M1  
 $(-4, 0)$  A1 dtp  
 $(1, 0)$  A1

9. (a)



BI CORRECT SHAPE  
BI (2,0) (0,-16) BOTH


(b) ATTEMPTS TO MULTIPLY "TWO" BRACKETS BY A "THIRD" M1  
 $2x^3 - 12x^2 + 24x - 16$  AI

$(f'(x)) = 6x^2 - 24x + 24$  AI ~~ft~~

c) "SUBSTITUTES"  $x=3$  INTO "THEIR"  $f'(x)$  M1  
 GETS GRADIENT "6" AI ~~ft~~  
 $y+2 = "6"(x-1)$  AI ~~ft~~

d) " $6x^2 - 24x + 24$ " = "6" M1 ~~ft~~  
 $x^2 - 4x + 3 = 0$  AI c.e.o.  
 $(x-3)(x-1)$  OR  $x = \begin{matrix} 3 \\ 1 \end{matrix}$  AI  
 $\varphi(1, -2)$  AI  
 $y+2 = 6(x-1)$  & SIMPLIFIED AI  
 TO  $y = 6x - 8$

10. a)  $(3x-1)(x+2)$  M1  
 $x = < \begin{matrix} 1/3 \\ -2 \end{matrix}$  BOTH A1



correct shape in correct relative position in the 4 quadrants } M1  
 $(1/3, 0), (-2, 0), (0, -2)$  ALL 3 } M1

c)  $(-6, 0)$  &  $(1, 0)$  BOTH B1  
 $(0, -2)$  B1

d)  $3(x+1) + 5(x+1) - 2$  M1  
 $y = 3x^2 + 11x + 6$  A1

$(x+3)(3x+2)$  M1  
 OR  
 $y = 3x^2 + 11x + 6$  A1

ALLOW ONE MISTAKE IN ONE OF THE COEFFICIENTS OF THE LAST A1  
 SO LONG AS M1 HAS BEEN SCORED

11 a)  $2 \times 2^x$  OR B1  
 $2^3 \times 2^{-x}$  OR  $8 \times 2^{-x}$  OR  $\frac{8}{2^x}$  B1  
 $2y + \frac{8}{y} = 17$  M1  
 $2y^2 + 8 = 17y$  & NEEDS FINAL STEP A1

b)  $(2y-1)(y-8)$  M1  
 $y = \frac{1}{2}, 8$  BOTH A1  
 $x = -1$  A1 dtp on  $y = \frac{1}{2}$   
 $x = 3$  A1 dtp on  $y = 8$