

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

Pearson Edexcel Level 3 GCE

Paper
reference

8FM0/23

Further Mathematics

Advanced Subsidiary

Further Mathematics options

23: Further Statistics 1

June 2022, Shadow Set 1

You must have:

Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- The total mark for this part of the examination is 40. There are 4 questions.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

1. Stuart is investigating a treatment for a disease that affects fruit trees. He has 500 fruit trees and applies the treatment to a random sample of these trees. The remainder of the trees have no treatment. He records the number of years, y , that each fruit tree remains free from this disease.

The results are summarised in the table below.

		Treatment	
		Applied	Not applied
Number of years free from this disease	$y < 1$	25	35
	$1 \leq y < 2$	55	73
	$2 \leq y$	150	162

The data are to be used to determine whether or not there is an association between the application of the treatment and the number of years that a fruit tree remains free from this disease.

- (a) Calculate the expected frequencies for

(i) Applied and $y < 1$

(ii) Not applied and $1 \leq y < 2$

(2)

The value of $\sum \frac{(O - E)^2}{E}$ for the **other four** classes is 1.006 to 3 decimal places.

- (b) Test, at the 2.5% level of significance, whether or not there is an association between the application of the treatment and the number of years a fruit tree remains free from this disease.

You should state your hypotheses, test statistic, critical value and conclusion clearly.

(5)

(Total for Question 1 is 7 marks)

2. Xena catches fish at random, at a constant rate of 0.7 per hour.
- (a) Find the probability that Xena catches exactly 5 fish in a 4-hour period. (2)

The probability of Xena catching no fish in a period of t hours is less than 0.2

- (b) Find the minimum value of t , giving your answer to one decimal place. (3)

Independently of Xena, Zion catches fish at random with a mean rate of 0.9 per hour.

Xena and Zion try using new bait to catch fish. The number of fish caught in total by Xena and Zion after using the new bait, in a randomly selected 4-hour period, is 15

- (c) Use a suitable test to determine, at the 1% level of significance, whether or not there is evidence that the rate at which fish are caught has increased after using the new bait. State your hypotheses clearly and the p -value used in your test. (5)

(Total for Question 2 is 10 marks)

3. In a game, a coin is spun 5 times and the number of heads obtained is recorded. Tao suggests playing the game 10 times and carrying out a chi-squared test to investigate whether the coin might be biased.
- (a) Explain why playing the game only 10 times may cause problems when carrying out the test. (1)

Chris decides to play the game 600 times. The results are as follows

Number of heads	0	1	2	3	4	5
Observed frequency	66	130	190	100	80	34

Chris decides to test whether or not the data can be modelled by a binomial distribution, with the probability of a head on each spin being 0.4

She calculates the expected frequencies, to 2 decimal places, as follows

Number of heads	0	1	2	3	4	5
Expected frequency	46.66	155.52	207.36	138.24	46.08	6.14

- (b) State the number of degrees of freedom in Chris's test, giving a reason for your answer. (1)
- (c) Carry out the test at the 10% level of significance. You should state your hypotheses, test statistic, critical value and conclusion clearly. (5)
- (d) Showing your working, find an alternative model which would better fit Chris' data. (2)

(Total for Question 3 is 9 marks)

4. The discrete random variable X has the following probability distribution

x	0	1	3	6
$P(X=x)$	p	0.1	q	0.6

(a) Find in terms of q

(i) $E(X)$

(ii) $E(X^2)$

(2)

Given that $\text{Var}(X) = 5.01$

(b) show that $q = 0.2$

(3)

In a game, the score is given by the discrete random variable X

Given that games are independent,

(c) calculate the probability that after the 5th game has been played, the total score is exactly 25

(3)

A round consists of 5 games plus 2 bonus games. The bonus games are only played if after the 4th game has been played the total score is exactly 25

A prize of £10 is awarded if 7 games are played in a round **and** the total score for the round is at least 30

Bobby plays 4 rounds.

(d) Find the probability that Bobby wins at least £10

(6)

(Total for Question 4 is 14 marks)

TOTAL FOR FURTHER STATISTICS 1 IS 40 MARKS