Paper 1MA	1: 2H			
Question	Working	Answer		Notes
1		Translation $by \begin{pmatrix} 4 \\ -3 \end{pmatrix}$	B1	for translation
			B1	$\begin{pmatrix} 4\\ -3 \end{pmatrix}$
2 (a)		Trend described	C1	for "percentage of people who use the shop decreases" oe
(bi)		13 - 17	P1	for process to draw trend line on graph
			A1	for 13 - 17
(bii)		No + reason	C1	for comment, eg "no, because 2020 is beyond the time period covered by the given data"
3 (a)		13y - 1	M1 A1	for expansion of one bracket for full simplification
(b)		$35u^{3}w^{7}$	B1 B1	for 2 of 35, u^3 and w^7 correct cao
4		105	P1	for process to find the exterior angle or interior angle of a hexagon or octagon
			P1	for process to find the both exterior angles or both interior angles
			A1	for 105 from correct working

Paper 1MA1	l: 2H			
Question	Working	Answer	Notes	
5 (a)(i)		10, 12, 14, 15, 16, 18	B1	cao
(ii)		12, 18	B1	cao
(b)		$\frac{7}{10}$	M1	for 7 or indicating correct region or for 10, 14, 16, 11, 13, 17, 19 listed
			A1	for $\frac{7}{10}$ oe
6	6:5=12:10 2:1=10:5	70	P1	P1 for strategy to start to solve the problem eg 12 : 10 and 10: 5
	C: S: P = 12: 10: 5		P1	P1 for process to solve the problem eg $\frac{10}{27} \times 189$
	$\frac{10}{27} \times 189$		A1	Al cao
7	$\frac{1}{4} \times \pi \times 4.8^2$	6.58	B1	for use of formula for area of a circle
	$\frac{1}{2} \times 4.8 \times 4.8$ $\frac{1}{4} \times \pi \times 4.8^{2} - \frac{1}{2} \times 4.8 \times 4.8$		P1	for complete process to find area of shaded region
	$\frac{1}{4} \times \pi \times 4.8^2 - \frac{1}{2} \times 4.8 \times 4.8$		A1	for 6.56 – 6.58

Pap	er 1MA	l: 2H				
-	Question Working		Answer	Notes		
8	(a)		explanation	C1	for "incorrect expansion of brackets" oe	
	(b)		explanation	C1	for "has not obtained both solutions" oe	
9	(a)		18	B1	cao	
	(b)		5(x-1)	M1 A1	for method to find inverse function for $5(x-1)$ or $5x-5$	
	(c)		9x - 48 shown	M1 A1	for method to find composite function for working leading to $9x - 48$	
10	(a)	$1560000 \times (1.052)^2$	1730000	P1 P1 A1	for process to find population in 2016 for complete process to find population in 2017 for 1725000 - 1730000	
	(b)(i)		2020	P1 A1	for process to find when population will exceed 2 000 000 for 2020	
	(ii)			C1	for correct comment on how assumption will affect the answer, eg if the percentage growth is higher the population may exceed 2 000 000 earlier.	

Paper 1MA	1: 2H		
Question	Working	Answer	Notes
11 (a)		0.43	M1 for use of graph at 240 minutes A1 for 0.42 – 0.44 oe
(b)		comparison	 B1 for at least one median (249 – 252 or 273 – 276) B1 for least one interquartile range (69 – 73 or 67 - 71) C1 for comment comparing average times eg females take longer than males oe C1 for comment comparing spreads of times from IQRs, eg the spread of times is about the same (NB – at least one of the comments must be in context)
12 (a)	25 × 24	600	P1for process to find number of waysA1cao
(b)	$ \begin{array}{l} 12 \times 10 \times 11 \\ 10 \times 12 \times 9 \\ 1320 + 1080 \end{array} $	2400	 P1 for process to find number of lists with boy then girl then boy or the number of lists with girl then boy then girl P1 for complete process to find the total number of lists A1 cao

Paper 1MA	1: 2H			
Question	Working	Answer		Notes
13		119	M1	for 1.06×100 oe
			M1	for $1.06^3 \times 100$ oe
			A1	accept 119.1016
14		explanation	C1	for a correct evaluation, eg the value of <i>D</i> should be multiplied by 8, she has used 2×3 instead of 2^3
15 (a)		1.0 - 1.3	M1	for finding gradient by drawing tangent
			M1	for method to calculate gradient
			A1	For 1.0 – 1.3
(b)			C1	for acceleration
			C1	for eg "4 second after the start of the race", "when the speed is 7.6 m/s", "in m/s ² "
(c)		limitation	C1	for comment, eg dependent on accuracy of constructing a tangent
16 (i)		200	B1	cao
(ii)		5.6	B1	For 5.6(2)

Paper 1MA	1: 2H		
Question	Working	Answer	Notes
17	$\sqrt{8.35^2 - 6.05^2}$	5.754997828	 B1 for finding bounds of one measurement,8.25 8.35, 6.05 or 6.15 P1 for process of choosing and using correct bounds P1 for process of Pythagoras' rule with correct bounds A1 for 5.754(997)
18	$(\sqrt{a} + 2\sqrt{b})(\sqrt{a} - 2\sqrt{b})$ $\sqrt{a} \times \sqrt{a} - 2\sqrt{a}\sqrt{b} + 2\sqrt{b}\sqrt{a} - 2\sqrt{b} \times 2\sqrt{b}$	a – 4b	M1 for expansion of brackets or $\sqrt{4b} = 2\sqrt{b}$ M1 for <i>a</i> or (-4 <i>b</i>) A1 cao
19 (a)		sketch	B1for correct shape for $0 \le x \le 360$ B1for fully correct sketch with labels
(b)(i)		sketch	B1 cao
(ii)		sketch	B1 cao

Paper 1MA	1: 2H			
Question	Working	Answer		Notes
20		proof	M1	for method to find interior or exterior angle of regular pentagon
	$\geq QRO = \geq OTP = 90$ The tangent to a circle is perpendicular (90°) to the radius (diameter)		M1	for using angle between tangent and radius
	$\sim ROT = 540 - 2 \times 90 - 2 \times 108 (= 144)$		M1	for method to find angle ROT
	$\sim RUT = 144 \div 2 (= 72)$ The angle at the centre of a circle is twice the angle at the circumference		C1	for method to find angle <i>RUT</i> with reason
	Base angles of an isosceles triangle are equal		C1	for deduction that $ST = UT$ with reasons
21	$\frac{2x-1}{x-4} = \frac{16x+1}{2x-1}$	$-\frac{1}{12}$, 5	P1	for process to write as an equation
	$(2x-1)^2 = (16x+1)(x-4)$		P1	for process to clear the fractions
	$12x^2 - 59x - 5 = 0$		P1	for process to write equation in form $ax^2 + bx + c = 0$
	(12x+1)(x-5) = 0		P1 A1	for process to solve the equation cao