

# Cambridge O Level

MATHEMATICS (SYLLABUS D)

Paper 2

MARK SCHEME

Maximum Mark: 100

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

# Cambridge O Level – Mark Scheme PUBLISHED

# May, mymathscloud.com

## **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

### GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

### GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

### GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

## GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

# GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2020 Page 2 of 8

# Cambridge O Level – Mark Scheme PUBLISHED

May, mymathscloud.com

# **Mathematics Specific Marking Principles** Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing. 2 Unless specified in the question, answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected. 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points. Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw). Where a candidate has misread a number in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 mark for the misread. 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

© UCLES 2020 Page 3 of 8

# May, my mains cloud com

# **Abbreviations**

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)	54.1 or 54.12 to 54.13 nfww	3	B1 for use of correct midpoints M1 for $\frac{35\times10+45\times18+55\times27+65\times19+75\times6}{80}$
1(b)	Correct cumulative frequency curve	3	B2 for 4 or 5 correct points plotted or B1 for correct cumulative frequencies soi
1(c)(i)	53 to 55	1	FT their CF diagram
1(c)(ii)	14 to 18	2	FT <i>their</i> CF diagram <b>B1</b> for [LQ =] 45 to 47 or [UQ =] 61 to 63
2(a)	Reflection x-axis oe	2	B1 for either
2(b)	Correct rotation, vertices (1, 1) (1, 4) (0, 2)	2	B1 for correct size and orientation, incorrect position  After 0 scored, SC1 for 90° clockwise
			rotation about (1, 1)
2(c)	Enlargement, scale factor 2, centre (0, 0)	3	B1 for each
	centre (0, 0)		After 0 scored, <b>SC1</b> for correct enlargement, vertices (2, 2) (8, 2) (4, 4)
3(a)	$[n=]\frac{m+3}{4} \text{ oe}$	2	M1 for correct first step
3(b)	Correct method to eliminate one variable	M1	
	x = 0.4  oe , y = -1	A2	A1 for either $x = 0.4$ oe or $y = -1$
			After A0, SC1 for a pair of values that satisfy either equation or for correct answers with no working

© UCLES 2020 Page 4 of 8

			411,
Question	Answer	Marks	Partial Marks
3(c)	$\frac{-3\pm\sqrt{3^2-4\times5\times-1}}{2\times5}$	B2	B1 for $\sqrt{3^2 - 4 \times 5 \times -1}$ or for $\frac{-3 \pm \sqrt{p}}{2 \times 5}$
			or for $\frac{\sqrt{1}}{2 \times 5}$
	0.24, -0.84	B1	
4(a)	2590 or 2588 to 2589	3	<b>M2</b> for $6000 \left(1 + \frac{2.5}{100}\right)^5$
			or <b>M1</b> for $6000 \left(1 + \frac{2.5}{100}\right)^n$ where $n > 1$
			After 0, SC1 for answer 2550
4(b)	85 cao	3	<b>M2</b> for $\frac{800 \times 3.16 - 2250}{3.27}$
			or M1 for 800×3.16 or answer from $\frac{x}{3.27}$
4(c)	2.15	3	<b>M2</b> for $\sqrt[3]{\frac{1598.85}{1500}}$
			or <b>M1</b> for $1500 k^3 = 1598.85$ oe
5(a)	$\sqrt{7.5^2 - 6^2} = 4.5$	2	<b>M1</b> for $6^2 + x^2 = 7.5^2$ oe
5(b)(i)	18	3	$\mathbf{M2} \text{ for } 4.5 \left( \frac{80}{2 \times \frac{30}{6} \times \frac{28}{14}} \right) \text{ oe }$
			or <b>M1</b> for $2 \times \frac{30}{6} \times \frac{28}{14} \times h = 80$ oe
			After 0 scored, SC1 for answer 36
5(b)(ii)	468 cao	2	<b>M1</b> for $\frac{37500}{80}$
5(c)(i)	0.5[0]	2	<b>M1</b> for $\frac{100+40}{100}x = 0.70$ oe

© UCLES 2020 Page 5 of 8

Question	Answer	Marks	Partial Marks
5(c)(ii)	26	5	M1 for $\frac{3}{5} \times 80$
			<b>M1</b> for $0.70 \times \frac{100 + 30}{100}$ oe
			<b>M1</b> for $(80 - their 48) \times 0.84$
			M1 for $\frac{their70.56 - 80 \times 0.7}{80 \times 0.7}$ oe or
			$\frac{70.56}{80 \times 0.7} \times 100$
6(a)(i)	4.75 oe	1	
6(a)(ii)	Correct curve	3	<b>B2FT</b> for 6 or 7 points correctly plotted or <b>B1FT</b> for 4 or 5 points correctly plotted
6(a)(iii)(a)	Ruled line through (0, 1), gradient 1/3	2	<b>B1</b> for 'correct' freehand line or ruled line with positive gradient through (0, 1) or ruled line with gradient 1/3
6(a)(iii)(b)	-2.5 to -2.1, 0, 2.1 to 2.5	2	B1 for two correct
6(a)(iii)(c)	A = 3, B = 16	2	<b>B1</b> for either correct or $\frac{1}{3}x + 1 = \frac{x^3}{4} - x + 1$ or better
6(b)	$y = 2x^2$ $y = 2x^2 - 2$ $y = x^2 - 2x$	2	B1 for one correct
7(a)	3x + 103 + x + 20 + 45 = 360 oe	M2	M1 for $3x + 103 + x + 20 + their 45 = 360$ or B1 for [exterior of octagon =] 45
	48	B1	
7(b)(i)	$[P\hat{Q}T=]58$	B1	
	$P\hat{T}Q = 32$ angles in same segment $T\hat{P}Q = 90$ angles in semi-circle	B2	B1 for two reasons
	$P\hat{Q}T = 58$ angles in triangle		Alternative: $T\hat{S}Q = 90$ angles in a semi-circle $T\hat{S}P = 58$ $T\hat{Q}P = 58$ angles in same segment
7(b)(ii)	116	2	<b>B1</b> for $SQR = 32$ or $QSR = 32$
7(b)(iii)	26	1	
	<u> </u>		•

© UCLES 2020 Page 6 of 8

Ov. 2.24*	Anguion	Massler	Poutial Maulta
Question	Answer	Marks	Partial Marks
8(a)(i)	154 or 153.5 to 153.6	2	M1 for $\frac{110}{360} \times 2 \times \pi \times 80$
8(a)(ii)	4199 to 4200	3	M2 for $\frac{110}{360} \times \pi \times (80^2 - 45^2)$ oe or M1 for $\frac{110}{360} \times \pi \times 80^2$ or $\frac{110}{360} \times \pi \times 45^2$
8(b)	671.8 to 672.0	2	FT their a(ii) × 0.16 <b>B1</b> for $\left(\frac{80}{32}\right)^2$ oe or $\left(\frac{32}{80}\right)^2$ oe
9(a)	$\frac{4}{9}, \frac{x}{9}$	2	B1 for 1 correct
9(b)	$\frac{12}{90}$ oe	1	
9(c)(i)	$\frac{4}{10} \times \frac{3}{9} + \frac{x}{10} \times \frac{x-1}{9} + \frac{6-x}{10} \times \frac{5-x}{9}$	M2	M1 for $\frac{x}{10} \times \frac{x-1}{9}$ or $\frac{6-x}{10} \times \frac{5-x}{9}$
	$30 - 5x - 6x + x^2 $ or better	B1	
	$\frac{12 + x^2 - x + 30 - 11x + x^2}{90}$ oe leading to $\frac{x^2 - 6x + 21}{45}$	A1	
9(c)(ii)	$\frac{x^2 + 6x + 21}{45} = \frac{16}{45}$ or better, leading to $x^2 - 6x + 5 = 0$ with no errors	1	
9(c)(iii)	5 and 1	2	M1 for $(x-5)(x-1) = 0$ or $[x=] \frac{-6\sqrt{(-6)^2 - 4 \times 1 \times 5}}{2 \times 1}$ oe
9(c)(iv)	$\frac{5}{10}$ oe	2	<b>B1</b> for white = 1 or blue = 5

© UCLES 2020 Page 7 of 8

Question	Answer	Marks	Partial Marks
10(a)	$[\cos] = \frac{600^2 + 800^2 - 750^2}{2 \times 600 \times 800}$	M2	M1 for $750^2 = 600^2 + 800^2 - 2 \times 600 \times 800 \times \cos C$
	62.88 to 62.89	A1	
10(b)	403 or 403.3 to 403.5	4	M3 for $\frac{375000 - \frac{1}{2} \times 800 \times 600 \times \sin 62.9}{\frac{1}{2} \times 800}$ oe or B2 for 214 000 or 213 600 to 213 700 or M1 for $\frac{1}{2} \times 800 \times 600 \times \sin 62.9$ or $\frac{1}{2} \times 800 \times AD = 375000 - their 214000$ oe
10(c)	26.7 or 26.8 or 26.73 to 26.76	2	<b>M1</b> for tan $C = \frac{their(b)}{800}$
10(d)	133.8 to 134.0	4	B3 for answer 45.96 to 46.17 or M2 for $\frac{800 \sin their(c)}{500}$ or $\frac{500 \sin(90 - their(c))}{their 403}$ or M1 for $\frac{800}{\sin X} = \frac{500}{\sin their(c)}$ or $\frac{their 403}{\sin X} = \frac{500}{\sin(90 - their(c))}$

© UCLES 2020 Page 8 of 8