

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE O Level

**MARK SCHEME for the November 2005 question paper**

<b>4024 MATHEMATICS</b>		
<b>4024/02</b>	<b>Paper 2</b>	<b>maximum raw mark 100</b>

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

- CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 1	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

1	Nonsense in one part may be used to earn M marks in any other part of the question Throughout accept equivalent complete methods and decimal angles without degree sign, but degree sign essential if answer in degrees and minutes			
(a)	$ABC = 90^\circ$ with reason	B1	1	
(b) (i)	$\sin OAB = 6/13$ (= 0.4615...) or $OAB = 27.48$ or seen (leads to $OAB = 27.3$ ) AG	B1	1	
(ii)	$\frac{15}{\tan 27.5}$  28.8 to 28.9 (cm)	M1  A1	  2	
(iii)	$2(\text{their } AC)\sin 27.5$ or $2 \times 15 \cos 27.5$  or $EPC = 2[90 - 27.5]$ (=125)  and $\sqrt{15^2 + 15^2 - 2 \times 15 \times 15 \cos(\text{their } 125)}$ (M2)  26.55 to 26.65 (cm)	M2      A1	      3	7
2 (a)	$t = 2 \frac{1}{3}$ , 2.33 or better  After B0, allow B1 for $t = 7/3$ or 2.3 or 3 or for $3t = 7$ seen	B2	2	
(b)	$x = -2.5$ or $-2 \frac{1}{2}$ and $y = 17$  After B0, allow B1 for one value found with no errors  or allow M1 for correct method to eliminate one variable  (reaching such as $4y = k$ , $ky = 68$ , $8x = k$ or $kx = -20$ )	B2	2	
(c)	$(y+2)(y-2)$ sol  $(3y+2)(y+2)$ sol  $3y+2$ obtained with no errors seen  $y-2$	B1  B1  B1	   3	
(d)	Collect terms e.g. $2x + gx = 2f - 3h$  Factorise e.g. $x(2+g) = 2f - 3h$  $\frac{2f-3h}{2+g}$	M1  M1  A1	   3	10

Page 2	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

3 (a) (i) $(\angle DCA =) 90^\circ$ (angle in semicircle)	B1		
(ii) $(\angle DAC =) 34^\circ$ or $124 - \text{their } \angle$ (angle sum of triangle)	B1		
(iii) $(\angle CBA =) 124^\circ$ (opposite angles of cyclic quad)	B1		
(iv) $(\angle AEB [= \angle ADB] =) 28^\circ$ (angles in same segment)	B1	4	
Lack of reason loses B1 on first occasion only			
(b) $\angle EBD = 28^\circ$ (alternate angles) Reason needed	B1		
Deduces $\angle BDX$ or $\angle BDA = \angle EBD$ And hence triangle $BDX$ is isosceles	indep	B1	2
(c) $(\angle ABE =) 62^\circ$	B1	1	
(d) Convincingly shows $X$ is the centre of the circle e.g. Deduces triangle $ABX$ is isosceles, so $AX = BX = DX$	B1	1	8
<hr/>			
4 (a) Correct, labelled, diagram representing 4, 7, 6, 5, 2, 0, 1 After B0, allow B1 for diagram without labels or labelled diagram with at least 4 values correct	B2	2	
(b) (i) (Median =) $2\sqrt{13}$	B1		
(ii) (Mode =) 1	B1		
(iii) (Mean =) 1.92 or $48/25$ or	B1	3	
(c) $\frac{k}{5k}$ , 0.2 or 20%	B1	1	
(d) $\frac{k}{25k}$ , 0.04 or 4%	B2	2	
After B0, allow B1 for $\frac{k}{50k}$ , 0.02 or 2% or $\frac{2k}{625}$ , 0.0384 or 3.84%			
(e) Uses $2 \times 6$ cars or total number of cars (48) $\frac{k}{4k}$ , 0.25 or 25%	M1		
4k	A1	2	(i)

Page 3	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

5 (a) (i) Lists 5 different ways e.g. on 4017 (1, 1, 1, 1), (2, 1, 1), (1, 2, 1), (1, 1, 2), (2, 2) [ on 4024, (10, 10, 10, 10), (20, 10, 10), (10, 20, 10), (10, 10, 20), (20, 20)]	B1			
(ii) Lists 8 different ways or justifies it is 5 ways with 10 cents first + 3 ways with 20 cents first	B1	2		
(b) (i) a = 13 b = 21 or 8 + their (i)	B1 B2		3	
(ii) z = x + y oe	B1	1		6
6 (a) $\frac{24}{x}$	B1	1		
(b) $\frac{24}{x+0.5}$ oe	B1	1		
(c) $\frac{24}{x} - \frac{24}{x+0.5} = \pm 2$ soi oe, but must contain x in 2 terms	M1			
Correct method to remove fractions, e.g. $24(x+0.5) - 24x = \pm 2x(x+0.5)$ soi oe (but must have contained x in 2 different denominators)	M1			
Obtain $2x^2 + k - 12 = 0$ AG	A1	3		
(d) Formula For numerical $\frac{p \pm \sqrt{q}}{r}$ , (not $\pm p$ ) seen or used, Allow B1 for p = -1 and r = 4 and B1 for q = 97 or $\sqrt{q} = 9.84...$ soi	B1 B1			
Complete square Allow B1 for $(x + \frac{1}{4})^2$ or $(x + \frac{1}{4})$ oe soi and B1 for 97/16 or square roots such as 2.46... or 9.84... 4				
Final answers Allow B1 for each of 2.212 and -2.712 nww or allow B1 for both 2.21 and -2.71 seen or allow B1 for both 2.2 22... and -2.7 22... seen	B2	4		
(e) Time = $\frac{24}{2.212}$ (-10.8...) their 2.212	M1			
10 minutes 50 to 52 seconds	A1	2		11

Page 4	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

7 (a) (i) $\frac{1}{2} \times 0.6^2 (= 0.5655)$ seen 1.520 to 1.530 (m <sup>2</sup> )	M1 A1	2	
(ii) <del>2</del> $2.2(2.5+3.6)$ (= 26.84) oe soi Their 26.84 - their (i) - <del>1.9</del> $0.9$ (= 23.604...) Rounding to 23.6 (m <sup>2</sup> ) AG	M1 A1	2	
(b) (i) Increased area = <del>23.6</del> $\times 1.12$ oe (=26.43... or 26.44)	M1		
Number of tiles = <del>their 26.4</del> $\frac{\quad}{0.25^2}$	indep M1		
= 422 to 424	A1	3	
(ii) Number of boxes = <del>their 423</del> 20 (leading to 22)	M1		
Cost = \$ 330 cao	A1	2	
(iii) Division by 120 soi	M1		
$\frac{20}{120} \times 15$ or $\frac{100}{120} \times 15$ (so)	M1		
\$ 2.5	A1	1	12

Page 5	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

8	Nonsense in one part may be used to earn M marks in any other part of the question Throughout accept equivalent complete methods and decimal angles without degree sign, but degree sign essential if answer is given in degrees and minutes			
(a) (i)	292°	BI	1	
(ii)	$72^2 + 60^2 \pm 2 \times 72 \times 60 \cos 75$ oe soi Correct formula, simplification and a square root taken, seen or implied by subsequent values	M1		
	80.85 to 80.95 (m)	M1		
	After A0, allow A1 for 6547 or 11020 or 104.9 seen, (dep on first M1)	A2	4	
(iii)	$\frac{\sin B}{60} = \frac{\sin 75}{\text{their (i)}}$ soi	M1		
	$\sin ABC = \frac{60 \sin 75}{\text{their (ii)}}$ (= 0.7162...)	M1		
	45.70 to 45.80°	A1	3	
(iv)	157.70 to 158 or (their (i) + their (iii) - 180) ↗	BI ↗	1	
(b)	(Height of kite =) $72 \tan 24$ (=32.05)	M1		
	$\tan \alpha = \frac{\text{their height}}{60}$ (= 0.534...)	M1		
	28.05 to 28.15°	A1	3	12
	Some possible answers			

Page 6	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

9 (a)	$\sqrt{5^2 + 12^2}$ or seen [leading to 13 AG ]		Bl	1	
(b) (i)	$\pi \times 5 \times 13$ so $(= 65\pi = 204.2)$		M1		
	$2\pi \times 5^2$ so $(= 50\pi = 157.1)$	indep	M1		
	Their $65\pi +$ their $50\pi + k\pi \times 5^2$ where $k =$ integer (provided all terms are areas)	indep	M1		
	361.0 to 362.0 (cm <sup>2</sup> )		A1	4	
(ii)	$\frac{1}{2} \pi \times 5^2 \times 12$ so $(= 100\pi = 314.2)$		M1		
	$4\pi \times 5^2$ so $(= 250\pi / 5 = 261.8)$	indep	M1		
	575.5 to 576.5 (cm <sup>3</sup> )		A1	3	
(c)	Figs { $\pi \times 1.5^2 \times 2$ } (= fig{ $9\pi / 2$ } = fig 14.14)		M1		
	Correct conversion, (using 1 000 000)	indep	M1		
	Fig their 14.14 their 576	indep	M1		
	24 500 to 24 600		A1	4	12

Page 7	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

10

(a) (i) $EF = x - 2$			
(ii) $BC = 100/x$			
(iii) $FG = [100/x] - 5$ or their (ii) $- 5$ ✓			
All three correct	B2	2	
After B0, allow B1 for any two correct ✓ answers			
(b) $y = (x - 2)(100 - 5)$ convincingly leading to $y = 110 - 5x - \frac{200}{x}$ AG	B1	1	
(c) $40(,0)$	B1	1	
(d) All 7 points plotted ✓ (P1 for at least 5 of these ✓ )	P2		
Smooth curve, not grossly thick, through all plotted points, of which at least 5 are correct	C1	3	
(e) Drawing tangent at $x = 8$ and estimating <u>change in y</u> , ignoring sign change in x	M1		
- 1.60 to - 2.00 [Ignore support from Calculus]	A1	2	
(f) (i) $[4.65$ or $4.80]$ to $[8.45$ to $8.55]$	R2	2	
After R0, allow R1 for either value			
(ii) $6.20$ to $6.40$	X1	1	12



Page 8	Mark Scheme	Syllabus	Page
	GCE O Level – November 2005	4024	2

11	Accept such as $\vec{b} + -\vec{a}$ for $\vec{b} - \vec{a}$ throughout. Only expressions linear in $\vec{a}$ and/or $\vec{b}$ can score.			
(a) (i)	$(\vec{DC} =) \vec{a}$	B1		
(ii)	$(\vec{AB} =) \vec{b} - \vec{a}$	B1		
(iii)	$(\vec{DB} =) \vec{a} + \vec{b}$	B1	3	
(b)	Triangle OAB is equilateral, so length OA = OB = AB	B1	1	
(c) (i) (a)	$(\vec{AX} =) \vec{b}$	B1		
(b)	$(\vec{YX} =) 3\vec{b}$	B1	2	
(ii)	Points lie on a straight line or	B1	1	
(d)	$(\vec{XZ} =) -3\vec{a}$	B1	1	
(e)	$\vec{YZ} = 3\vec{b} - 3\vec{a}$ or $\vec{ZY} = 3\vec{a} - 3\vec{b}$	B1		
	Deduces $ \vec{XZ}  =  \vec{YX}  =  \vec{YZ} $ , So sides are equal and hence triangle equilateral	dep	B1	2
	Alternative: States XZ parallel OA and YX parallel OB so X 60°	(B1)		
	And length XZ = length YX so equilateral	dep	(B1)	
(f)	$\frac{1}{9}$	M1		
	After 0/2, allow B1 for 1 to 9, 1:9, 9, $\left(\frac{1}{3}\right)^2$ or $\left(\frac{a}{3a}\right)^2$ seen	B2	2	12