

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
GCE Ordinary Level

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**4024 MATHEMATICS (SYLLABUS D)**  
4024/21                      Paper 2, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	21

**Abbreviations**

- cao correct answer only
- cso correct solution only
- dep dependent
- ft follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- www without wrong working
- art anything rounding to
- soi seen or implied

1	(a)	(i) -55	1	
		(ii) $(Q =) \frac{4}{7}(P - 15)$ oe	2	<b>M1</b> for $\frac{7}{4}Q = P - 15$ , or $4P = 7Q + 4 \times 15$ or better <b>SC1</b> for $\frac{4P - 15}{7}$ , $\frac{4(P + 15)}{7}$ or $4(\frac{P}{7} - 15)$ oe
		(b) (i) $7(c - 2d)(c + 2d)$	2	<b>B1</b> for $7(c^2 - 4d^2)$ or $(7c + 14d)(c - 2d)$ or $(7c - 14d)(c + 2d)$ or $(c - 2d)(c + 2d)$ seen
		(ii) $(3x + 2)(x - 3)$	2	<b>B1</b> for one correct factor seen or signs reversed
	(c)	6.2 oe	2	<b>M1</b> for $4 = 5(7 - y)$ soi
2	(a)	(i) 74.8 or 74.7	2	Here and elsewhere accept answers rounding to the given 3 significant figure answers. No obvious wrong working seen. <b>M1</b> for $\tan BAC = \frac{180}{49}$ oe soi
		(ii) 15.2 or 90 – their (a)(i)	1ft	
		(b) (i) 500	2	<b>M1</b> for $(LP^2 =) 1300^2 - 1200^2$ soi
		(ii) 293 cao	3	<b>M1</b> for $\sin LPS = \frac{1200}{1300}$ or $\cos LSP = \frac{1200}{1300}$ or for correct use of their (b)(i) <b>A1</b> for $LPS = 67.4$ cao or $LSP = 22.6$ cao <b>B1</b> for $360 -$ their LPS or $270 +$ their LSP
	(iii)	9.75	2	<b>M1</b> for figs $\frac{13}{1604 - 1556}$
3	(a)	(i) 38	1	
		(ii) 38	1ft	Their (i) (must be $< 90^\circ$ )
		(iii) 74	1	
		(iv) 68	1ft	$180 -$ (their (iii) + their (i) or (ii)) or $106 -$ their (i) dep on positive ans.
	(b)	$(y =) \frac{1}{2}(90 - x)$ oe	3	<b>B2</b> for $y + y + 90 + x = 180$ or better <b>B1</b> for $ABO = y$ or $(OAC =) 90$

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	21

4	(a)	(i) P correct (ii) All 10 elements correctly placed	1 3	In (a) ignore numbers outside the given range <b>B1</b> for 21 correct <b>B1</b> for at least two non-empty subsets correct (ignoring the position of 21) If 0 scored then allow <b>SC2</b> if all the elements other than 21 are correctly placed.	
	(b)	(i) 10 (ii) {b, c, d, f, g} (iii) 2 (iv) $\frac{3}{5}$ oe	1 1 1 1		
	(c)	(i) 3 (ii) 51	1 1		
5	(a)	25	1	<b>B1</b> for $212.67 \times 36 (= 7656.12)$ <b>B1</b> for $5280 \times \frac{x}{100}$ soi or their (b)(i)/5280 soi <b>M1</b> for $5280 \times \frac{x}{100} \times 3 =$ their 2376.12 oe <b>M2</b> for $\frac{30}{130} \times 7040$ oe <b>M1</b> for $130\% = 7040$ soi	
	(b)	(i) 2376.12 (ii) 15	2 3ft		
	(c)	1625 cao	3		
6	(a)	(i) 2.25 isw (ii) 2 www	2 1ft	<b>M1</b> for $(1 \times 8 + 2 \times 17 + 3 \times 12 + 4 \times 3) \div 40$ <b>B2</b> for 2 angles correct or 1 angle correct with all "correct" labels <b>B1</b> for 1 angle correct with wrong or no labels or <b>B1</b> for at least 2 angles calculated	
	(b)	(i) Correct pie chart  (ii) 6	3  1		
7	(a)	(i) 9.6 (ii) 16 cm  (iii) 2 200 cm <sup>2</sup>  (iv) 191	1 2  2ft  3	<b>M1</b> for $\frac{9600}{20 \times 30}$ <b>B1</b> for areas $20 \times 30$ , their $16 \times 20$ and their $16 \times 30$ ft for $600 + 100 \times$ their (a)(ii) <b>B1</b> for $\pi \times 0.8^2 \times 25$ soi <b>M1</b> for their $(\pi \times 0.8^2 \times 25) \times t = 9600$	
	(b)	(i) 11 or 10.8(3...)	2		<b>B1</b> for figs $\frac{25 \times 26}{2 \times 3}$ soi
	(ii) 0.853 cm	2	<b>M1</b> for $\frac{3 \times 2.6}{4\pi}$		

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	21

8	(a)	15, 8, 3, 0, -1, 0, 3, 8, 15	2	<b>B1</b> for at least 7 correct
	(b)	All points plotted ft and curve drawn	3ft	<b>P2</b> for 9 correct plots ft <b>P1</b> for at least 5 correct ft and <b>C1</b> for a smooth curve dependent on at least <b>P1</b>
	(c)	(i) Correct straight line	2	<b>L1</b> for a correct but short line or with a correct section at least 6cm long but deviates elsewhere.
		(ii) -1	2ft	<b>M1</b> for $x = \frac{y+7}{2}$ soi or $3 = \frac{x+7}{2}$ ft from their line
	(iii) (a) -1.9    2.4 (b) $2x^2 - x - 9 (= 0)$	1ft 2	ft from their graphs <b>M1</b> for $\frac{y+7}{2} = x^2 - 1$ <b>SC1</b> for $x^2 - 0.5x - 4.56$	
9	(a)	(i) 26	1	
		(ii) 11.8	2	<b>M1</b> for $\frac{BC}{\sin \text{their } 26} = \frac{15}{\sin 34}$
	(b)	(i) 104	4	<b>M1</b> for $55^2 + 70^2 \pm 2 \times 55 \times 70 \cos 112$ <b>M1</b> for $\sqrt{55^2 + 70^2 - 2 \times 55 \times 70 \cos 112}$ <b>A1</b> for 10809(.4). or 71.0 <b>SC2</b> for 104 anw
		(ii) (a) 11    14 (b) 71.4	1 2ft	<b>M1</b> for $\frac{1}{2} \times 11 \times 14 \sin 112$ ft from their 11 and 14
(c)	810	2	<b>B1</b> for use of the factor with figs 25	
10	(a)	(i) $\begin{pmatrix} 14 \\ -4 \end{pmatrix}$	1	
		(ii) 14.6	2	<b>M1</b> for $\sqrt{\text{their } 14^2 + \text{their } (-4)^2}$
		(iii) Convincing demonstration	2	<b>B1</b> for $\overrightarrow{EF} = \begin{pmatrix} 3 \\ 4 \end{pmatrix}$ or $\overrightarrow{HG} = \begin{pmatrix} 3 \\ 4 \end{pmatrix}$
	(b)	Full description	3	<b>B1</b> for enlargement <b>B1</b> for centre (-2, 4) <b>B1</b> for scale factor 2
	(c)	(i) (5, 0) (7,3) (2,3)	2	<b>B1</b> for two correct or <b>M1</b> for $\begin{pmatrix} 5 & 2 \\ 0 & 3 \end{pmatrix} \begin{pmatrix} 1 & 1 & 0 \\ 0 & 1 & 1 \end{pmatrix}$ seen
		(ii) $\frac{1}{15} \begin{pmatrix} 3 & -2 \\ 0 & 5 \end{pmatrix}$	2	<b>B1</b> for determinant 15 or $\frac{1}{15}$ seen or $\begin{pmatrix} 3 & -2 \\ 0 & 5 \end{pmatrix}$ seen Or <b>M1</b> for $\begin{pmatrix} a & b \\ c & d \end{pmatrix} \begin{pmatrix} 5 & 7 & 2 \\ 0 & 3 & 3 \end{pmatrix} = \begin{pmatrix} 1 & 1 & 0 \\ 0 & 1 & 1 \end{pmatrix}$

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	21

11	(a)	3 : 1000	1	
	(b)	(i) (a) 3 www	3	<b>M1</b> for $27 \times 25 \times \frac{15}{10}$ <b>A1</b> for 1012.5 <b>SC1</b> for answer 3 anw
		(b) 487.5	1ft	ft their (a) $\times 500$ – their 1012.5
	(ii) (a) $x^2 + 34x - 225 = 0$	2	<b>M1</b> for $(27 + 3x)(25 + x) = 2 \times 27 \times 25$ oe	
	(b) 5.67                      -39.67	4	<b>B1</b> for $p = -34$ and $r = 2$ <b>B1</b> for $q = 2056$ or $\sqrt{q} = 45.3(4\dots)$ or <b>B1</b> for $(x + 17)^2$ <b>B1</b> for 22.67 or 514 <b>B1</b> for one correct final answer or both 5.671... and -39.671...seen (possibly with no working) or both 5.7 and -39.7 <b>SC1</b> + 1 for 5.67 and -39.67 anw	
	(c) 44.0 cao	1ft	ft $27 + 3 \times$ their +ive $x$ but lost if negative value given as well	