

## MARK SCHEME for the October/November 2015 series

## 4024 MATHEMATICS (SYLLABUS D)

4024/21

Paper 2, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



1

2

3

			SyllabusP.r 2015402421Part marks00,000,000,000,000,000,000,000,000,000	
Page 2		Mark Scheme Cambridge O Level – October/November 2015		
Question	Answers	Mark	Part marks	
(a)	2730	2	B1 for 230 or 2557.5[0] seen or M1 for 2500 + 2500 × 0.023 × 4 oe	
(b)	262.5[0] final answer	2	<b>B1</b> for 1012.5[0] seen or <b>M1</b> for $0.15 \times 750 + 36 \times 25$ oe	
(c)	w = 4.65 x = [0].75 y = 40.5[0] z = 31.35	5	<b>B1</b> for $[w = ]$ 4.65 <b>B1</b> for $[x = ]$ [0].75 <b>B2</b> for $[y = ]$ 40.5[0] or <b>M1</b> for 32.4[0] $\div$ 0.8 oe <b>B1ft</b> for 31.35	
(a) (i)	19.2[] or $3\sqrt{41}$	2	<b>M1</b> for $[AB^2 = ] 12^2 + 15^2$ or better	
(ii)	128.6 to 128.7 or 129	3	M1 for $\tan \theta = \frac{their12}{15}$ oe A1 for 38.6 to 38.7 B1ft for [ $A\hat{B}C =$ ] their $\theta + 90$	
			Alternative method M2 for complete method using cosine rule for cos <i>ABC</i> using <i>their</i> 19.2	
(b)	44.8[2]	3	M2 for $\frac{7 \sin 65}{9}$ Or M1 for $\frac{9}{\sin 65} = \frac{7}{\sin x}$ oe	
(a) (i)	$\begin{pmatrix} 3 & 4 \\ -1 & 2 \end{pmatrix}$	2	B1 for one row or one column correct	
(ii)	$\frac{1}{4} \begin{pmatrix} 2 & -2 \\ 3 & -1 \end{pmatrix} \text{ or } \begin{pmatrix} \frac{1}{2} & -\frac{1}{2} \\ \frac{3}{4} & -\frac{1}{4} \end{pmatrix} \text{ oe isw}$	2	<b>B1</b> for det = 4 soi or for $\begin{pmatrix} 2 & -2 \\ 3 & -1 \end{pmatrix}$	
(b)	$\begin{pmatrix} 4 & -2 \\ 0 & -6 \end{pmatrix} $ oe	2	<b>B1</b> for one row or one column correct Or <b>M1</b> for $2\mathbf{C} = -4 \begin{pmatrix} -2 & 1 \\ 0 & 3 \end{pmatrix}$ oe or for $-\frac{1}{2}\mathbf{C} = \begin{pmatrix} -2 & 1 \\ 0 & 3 \end{pmatrix}$	

Page 3	Mark Scheme		Syllabus P. The Man	
Cambridge O Level – October/No			vember 2015 4024 21 813	
Question	Answers	Mark	Syllabus P. Manathschou r 2015 4024 21 Part marks	
(c) (i)	$ \begin{pmatrix} 3110 \\ 2715 \\ 2750 \end{pmatrix} $	2	B1 for 2 elements correct in a 3 by 1 matrix or all 3 values correct in dollars or M1 for $\begin{pmatrix} 1950+1160\\975+1740\\1300+1450 \end{pmatrix}$	
(ii)	Amount [in cents] for each week	1		
(iii)	85.75 cao	1		
(a)		1		
(b)	$E \cap (D \cup F)'$ or $(D \cup F)' \cap E$	1	Or $E \cap D' \cap F'$	
(c) (i)	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	<b>B1</b> for 8 or 9 numbers correctly placed or for 10 numbers correctly placed with one additional number or for 1, 3, 4, 5, 7, 9 seen correctly positioned and no numbers positioned incorrectly	
(ii)	7	1ft		
(iii)	$\frac{3}{10}$ oe	2ft	<b>B1</b> for <i>their</i> 3 seen as numerator of a fraction soi	
(a)	$3x^2y(2y^2-5x)$	2	B1 for $3x^2(2y^3 - 5xy)$ or $3y(2x^2y^2 - 5x^3)$ or $x^2y(6y^2 - 15x)$ or $3xy(2xy^2 - 5x^2)$ or $3x^2y(A - 5x)$ or $3x^2y(2y^2 - B)$	

Page 4	Mark Scheme	Syllabus
	Cambridge O Level – October/November 2015	4024

			Multicle SyllabusSyllabusP. mainsr 2015402421Part marks000000000000000000000000000000000
Page 4	Mark Scheme	Syllabus P. Una Asta	
	Cambridge O Level – October/N	ovember	r 2015 4024 21 75 5
Question	Question Answers M		Part marks Out Com
(b)	$x = \pm 1.63[]$ or $\pm \sqrt{\frac{8}{3}}$	3	M1 for $\frac{4(x+2)+2x}{x(x+2)} = 3$ soi M1dep for $4x + 8 + 2x = 3x^2 + 6x$ or better
(c) (i)	Correct region shaded with 4 correct lines	3	B2 for 3 or 4 correct lines or B1 for 2 correct lines
(ii)	$-\frac{1}{2}$ oe	2	<b>B1</b> for (3, 3) or (1, 4) soi
6 (a) (i)	a = 1, b = -3	2	B1 for one correct
(ii)	5.38 to 5.39 or $\sqrt{29}$	2	<b>M1</b> for $\sqrt{5^2 + 2^2}$
(b) (i)	$\mathbf{b} - \frac{1}{2}\mathbf{a}$ or $\frac{1}{2}(2\mathbf{b} - \mathbf{a})$ final answer	1	
(ii)	$2\mathbf{b} + \frac{1}{2}\mathbf{a}$ or $\frac{1}{2}(\mathbf{a} + 4\mathbf{b})$ final answer	1	
(iii)	$\lambda: 3 \lambda$	2dep	<b>B1dep</b> for $\mathbf{b} + \frac{1}{4}\mathbf{a}$ seen
			or $n(\mathbf{b} + \frac{1}{4}\mathbf{a})$ seen or $k = \frac{1}{2}$ or $OF = \frac{1}{2}OE$ oe

Γ	Page 5	Mark Scheme		Syllabus P. Tyn Ma
	raye J	Cambridge O Level – October/N	ovembe	r 2015 4024 21 4026
(	Question	Answers	Mark	r 2015 Syllabus P. M.
		SECTION B		
(	(a)	A correct shape with one of diagonal lines as line of symmetry	1	
	(b)	Correct shape	2	B1 for three additional triangles drawn round <i>M</i> , at least two correct Or SC1 for
(	(c) (i)	<i>C</i> at (3, 1) (3, 3) (4, 3)	2	<b>B1</b> for either vertical or horizontal correct Or for two vertices correct and correct orientation
	(ii)	y = x oe	1	
	(iii)	Translation $\begin{pmatrix} -1\\ 3 \end{pmatrix}$	2	<b>B1</b> for translation or $\begin{pmatrix} -1 \\ 3 \end{pmatrix}$ Or <b>M1</b> for <i>D</i> seen at (1, 3), (3, 3), (3, 4)
	(iv) (a)	(2,0) (4,0) (4,-1)	1	
	(b)	Rotation, 90° clockwise, (0,0) oe	2	<b>B1</b> for two correct from: Rotation, 90° clockwise oe, (0, 0) oe
(	(c)	$\begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$	1	
3 (	(a)	$\frac{\pi r^2 + \pi r (r+4)}{\text{with correct working leading to } 6r(r+2)}$	2	M1 for $\pi r^2 + \pi r (r + 4)$ or $\pi r (r + r + 4)$
(	(b)	48,90	1	
(	(c)	Correct shape curve through 7 correct points	2	B1ft for at least 5 correct points plotted
(	(d)	$[h = ] \sqrt{8r + 16} \text{ or } 2\sqrt{2r + 4}$ $[h = ] \sqrt{(r+4)^2 - r^2} \text{ or better}$	2	<b>M1</b> for $(r + 4)^2 = r^2 + h^2$ or better
(	(e)	16	2	<b>M1</b> for $8r + 16 = 144$ oe

Syllabus	
4024	ſ

Page 6	Mark Sche	eme	Syllabus P. Un Ma
		Cambridge O Level – October/November 2	
Question	Answers	Mark	r 2015 Syllabus P. M.
(f) (i)	4.8 to 4.95	1	
(ii)	8 cao	2	B1 for 7.[] or M1 for substituting <i>their</i> f(i) into $\sqrt{(r+4)^2 - r^2}$
(a) (i)	4 [minutes] 18 [seconds]	1	
(ii)	1 [minute] 0 [seconds]	2	<b>B1</b> for attempt to read at 12.5 and 37.5
(b)	10, 12, 13, 5, 2	2	B1 for 3 correct
(c)	17 [minutes] 30 [seconds]	2	<b>B1</b> for three times only seen including 6, 5:30 and time in range $5:30 < t \le 6$
(d) (i)	23	1	
(ii)	$\frac{7}{50}$ or 0.14	2	<b>B1ft</b> for <i>their</i> 2 + <i>their</i> 5 seen or <b>time</b> = 5 [mins] seen Or <b>SC1</b> for answer $\frac{2}{50}$ oe
(e)	$\frac{4}{175}$ oe	2	M1 for $\frac{a}{50} \times \frac{a-1}{49}$ where $a < 50$ Or B1 for $\frac{8}{50}$ and $\frac{7}{49}$ seen Or SC1 for answer $\frac{8}{175}$ oe or answer $\frac{16}{625}$ oe
) (a) (i)	$\frac{1}{2}(x+15)(x-3) = 75$ Correct expansion leading to $x^2 + 12x - 195 = 0$ www	M1 A1	Or equivalent equation for area
(ii)	9.2 cao	3	<b>B2</b> for 9.19[8] or 9.2[0] seen OR <b>B1</b> for $\sqrt{12^2 - 4 \times 1 \times -195}$ soi And <b>B1</b> for $\frac{-12 \pm \sqrt{their924}}{2}$ oe
(iii)	7.3	2	M1 for $2AD - 0.8 + 15 + their 9.2 = 38.0$ oe Or $2BC + 0.8 + 15 + their 9.2 = 38.0$ oe Or SC1 for answer $[BC = ] 6.5$

Page 7	Mark Sche Cambridge O Level – Octo	Num. Mu. Mu. Mu. 	
Question	Answers	Mark	Part marks
(b) (i)	72°	2	<b>B1</b> for $L\hat{M}N = 108^{\circ}$ seen
(ii)	$\frac{4}{7}$	3	M2 for 126 : <i>their</i> 72 soi or B1 for 126 seen Or SC2 for answer $\frac{7}{4}$
1 (a) (i)	9.19[]	2	<b>M1</b> for $\frac{1}{2} \times 4 \times 6 \times \sin 50$
(ii)	183 to 184	1ft	ft 20 × <i>their</i> 9.19
(iii)	310 to 310.5	5ft	ft 292 + 2 × <i>their</i> 9.19 <b>B3</b> for 4.60 or 4.59[8] or <b>M2</b> for $4^2 + 6^2 - 2 \times 4 \times 6 \times \cos 50$ or <b>M1</b> for cosine formula with one error AND <b>M1</b> for 20×(4 + 6 + <i>their</i> 4.60) + 2× <i>their</i> 9.19 oe
(b)	21.3[2]	4	<b>B1</b> for correct change of units soi <b>M1</b> for use of $\pi \times r^2 \times 0.7 = 0.1$ <b>M1</b> for $r^2 = \frac{0.1}{0.7 \times \pi}$ soi