

Cambridge International Examinations Cambridge Ordinary Level

MATHEMATICS (SYLLABUS D)

4024/22 October/November 2016

www.mymathscloud.com

Paper 2 MARK SCHEME Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Schem	Syllabus P. 47	
Cambridge O Level – October/l		er/Novem	ber 2016 4024 22 90
Question	Answers	Part	Syllabus P. Mynain ber 2016 4024 22 Part Marks
l (a) (i)	3.6	1	
(ii)	109	2	B1 for 756 + 24×922.25 soi or
			SC1 for $\frac{24 \times 922.25}{21000} \times 100$ oe
(b)	730.25	3	B1 for $\frac{127 \times 21000}{100}$ soi
			M1 for $381 + 36 x =$ their total amount oe
(c)	1000	3	M1 for $x + \frac{5x}{100} = 21000$ oe and
			M1 for 21000 – their 2016 price oe
2 (a)	$\frac{ab}{6}$ Final answer	2	M1 for correct transition to multiplication soi
(b)	$\frac{1}{5}$ oe	2	B1 for $5(h-k)$
(c)	(3m-2n)(3m+2n) Final ans.	1	
(d)	(p-2)(q-3) oe	2	B1 for $-q(2-p)$ or $-3(p-2)$ seen or
			M1 if brackets removed and rearranged and extraction of p or 2 or for a correct extraction of a common factor after a sign error.
(e) (i)	$2 -\frac{8}{5}$ oe -2 -16 cao	2	B1 for one correct or
(ii)	-2 -16 cao	2	B1 for either or
			M1 for $(5x-1)^2 = 9^2$ or
			$(x-2)(x+\frac{8}{5}) = 0$ oe ft or
			Uses e(i) to form simultaneous equations or
			$x = \frac{1 \pm 9}{5} = \frac{-B \pm \sqrt{B^2 - 20C}}{10}$

			mm.n. m
Page 3	Mark Scheme	Syllabus	P. Mary
	Cambridge O Level – October/November 2016	4024	22 Ath
			°C/c

Pa	ige 3	Mark Scheme		Syllabus P. The Mark	
	Cambridge O Level – October/November 2016 4024 22				
Que	estion	Answers	Part	Syllabus P. Unaths ber 2016 4024 22 Part Marks	
3	(a)	3.75	1		
	(b)	Correct curve ft	2ft	B1 for 4 correct plots ft	
	(c)	(0.3 to 0.5) ft	2ft	M1 for a reasonable tangent at $x = 2.5$	
	(d)	0 cao (3.05 to 3.25) ft	2ft	B1 for either	
	(e) (i)	y = 4 - x	2	M1 for $x^3 + 10x - 80 = 0 \equiv \frac{x}{20}(x^2 - 10) = ax + b$ oe	
	(ii)	L drawn on the grid ft	1ft	Dependent on at least 1 mark in (e)(i).	
	(iii)	(3.55) ft	1ft	Dependent on at least 1 mark in (e)(i).	
4	(a) (i)	2.67	2	M1 $\frac{AD}{3} = \cos 27$ oe	
	(ii)	4.57	3	M2 for $CD = \frac{3}{\sin 41}$ oe or	
				M1 for $\frac{3}{CD} = \sin 41$ oe	
	(b)	53.1 126.9	3	M1 for $\frac{1}{2} \times 3 \times 5 \times \sin P\hat{Q}R = 6$ oe and	
				A1 for 53.1 or	
				SC1 for supplementary angles from sin $P\hat{Q}R = k.$	
5	(a)	<i>TAB</i> <i>ATB</i> Statement mentions tangent and radius <i>ABT</i>	2	B1 for 2 pairs of equal angles.	
	(b)	2.1	3	M1 for $\frac{AC}{AB} = \frac{CD}{BT}$ oe soi and	
				M1 for $\frac{7}{10} = \frac{CD}{3}$ oe OR	
				B1 for (<i>AB</i> =) 10	

Page 4		Mark Scheme O Level – October/November 2016	
Question	Answers	Part	Syllabus P. Mynains ber 2016 4024 22 Part Marks
6 (a)	$\begin{pmatrix} 4 & 4 \\ 1 & 7 \end{pmatrix}$	2	B1 for 3 entries correct.
(b)	$\begin{pmatrix} 2 & 4 \\ 2 & 9 \end{pmatrix}$	2	B1 for 3 entries correct.
(c)	4 7	2	B1 for one correct or $\begin{pmatrix} 2x \\ 3x+2 \end{pmatrix}$ seen
(d)	$\frac{1}{5} \begin{pmatrix} 3 & -2 \\ 1 & 1 \end{pmatrix} \text{ oe isw}$	2	B1 for det B = 5 soi or $\begin{pmatrix} 3 & -2 \\ 1 & 1 \end{pmatrix}$ soi
7 (a) (i)	1.98	1	
(ii)	(±) $\sqrt{x^2 - a^2}$ Final answer	2	M1 for $x^2 = a^2 + b^2$ oe
(b) (i)	$(PQ =) \frac{17}{x+5}$	1	
(ii)	$3x^2 + 15x - 85$ (=0) oe shown	3	M1 for $(AB =)$ their $(PQ) + 3$ and
			M1 for (their($PQ + 3$) × $x = 17$ or
(iii)	3.38 -8.38	3	B1 for $\sqrt{15^2 - 4 \times 3 \times (-85)}$ soi and
			B1 for $\frac{-15 \pm \sqrt{their 1245}}{2 \times 3}$ soi and
			M1 for both real values of $\frac{p \pm \sqrt{q}}{r}$
(iv)	20.8	2ft	M1 for their(PQ) and $x + 5$ evaluated using $x =$ the positive root from (b)(iii). or for their perimeter in algebraic form

Page 5	Mark Scheme	lovom	Syllabus P. Unage ber 2016 4024 22		
Cambridge O Level – October/November 2016 4024 22 403					
Question	Answers	Part	Syllabus P. M. ber 2016 4024 22 Part Marks 48		
8 (a) (i)	Dependent on 4 fig. term calculated using any version of π .	3	M1 for arc length $\frac{48}{360} \times 2\pi R$ soi and		
			M1 for $R = 20 \times \frac{360}{48} \times \frac{1}{2\pi}$ oe		
(ii)	239	2	M1 for $\frac{48}{360} \times \pi R^2$		
(iii)	20.7	2	M1 for $2\pi r = \frac{312}{360} \times 2\pi R$ oe		
(b) (i)	200	3	M1 for $l^2 = 4^2 + 7.5^2$ oe soi and		
			A1 for (<i>l</i> =) 8.5		
(ii)	2.5	2	B1 for 8 : 5 soi		
9 (a)	326 ft	4ft	M2 for $65^2 = 110^2 + 70^2 - 2 \times 110 \times 70 \times \cos A\hat{C}B$ soi or		
			M1 for the cosine rule with one error. and		
			A1 for 33.9 or 146.1 or 59.2 and		
			B1 ft for 360 – their $A\hat{C}B$ oe		
			SC 2 for 109.1 or 37.0		
(b)	92.2	3	M2 for $\frac{AD}{\sin(70+58)or(180-(70+58))} = \frac{110}{\sin 70} \text{ oe}$		
			soi or M1 for 70 + 58 or 180 – (70 + 58)		
(c) (i)	13.6 or 13.7	2	M1 for tan $YBC = \frac{17}{70}$ or tan $BYC = \frac{70}{17}$		
(ii)	16.5	3	M1 for Figs $\frac{110}{24}$ soi and		
			B1 for \times by $\frac{60 \times 60}{1000}$ oe soi		

Page 6		Mark Scheme O Level – October/November 2016	
Juestion	Answers	Part	Syllabus P. My Der 2016 4024 22 Part Marks
0 (a) (i)	$6\mathbf{b} - 3\mathbf{a}$ oe isw	1	
(ii)	$2\mathbf{b} - \mathbf{a}$ oe isw	1ft	
(iii)	2 : 3 cao NB www	4	M1+ M1 for two of $\overrightarrow{OC} = \overrightarrow{OA} + \overrightarrow{AC}$ $\overrightarrow{CD} = \overrightarrow{CB} + \overrightarrow{BD}$ $\overrightarrow{OD} = \overrightarrow{OB} + \overrightarrow{BD}$ A1 for $\overrightarrow{OC} = 2\mathbf{a} + 2\mathbf{b}$ ft or $\overrightarrow{CD} = 3\mathbf{a} + 3\mathbf{b}$ ft or $\overrightarrow{OD} = 5\mathbf{a} + 5\mathbf{b}$
(b) (i)	Reflection $y = -x$ oe	2	B1 for either
(ii) (a)	Triangle C with vertices (2, 3),(2, 2), (5, 5)	2	B1 for two vertices correct or
			M1 for a correct construction line involving H(2, 1) or H(2, 0)
(b)	1	1	
(c)	$\begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}$	1ft	

www.m.	2
Page 7 Mark Scheme Syllabus P. 47	A at
Cambridge O Level – October/November 2016 4024 22	Se Se

Qu	estio	n		Answers	Part	Part Marks
11	(a)	(i)	(a)	40 to 41	1	
			(b)	23 to 27	2	B1 for 52 ±1 or 27 ±1
			(c)	225 to 245	1	
		(ii)		79 to 80	1	
		(iii)		Paper1 e.g. Paper 2 has median 54 oe Using (i)(a), (i)(c) or (ii) with numerical justification – accept reasonable attempts to read the graphs correctly.	1	
	(b)	(i)		$\frac{2}{4}$ oe	1	
		(ii)		$\frac{2}{20}$ oe	1	
		(iii)		$\frac{12}{20}$ oe	2	B1 for $\frac{3}{5} \times \frac{2}{4}$ or $\frac{2}{5} \times \frac{3}{4}$ seen
		(iv)		$\frac{18}{60}$ oe	2	B1 for any correct sequence of three coins, $\frac{3}{5} \times \frac{2}{4} \times \frac{1}{3}$ or $\frac{2}{5} \times \frac{3}{4} \times \frac{1}{3}$ or $\frac{2}{5} \times \frac{1}{4} \times \frac{3}{3}$