

Cambridge International Examinations Cambridge Ordinary Level

MATHEMATICS (SYLLABUS D) Paper 1 SPECIMEN MARK SCHEME 4024/01 For Examination from 2018

2 hours

www.mymathscloud.com

# **MAXIMUM MARK: 80**

This document consists of 6 printed pages.





### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

#### Types of mark

- **M** Method marks are given for a correct method.
- A Accuracy marks are given for an accurate answer following a correct method.
- **B** B marks are given for a correct statement or step, independent of method marks.

#### Abbreviations

- ag answer given
- art answer rounds to
- cao correct answer only
- dep dependent
- ft follow through after error
- isw ignore subsequent working
- oe or equivalent
- sc special case
- soi seen or implied
- www without wrong working

4024/01		Cambridge O Level – Mark Scheme <b>SPECIMEN</b>		Moologiest Andread
Question	Answer	Marks	Part marks	CHOUCH
1(a)	$\frac{11}{35}$	1		.com
1(b)	$\frac{18}{35}$	1		

Question	Answer	Marks	Part marks
2(a)	42	1	
2(b)	4	1	

Question	Answer	Marks	Part marks
3(a)	14	1	
3(b)	0.3 oe	1	

Question	Answer	Marks	Part marks
4(a)	$4.8 \times 10^7$ cao	1	
4(b)	$9.3 \times 10^6$ oe	2	<b>M1</b> for $1.85 \times 10^7 - 9.2 \times 10^6$ oe
4(c)	$5.1 \times 10^8$ cao	1	After 0 in (a) and (c), allow 1 for a correct (c) in any form

Question	Answer	Marks	Part marks
5(a)	4p(4+p)	1	
5(b)	(x+2a)(y+3a)	2	B1 for any partial factorisation
5(c)	(2x-5)(x+4)	2	B1 for $(2x + 5)(x - 4)$ or $(2x - 5)(x - 4)$ or $(2x + 5)(x + 4)$

Question	Answer	Marks	Part marks
6(a)	$\frac{4}{9}$ oe	1	
6(b)	840	1	

Question	Answer	Marks	Part marks
7(a)	$2\mathbf{p} + 3\mathbf{q}$	1	
7(b)	$2\mathbf{p} + 2\mathbf{q}$	1	
7(c)	$-2\mathbf{p}+\mathbf{q}$ ft	1	Accept $3\mathbf{q} - their$ (b) ft

Question	Answer	Marks	Part marks
8(a)	4 16 30 52 70 80	1	
8(b)	Correct <b>ft</b> curve	2	B1 for at least 5 correct ft points
8(c)	16 to 19 ft	2	<b>B1</b> for <i>their</i> cumulative frequency (CF) at $m = 45$ ft After 0, allow <b>B1</b> for $80 - their$ CF at m = 44



4024/01		Cambridge O Level – Mark Scheme <b>SPECIMEN</b>		My NSUSCIOLUCION
Question	Answer	Marks	Part marks	COLO
9(a)	81	1		···COM
9(b)	8	1		
9(c)	$\sqrt{2}$	1		

Question	Answer	Marks	Part marks
10(a)	$\begin{pmatrix} 11 & -6 \\ -1 & -2 \end{pmatrix}$	2	<b>B1</b> for 3 or 2 correct elements
10(b)	$\begin{pmatrix} \frac{1}{2} & 1\\ \frac{1}{2} & 2 \end{pmatrix} \text{ or } \frac{1}{2} \begin{pmatrix} 1 & 2\\ 1 & 4 \end{pmatrix}$	2	<b>B1</b> for determinant A = 2, or for $k \begin{pmatrix} 1 & 2 \\ 1 & 4 \end{pmatrix}$ oe

Question	Answer	Marks	Part marks
11	$-1, -\frac{17}{20}, -\frac{4}{5}, 0, \frac{3}{4}$	2	<b>B1</b> for 4 correct when one is covered or <b>B1</b> for reversed answer

Question	Answer	Marks	Part marks
12(a)	F	1	
12(b)	E	1	

Question	Answer	Marks	Part marks
13	(a =) 8.75 oe (b =) 6 oe	3	<b>B2</b> for one correct <b>www</b> or <b>B1</b> for $\frac{4}{7}$ or $\frac{7}{4}$ oe seen

Question	Answer	Marks	Part marks
14(a)	$-\frac{5}{8}$ , or -0.625, <b>cao</b>	1	
14(b)	$\frac{7}{2x+3}$ oe	2	<b>B1</b> for $2x'y' + 3x = 7$ oe (condone swaps of x and 'y') with both variables on the same side.

Question	Answer	Marks	Part marks
15(a)	$(R =) 3p^3$ seen	1	
15(b)	4	2	<b>M1</b> for $192 = 3p^3$ oe
15(c)	(Diagram) 2	1	

Question	Answer	Marks	Part marks
16(a)	[0]8 18	1	
16(b)	33	1	

۷	4024/01	Cambridge O Level	cheme For Ex. Munumatha froi. Marks	SHERE T	
	Question	Answer	Marks	Part marks	CIOUN
	17(a)	79 <b>cao</b>	1		COM
	17(b)	$n(n+1) + (n+2)^2$ oe	1		
	17(c)	(A =) 2, (B =) 5, (C =) 4	2	<b>B1</b> for two of these or <b>M1</b> for comparison with <i>their</i> (b)	

Question	Answer	Marks	Part marks
18(a)	$\frac{9}{25}$	1	
18(b)	$\frac{3}{t^3}$ or $3t^{-3}$	1	
18(c)	$\frac{x^2}{3y}$ or $\frac{1}{3}x^2y^{-1}$	1	

Question	Answer	Marks	Part marks
19(a)	The correct diagram	1	
19(b)	The correct diagram	1	

Question	Answer	Marks	Part marks
20	Completely correct net $ \begin{array}{c} 3 \\ 6 \\ 5 \\ (labelling not required) \end{array} $	3	M1 for 2 correct rectangular faces M1 for another correct triangular face

Question	Answer	Marks	Part marks
21(a)	0.4 <b>oe</b>	1	
21(b)	12 or <i>their</i> (a) $\times$ 30 ft	1	
21(c)	0.83	1	



4024/01	Cambridge O Level SPECIN	cheme For Ex. myman froi. marks	Street Provide Street	
Question	Answer	Marks	Part marks	SOLA
22(a)	264° to 268° inclusive	1		·· COM
22(b)	Acceptable quadrilateral ABCD	1		
22(c)(i)	Acceptable perpendicular bisector of AB	1		
22(c)(ii)	Acceptable bisector of angle <i>ABC</i>	1		
22(d)	Correct region (top left-hand corner) shaded	1	<b>dep</b> on two reasonably accurate intersecting lines	

Question	Answer	Marks	Part marks
23	Any number between 4 and 5	2	<b>B1</b> for $x < 5$ , or for $5 > x$ seen This may appear as, e.g. $4 < x < 5$

Question	Answer	Marks	Part marks
24(a)	18	1	
24(b)	4	1	

Question	Answer	Marks	Part marks
25(a)	48°	1	
25(b)	66°	1	
25(c)	24°	1	
25(d)	35° or their $\frac{(a)}{2}$ ft	1	

Question	Answer	Marks	Part marks
26(a)	(-)2	1	
26(b)	20	1	
26(c)	600	1	
26(d)	$40 \text{ or } 10 + 30 \times   \frac{\text{their (a)}}{2}   \text{ ft}$	1	