



# Cambridge International Examinations Cambridge Ordinary Level

**MATHEMATICS (SYLLABUS D)** 

4024/02

Paper 2

For Examination from 2018

SPECIMEN MARK SCHEME

2 hours 30 minutes

**MAXIMUM MARK: 100** 



### Cambridge O Level – Mark Scheme SPECIMEN



#### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

### Types of mark

- **M** Method marks are given for a correct method.
- **A** Accuracy marks are given for an accurate answer following a correct method.
- **B** B marks are given for a correct statement or step, independent of method marks.

### **Abbreviations**

ag answer givenart answer rounds tocao correct answer only

dep dependent

ft follow through after errorisw ignore subsequent working

oe or equivalentsc special casesoi seen or implied

www without wrong working

© UCLES 2015 Page 2 of 6



Question	Answer	Marks	Part marks
1(a)(i)	37.5[%]	2	M1 for 5.5 ÷ (240 ÷ 60) soi by 1.375 Or B1 for either 90 or figs 15 seen
1(a)(ii)	73.5[0]	2	M1 for $45 \times 5.5 + (60 - 45) \times 5.5 \times 0.8$ oe Or B1 for 247.5 seen or for 66 seen
1(a)(iii)	208.7[0] or 209	2	<b>M1</b> for 240 ÷ 1.15 <b>oe</b>
1(a)(iv)	2852.92	3	<b>M2</b> for $2500 \times \left(1 + \frac{4.5}{100}\right)^3$ <b>oe</b>
			Or <b>M1</b> for $2500 \times \left(1 + \frac{4.5}{100}\right)^k$ <b>oe</b> where $k > 1$
1(b)	1.21875 to 1.22	2	<b>M1</b> for 0.78 ÷ 0.64

Question	Answer	Marks	Part marks
2(a)(i)	6 correct plots	2	P1 for 4 or 5 correct plots
2(a)(ii)	Positive	1	
2(a)(iii)	Line of best fit	1	<b>Ruled</b> line at least from $x = 5$ to $x = 48$ , with at least 3 points on each side and drawn so would cut axis between $(5, 0)$ and $(0, 20)$
2(a)(iv)	Physics (integer) value on line at $M = 22$	1	Strict ft from <i>their</i> single ruled line $5 \le x \le 48$ .
2(b)	45	1	
2(c)	(26+39+35+28+9+37+45+33+ 16+12) ÷ 10	1	
2(d)	46 <b>cao</b>	3	<b>M2</b> for (31 × 12 – 28 × 10) ÷ 2 <b>soi</b> by 92 ÷ 2 Or <b>M1</b> for 31 × 12 <b>soi</b> by 372 or 93
2(e)	$\frac{1}{15}$ oe	2	M1 for $\frac{3}{10} \times \frac{2}{9}$ or for $\frac{k}{10} \times \frac{k-1}{9}$ with $k \ge 2$

Question	Answer	Marks	Part marks
3(a)(i)	Correct triangle	2	B1 for two correct vertices or triangle correct size and orientation
3(a)(ii)	Correct triangle	2	B1 for two correct vertices or triangle correct size and orientation
3(a)(iii)	Complete description www	3	<b>B1</b> for Rotation <b>B1</b> for either 90 anticlockwise or centre (0, 3)
3(b)	y = x + 5	2	<b>B1</b> for either $y = x + k$ , $k \neq 5$ or for $y = mx + 5$ , $m \neq 0$ or 1
3(c)	<i>y</i> = - <i>x</i>	1	



Question	Answer	Marks	Part marks
4(a)(i)	68.7°	2	$\mathbf{M1} \text{ for } \tan A = \frac{18}{7}$
4(a)(ii)	257 to 257.5	4	M1 for $\tan 55 = \frac{18}{DE}$ A1 for $DE = 12.6$ to $12.61$ cm M1 ft for $\frac{1}{2}(9 + 7 + their\ 12.6) \times 18$ or for a complete alternative method
4(b)	26°	2	<b>M1</b> for 41.5 or 112.5 used

Question	Answer	Marks	Part marks
5(a)(i)	$2^2 \times 3 \times 7$	1	
5(a)(ii)	72	2	<b>M1</b> for either $[504 =] 2^3 \times 3^2 \times 7$ <b>soi</b> or answer $8 \times 9$ <b>oe</b>
5(b)(i)	11	1	
5(b)(ii)(a)	4, 8, 12, 16	1	
5(b)(ii)(b)	x is a multiple of 4	1	
5(c)	21	2	<b>M1</b> for $n(P \cup F)' = 12$

Question	Answer	Marks	Part marks
6(a)(i)	-8.5	1	
6(a)(ii)	8 points correctly plotted and joined with a smooth curve on correct axes	3	B1 for correct scale B1 for 6 or 7 given table points correctly plotted on <i>their</i> axes B1 for smooth curve through all 8 points on <i>their</i> consistent axes
6(a)(iii)	2.5 – 6.5 ( <b>dep</b> on tangent <b>soi</b> )	2	<b>M1</b> for tangent at $x = 1.5$ soi
6(a)(iv)	-0.85 to -0.95	2	M1 for $y = 1$ soi
6(b)(i)	p = 1.2 $q = 0.5$	2	<b>B1</b> for $p = 1.2$ , <b>B1</b> for $q = 0.5$ ft
6(b)(ii)	$-\frac{4}{5}$ oe	2	M1 ft for $\frac{-2}{3 - their q}$ oe

Question	Answer	Marks	Part marks
7(a)	x = -4 cao	2	$M1 \pm 2x = \text{ or } \pm 8 =$
7(b)	x = 1.5, y = -3	3	B2 for 1 correct value www Or B1 for pair of values satisfying either equation
7(c)	$\frac{10p - 29}{(p+2)(2p-3)}$ final answer	3	M1 $\frac{7(2p-3)-4(p+2)}{(p+2)(2p-3)}$ B1 for $14p-21-4p-8$ seen
7(d)	$\frac{y+3}{2y+5}$ final answer	3	M1 for $(y + 3)(y - 3)$ seen M1 for $(2y + 5)(y - 3)$ seen

# Cambridge O Level – Mark Scheme **SPECIMEN**



Question	Answer	Marks	Part marks
8(a)(i)	EC = BE  or  AC = FE  and $\angle AEC = \angle FBE \text{ or } \angle ECA = \angle BEF$	B1	
	Two correct reasons for their choices e.g. $EC = BE$ ; radii $AC = FE$ ; diameters $\angle AEC = \angle FBE$ [= 90°]; angle in semicircle $\angle ECA = \angle BEF$ [= 60°]; equilateral triangle	B1	
	Third statement, leading to correct congruence condition i.e. RHS, SAS, SSA	B1	
8(a)(ii)	BFD	1	
8(a)(iii)	$\angle EBF = \angle DFB = 90^{\circ}$ Cointerior/interior/supplementary/allied angles [sum to 180] <b>dep</b>	A1 B1	Both 90° could be marked on diagram
	OR $\angle BEF = \angle EFD = 60^{\circ}$ Alternate angles [are equal] dep	A1 B1	Both 60° could be marked on diagram
	Available marks	2	
8(b)(i)	6.126 to 6.13	2	M1 for $\frac{1}{2} \times 4 \times 4 \sin 130$
			or $\frac{1}{2}PQ \times$ perpendicular height (numerical)
8(b)(ii)	38.2 to 38.3	3	(numerical)  M1 for $\frac{(360 - 130)}{360} \times \pi \times 4^2 \text{ soi by } 32.11$
			or $\frac{130}{360} \times \pi \times 4^2$ soi by 18.15 And M1 ft for 'their major sector area' + 'their triangle area' or for 'their circle area' - 'their minor sector area' + 'their triangle area'

## Cambridge O Level – Mark Scheme **SPECIMEN**



Question	Answer	Marks	Part marks
9(a)	$\frac{320}{x}$ isw	1	
9(b)	$2x^2 + 5x - 20 (= 0)$ correctly found	3	Alternative method 1: M1 for (car speed =) $\frac{320}{x+2.5}$ oe and M1 for their $\frac{320}{x} - \frac{320}{x+2.5} = 80$ oe Alternative method 2: M1 for (car speed =) their $\frac{320}{x} - 80$ or (car distance =) $x + 2.5$ and M1 for $320 = \left(their \frac{320}{x} - 80\right)(x+2.5)$ oe
9(c)	2.15 -4.65	3	<b>B1</b> for $\sqrt{5^2 - 4 \times 2 \times (-20)}$ soi and <b>B1</b> for $\frac{-5 \pm \sqrt{their}  185}{2 \times 2}$ soi If <b>B1</b> or <b>B0</b> at this stage, allow <b>M1</b> for both values of $\frac{p \pm \sqrt{q}}{r}$
9(d)	69	2	M1 for $\frac{320}{their\ positive\ x + 2.5}$ oe or $\frac{320}{their\ positive\ x} - 80$ oe

Question	Answer	Marks	Part marks
10(a)(i)	$\frac{5\sin 65}{\sin 65 - \sin 45}$ correctly obtained	3	M1 for $\frac{BC}{\sin 65} = \frac{AC}{\sin 45}$ oe soi and B1 for $AC = BC - 5$ oe
10(a)(ii)	22.7 to 22.75	1	
10(b)(i)	$-\frac{11}{40}$ isw	3	M2 for $13^2 = 6^2 + 10^2 - 2 \times 6 \times 10 \times \cos PRQ$ Or M1 for $13^2 = 6^2 + 10^2 \pm (2) \times 6 \times 10 \times \cos PRQ$ A1 for $\frac{33}{120}$ or for $-\frac{33}{60}$
10(b)(ii)	$\frac{11}{40}$ ft	1	