Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

MATHEMATICS (US) **0444/11**

Paper 1 Core **May/June 2016**

MARK SCHEME

Maximum Mark: 56

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Question	Answer	Mark	Part marks
1	8(h) 52 (min)	**1**	
2	12	**1**	
3	[0].72	**1**	
4	[0].00127	**1**	
5	60	**1**	
6 (a)	1	**1**	
(b)	5	**1**	
7 (a)	Acute	**1**	
(b)	Pentagon	**1**	
8 (a)	4, 5	**1**	
(b)	They are the same oe	**1**	
9 (a)	3	**1**	
(b)	All three correct lines of symmetry drawn	**1**	
10	540	**2**	**M1** for 2000×0.27 or better
11	144	**2**	**M1** for finding a correct product of prime factors or correctly listing a minimum of 3 multiples of 36 **and** 48 or for answer $2^4 \times 3^2$ oe or $144k$
12	11	**2**	**M1** for $-2 \times -7 - 3$ soi
13	$\frac{py}{q}$ final answer	**2**	**M1** for multiplying correctly by p or **M1** for dividing correctly by q
14	[a =] 70° [b =] 40°	**2**	**B1** for each

Question	Answer	Mark	Part marks
15	20	**2**	**M1** for $\frac{15}{6}$ oe or $\frac{6}{15}$ oe or $\frac{8}{6}$ or $\frac{6}{8}$
16	$\frac{18}{35}$ cao	**3**	**M2** for $\frac{6}{7}\times\frac{3}{5}$ or $\frac{18}{21}\div\frac{35}{21}$ oe or **B1** for $\frac{3}{5}$ oe or **M1** for $\frac{6}{7}\times$ *their* $\frac{3}{5}$
17 (a)	19	**1**	
(b)	−2	**1**	
(c)	81	**1**	
18 (a)	Negative	**1**	
(b)	4	**1**	
(c) (i)	Ruled line of best fit	**1**	
(ii)	250 000 to 380 000	**1**	
19 (a)	Correct ruled angle bisector with all correct arcs	**2**	**M1** for accurate angle bisector with no / wrong arcs or for all correct arcs with no / wrong line
(b)	Correct ruled perpendicular bisector with two pairs of correct arcs	**2**	**M1** for accurate bisector with no / wrong arcs or for two pairs of correct intersecting arcs with no / wrong line
20	Correctly equating one set of coefficients Correct method to eliminate one variable [x =] −3 [y =] 7	**M1** **M1** **A1** **A1**	 Dependent on first **M1** scored If zero scored, **SC1** for 2 values satisfying one of the original equations **or** 2 correct answers given but no working shown
21 (a) (i)	0, 1	**1**	
(ii)	2	**2**	**M1** for a correct rise ÷ run eg 4 ÷ 2 or for right-angled triangle marked on graph with run =1 and rise = 2 oe
(iii)	[y =] $2x + 1$ final answer	**2FT**	**FT** *their* (a)(i) for c and *their* (a)(ii) for m **B1** for $y = 2x + c$ ($c \neq 1$) or $y = mx + 1$ ($m \neq 2$ or 0)
(b)	$y = 5x + b$ oe final answer	**1**	where $b \neq -3$

Question	Answer	Mark	Part marks
22 (a)	672	2	**M1** for 12 × 8 × 7
(b)	12	2	**M1** for 648 ÷ (6 × 9)
(c)	600	3	**M2** for (5 × 10 × 24) ÷ 2 oe or **M1** for (5 × 10) ÷ 2 or 25 nfww