

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

## MARK SCHEME for the October/November 2014 series

### **0444 MATHEMATICS (US)**

**0444/23**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

**Abbreviations**

- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- nfww not from wrong working
- soi seen or implied

	Answer	Mark	Part marks
1	28 500	2	<b>M1</b> for $300 \times 95$
2	$3.6\% < 0.34 < 0.6^2 < \frac{3}{5}$	2	<b>B1</b> for 0.6, 0.36, 0.036 or converting to % or for 3 values in correct relative positions
3	$2.4 \times 10^8$	2	<b>B1</b> for $k \times 10^8$ or $2.4 \times 10^k$ or 240 000 000
4	30	2	<b>M1</b> for $2x + 3x + 4x + 90 = 360$ oe
5	70	2	<b>M1</b> for $56 \div 0.8$ oe
6	512	2	<b>B1</b> for $8^3$
7	1, 2, 5	2	<b>SC1</b> for 5, 2, 1, 2, 5 or 1, 2, 5 with extras
8	$7\sqrt{5}$	2	<b>B1</b> for $4\sqrt{5}$ or $3\sqrt{5}$ seen
9	60, 120	2	<b>B1</b> for 60 or 120 seen
10	9.5 or $\frac{19}{2}$	3	<b>M2</b> for $2x = (8 \times 3) - 5$ or better oe or <b>M1</b> for $2x + 5 = 8 \times 3$ or better
11	160	3	<b>M2</b> for $180 - \frac{360}{18}$ or $\frac{180 \times (18 - 2)}{18}$ or <b>M1</b> for $180 \times (18 - 2)$ or $\frac{360}{18}$
12	$8 + (y - 2)^2$ oe final answer	3	<b>M1</b> for $y - 2 = \sqrt{(x - 8)}$ <b>M1</b> for squaring both sides completed correctly <b>M1</b> for adding <i>their</i> 8 completed correctly on answer line
13	4	3	<b>M2</b> for $6(3 + 5) = y(7 + 5)$ oe or <b>M1</b> for $y = \frac{k}{x + 5}$ oe <b>A1</b> for $k = 48$
14	3, 180, 0	3	<b>B1</b> each

15	13 230	3	<b>B2</b> for $600 + 630$ oe seen or <b>M2</b> for $12\,000 \times (1.05)^2$ oe or <b>M1</b> for 5% of 12 600 attempted soi (e.g by 630)
16 (a)	3025 cao	2	<b>M1</b> for $\frac{1}{4} \times 10^2 \times (10 + 1)^2$
(b)	$2n^2(n + 1)^2$ oe	1	
17	$\frac{16x^2 + 18x + 9}{6x}$ final answer	4	<b>M2</b> for 9 [+] $4x^2$ [+] $18x$ [+] $12x^2$ or better or <b>M1</b> for 2 of these and <b>M1FT</b> for adding their four ‘numerators’ together correctly and <b>B1</b> for denominator $6x$ to a maximum of 3 marks
18 (a)	$\frac{1}{2}\mathbf{b} - \frac{1}{2}\mathbf{a}$ oe	2	<b>M1</b> for $\frac{1}{2}(\overrightarrow{AO} + \overrightarrow{OB})$ oe or correct unsimplified route eg $\overrightarrow{AO} + \overrightarrow{OB} + \overrightarrow{BP}$ or $-\mathbf{a} + \mathbf{b} + \frac{1}{2}\overrightarrow{BA} = -\mathbf{a} + \mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$
(b)	$\frac{1}{4}\mathbf{a} + \frac{3}{4}\mathbf{b}$ oe	2	<b>M1</b> for $\overrightarrow{OA} + \overrightarrow{AQ}$ oe or correct unsimplified route
19 (a)	Reflection $y = x$	1 1	
(b)	Triangle at (3, 3) (6, 3) and (3, 5)	2	<b>M1</b> for any two vertices correct or correct answer translated horizontally
20 (a)	64	2	<b>B1</b> for $[f(1) =] 4$ or <b>M1</b> for $((x - 3)^2)^3$ or better
(b)	$4x + 1$ oe	2	<b>M1</b> for $x = \frac{y - 1}{4}$ or $4y = x - 1$
(c)	$\frac{x^3 - 1}{4}$ oe final answer	1	
(d)	3 nfww	1	
21 (a)	3.08 to 3.22 nfww	2	<b>B1</b> for 502.5 to 502.62 or 505.7 to 505.8
(b)	$\frac{16}{200}$ oe	2	<b>B1</b> for 16 soi or <b>M1</b> for $\frac{their\,16}{200}$
(c)	18.5 26 3	2	<b>B1</b> for 18.5 and 26 <b>B1</b> for 3

22	(a)	13	4	<p><b>B3</b> for <math>\frac{53}{4}</math> oe</p> <p>or <b>M2</b> for <math>636\pi \div \left(\frac{1}{3}\pi \times 4^2 \times 9\right)</math> oe</p> <p>or <b>M1</b> for <math>\left(\frac{1}{3}\pi \times 4^2 \times 9\right)</math></p>
	(b)	$12\pi$	3	<p><b>B2</b> for <math>0.25 \times \left(\frac{1}{3}\pi \times 4^2 \times 9\right)</math></p> <p>or <math>636\pi - (13 \times 48\pi)</math></p> <p>or <b>M1</b> for <i>their remainder</i> <math>\times \left(\frac{1}{3}\pi \times 4^2 \times 9\right)</math></p> <p>or <math>636\pi - (\text{their } 13 \times 48\pi)</math></p>