

---

**MATHEMATICS (US)**

**0444/13**

Paper 1 (Core)

**October/November 2016**

MARK SCHEME

Maximum Mark: 56

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

Page 2	Mark Scheme	Syllabus	Paper 13
	Cambridge IGCSE – October/November 2016	0444	

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
1	5034	1	
2	-3	1	
3	36	1	
4	$n^7$ final answer	1	
5 (a)	$2.47 \times 10^6$	1	
(b)	$7.9 \times 10^{-3}$	1	
6	$0.4^2 \quad 0.22 \quad \left(\frac{1}{2}\right)^2 \quad \sqrt{0.09}$	2	M1 for decimal conversion of 0.25, 0.3 and 0.16
7 (a)	Station wagon	1	
(b)	35	1FT	
8	$\frac{23}{30}$ cao	2	M1 for $\frac{18k}{30k}$ and $\frac{5k}{30k}$
9 (a)	18.3	1	
(b)	128	1	
10	48	2	M1 for $\frac{x}{16} = \frac{30}{10}$ or $\frac{x}{30} = \frac{16}{10}$ oe or 3 or $\frac{1}{3}$
11 (a)	172	1	
(b)	166	2	B1 for an ordered list of at least 5 numbers or B1 164 and 168 identified
12 (a)	0.6	1	
(b)	$\frac{12}{25}$	2	B1 for $\frac{48}{100}$ or equivalent fraction

Question	Answers	Mark	Part Marks
13 (a)	960	1	
(b)	200	2	M1 for $6400 \div 32$
14 (a) (i)	$\frac{5}{12}$	1	
(ii)	0	1	
(b)	[0].65	1	
15	36	3	M2 for $5 \times 3 + 7.5 + 9.5 + 4$ oe or M1 for two of 5, 7.5, 9.5 and 4
16 (a)	$\begin{pmatrix} 2 \\ 1 \end{pmatrix}$	1	
(b)	8, 7	1	
17 (a)	60	2	M1 for $2 \times 3 \times 10$
(b)	not reasonable oe his answer is too big oe	1	
18 (a)	30	1	
(b)	47.5	3	M2 for $(5 \times 5) + \left(\frac{4.5 \times 5}{2}\right)[\times 2]$ oe soi or M1 for $\frac{4.5 \times 5}{2}[\times 2]$ oe seen or $4.5 \times 5 + 25$
19 (a)	142	1	
(b)	9	2	M1 for $360 \div 40$
20 (a)	Three correct, ruled lines	2	B1 for two correct lines
(b) (i)	Drawing a rectangle or rhombus	1	
(ii)	FT their quadrilateral in (b)(i)	1FT	
21 (a) (i)	21	1	
	subtract 7	1	
(ii)	162	1	
	multiply by 3	1	
(b)	$5n - 2$	2	M1 for $kn - 2$ or $5n + k$

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0444	13

Question	Answers	Mark	Part Marks
22	<p>Correct method to eliminate one variable</p> <p><math>x = 5</math> and</p> <p><math>y = -2</math></p>	<p><b>M1</b></p> <p><b>A1</b></p> <p><b>A1</b></p>	<p><b>M1</b> for correctly equating one set of coefficients</p> <p>If zero scored, <b>SC1</b> for 2 values satisfying one of the original equations or <b>SC1</b> if no working shown, but 2 correct answers given</p>