



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTER NUMBER				CANDIDATE NUMBER	≣
MATHEMATICS	(US)				0444/33
Paper 3 (Core)				•	October/November 2016
					2 hours
Candidates ansv	ver on the Que	estion Paper.			
Additional Mater		metrical instrun tronic calculato			
READ THESE IN	NSTRUCTION	S FIRST			
Write your Center Write in dark blue You may use an Do not use staple DO NOT WRITE	e or black pen HB pencil for a es, paper clips	any diagrams o s, glue or corre	or graphs.	ne work you hand in	
Electronic calcula	d for any quest ators should b accuracy is no digits. degrees to on	e used. ot specified in	e.		exact, give the answer to
The number of p			[] at the end of ea	ach question or part	question.
Write your calc	ulator model	in the box bel	ow.		





www.my.mainscloud.com

Formula List

Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A , of circle, radius r .	$A=\pi r^2$
Circumference, C , of circle, radius r .	$C = 2\pi r$
Lateral surface area, A , of cylinder of radius r , height h .	$A=2\pi rh$
Surface area, A , of sphere of radius r .	$A=4\pi r^2$
Volume, V , of prism, cross-sectional area A , length l .	V = Al
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of sphere of radius r .	$V = \frac{4}{3}\pi r^3$

1 (a) (i) Write down the two square numbers between 50 and 99.

..... and[2]

(ii) Find a common multiple of 30 and 45.

.....[1]

(iii) Write down all the factors of 54 that are odd numbers.

.....[2]

(iv) Find the greatest common factor (GCF) of 64 and 80.

.....[2]

(b) Calculate

(i) $\sqrt[3]{\frac{729}{64}}$,

.....[1]

(ii) $\frac{17}{15.6 + 18.4}$

.....[1]

(iii) 0.2^{-4} ,

.....[1]

(iv) $3\frac{1}{5} \div 2\frac{3}{7}$, giving your answer as a decimal correct to 4 significant digits.

.....[2]

MMN. MY MATHS COUNT. COM

2 (a) Juan takes his car to a garage for repairs.

Complete his bill.

<u>Item</u>	Price (\$)
Service	475.00
3 tyres at \$86 each	
4.5 liters of oil at \$5.68 per liter	
Total	

	3	
L	_	

(b) Juan buys a van costing \$4400. He pays a deposit of \$3740.

(i) Work out \$3740 as a percentage of \$4400.

 	%[1]

(ii) He borrows the rest of the money for one year at a rate of 12% per year simple interest.

Work out how much he pays back at the end of one year.

Γ/	a :
	4
	.,
	Γ:

(c)	Juan pays \$321 for insurance.
	He makes 12 equal payments.

Work out each payment.

	\$[1]
(d)	Juan's car travels 12.4km and uses 1 liter of fuel. His van travels 1km and uses 0.0792 liters of fuel.
	Using 1 liter of fuel, which vehicle travels further? Explain how you decide.
	travels further because
	[2]
(e)	In 2015 the total cost of repairs and fuel for his van was \$4200. These costs are in the ratio repairs: fuel $= 1:2$.
	Find the cost of the fuel.

MMN. My Maths Cloud Com

3 Eight athletes compete in both the 200 meter race and the long jump. Their results are shown in the table.

Time for 200 m (seconds)	23.85	23.91	23.92	23.96	24.02	24.15	24.23	24.30
Distance in the long jump (meters)	6.42	6.32	6.24	6.18	6.05	5.97	5.90	5.84


(a) (i) Work out the range of the times for the 200 meter race.

	s [1]
--	-------

(ii) Work out the mean of the distances in the long jump.

..... m [2]


(b) (i) Complete the scatter diagram. The first four points have been plotted for you.



[2]

	nn	
	7	mainscloud.com
(ii)	What type of correlation is shown on the scatter diagram?	MSC/OUNT
		[1] Y.COM
(iii)	Joe says that the scatter diagram shows that the faster an athlete runs the 200 meter race the shorter their distance in the long jump.	[1]
	Is he correct? Explain your answer.	
	because	···
		[1]
(iv)	Draw a line of best fit on the scatter diagram.	[1]
(v)	Jessica's time for the 200 meter race is 24.05 s.	
	Use your line of best fit to estimate her distance in the long jump.	
	r	n [1]
		=

4 (a)



NOT TO SCALE

Work out the value of


(i) *x*,

	га:	
x =	 П	I

(ii) *y*.

	Г	1	7
y =		1	I

(b)




NOT TO SCALE

Work out the value of *w*. Give reasons for your answer.

<i>w</i> =	because	

(c)



NOT TO SCALE

Use trigonometry to calculate the value of p.


$$p = \dots [2]$$

© UCLES 2016

0444/33/O/N/16

WWW. TO WAR THE COUNTY OF THE STREET OF THE

(d)



NOT TO SCALE

The diagram shows the path of a plane from airport A to airport B.

(i) Show that the distance between A and B is 375 km.

[2]

(ii) The plane flies at an average speed of 450 km/h. It leaves *A* at 14 45 and flies directly to *B*.

Work out the time it arrives at *B*.

.....[4]

WWW. TO WAR THE COUNTY OF THE STREET OF THE

- A, B and C are three towns.
 B is 24 km due North of A.
 C is 18 km from A on a bearing of 039°.
 - (a) Make a scale drawing to show the positions of town B and town C.Town A has been marked for you.Use a scale of 1 centimeter to represent 3 kilometers.



$A \bullet$	Scale: 1 cm to 3 km
	[3]

(b) Using your scale drawing, find the actual distance from town B to town C.

]	k	n	1	ſ	1	1	1	
	-	•	-	-	 •	•	-	-	•	-	-	•	•	•	1		1		 	•	•	•	•	•	•	1	1			•	•	-	•	_			_	L		Τ.	J	

(c) Town D is on a bearing of 023° from town A.

Work out the bearing of town A from town D.

	[2]
--	-----

mn.	4		24
hun My	John Control	Mach	
	1.00	36/	
		40.0	200

6	(a)	Here is a	a list of ing	redients to	make 18	} chocolate	e chin	biscuits

butter	130 g
sugar	60 g
flour	180 g
chocolate chips	30 g

Work out how much of each ingredient is needed to make 45 biscuits.

		butter	g
		sugar	g
		flour	g
		chocolate chips	g [3]
(b)		recipe for bread, $\frac{5}{8}$ of the mass of bread mixture is flour. l uses 395 g of flour.	
	(i)	What mass of bread mixture does he make?	
			g [2]
	(ii)	Write your answer to part(b)(i) in kilograms.	
		k	g [1]
(c)	The Jenr	temperatures on Jenny's oven are marked in degrees Fahrenheit (°F). ny's recipe book gives temperatures in degrees Celsius (°C). uses this rule to convert the temperature from degrees Celsius to degrees Fahrenheit.	
	Mul	tiply the temperature in degrees Celsius by 9, add 160 and then divide the answer by	<i>,</i> 5.
	(i)	Write this rule as an expression in C , where C is the temperature in degrees Celsius.	
			[2]
	(ii)	Jenny's cake must be baked at 180 °C. Calculate the temperature, in degrees Fahrenheit, at which Jenny should bake her cake.	[2]
		0	F [1]

© UCLES 2016 0444/33/O/N/16 **[Turn over**

7 (a) A regular hexagon has side length h.

Write down an expression, in terms of h, for the perimeter of the hexagon.

 11	
 - I	

(b) A square has side length x.

Write down an expression, in terms of x, for

(i) the perimeter of the square,



(ii) the area of the square.

[1]

(c) In this part, all measurements are in centimeters.

(2x + 1)		
	(x+3)	NOT TO SCALE

A rectangle has length (2x+1) and width (x+3). The perimeter of the rectangle is 53.

Work out the value of *x*.

x =		[5
x. —		1)

(d) (i) 12a-3b+c

Write down the coefficient of *b*.



(ii) Simplify.

5a+4b-2a-b+3a-2b

.....[2]

- (e) Expand.
 - (i) 5(x-4)

.....[1]


(ii) $x(x^2+3)$

.....[2]

(f) Factor completely.

 $8x^2-4x$

.....[2]



(a)	Reflect flag H in the x -axis.	[1]

- Translate flag *G* by the vector $\begin{pmatrix} 1 \\ -3 \end{pmatrix}$. [2]
- Describe fully the **single** transformation that maps flag G onto flag H.


(d) Describe fully the **single** transformation that maps flag F onto flag G.

9 (a) Complete the table of values for $y = x^2 - 2x$.

x	-3	-2	-1	0	1	2	3	4
у			3		-1		3	

[3]

(b) On the grid, draw the graph of $y = x^2 - 2x$ for $-3 \le x \le 4$.



[4]

(c) On the grid, draw the line y = 6.

[1]

(d) Use your graph to solve the equation $x^2 - 2x = 6$. Give your answers correct to 1 decimal place.

x = or x = [2]

Question 10 is printed on the next page.

- f(x) = 3x 5 for values of x greater than 0 and less than 10. 10
 - (a) Write the domain of this function using mathematical symbols.

.....[2]

(b) Work out the range of this function.

(c) Find and simplify an expression for $f(\frac{x}{3})$.

.....[1]

(d) Solve f(x) = 7.

x = [2]

(e) The graph of y = f(x) is mapped onto the graph of y = g(x) by a translation with vector $\begin{pmatrix} -4 \\ 0 \end{pmatrix}$. Put a ring around the correct statement.

g(x) = f(x) + 4 g(x) = f(x+4) g(x) = f(x-4) g(x) = f(x) - 4

[1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.