www.mymathscloud.com

## **UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2007 question paper

## 0580 and 0581 MATHEMATICS

**0580/03 and 0581/03** Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



			mm, n. m.
Page 2	Mark Scheme	Syllabus	Pap To See
	IGCSE – May/June 2007	0580/0581	03

1	(a) (i)	1	B1	
	(ii)	8 or -8 or ±8	B1	
	(iii)	4	B1	Not –4
	(iv)	6	В1	
	(b) (i)	3	B1	
	(ii)	Multiple of 60	B1	
	(c) (i)	9	B1	
	(ii)	3 and 223	B1,B1	[9]
2	(a)	$336 - \frac{2}{7} \times 336 \text{ or } \frac{5}{7} \times 336$ (=) 240	M1 E1	240 must be seen for this mark
	(b)	$5 \div \text{their}(5+4+3) \times 240$ 100	M1 A1cao	www 2
	(c)	$3 \div \text{their}(5 + 4 + 3) \times 240 \times 12$ (=) 720	M1 E1	Allow 2880 for 240 × 12 and $\frac{1}{4}$ for $\frac{3}{12}$ . 720 must be seen for this mark
	(d)	$720 \times 1.06^{2}$ oe $808.99(2)$ or $809$	M2 A1	Implied by 88.99(2) or 89(total interest)seen M1 for 720 × 1.06 (implied by 763.2 seen) SC1 for 806.(4) (Simple Interest)
				www 3 for 808.99(2) or 809 [9]

			hun h
Page 3	Mark Scheme	Syllabus	Pat
	IGCSE – May/June 2007	0580/0581	03 Pity Ps

3	(a) (i)	360	B2	M1 for $\frac{1}{2} \times 5 \times 12^2$ oe
	(ii)	7.5oe	B2	M1 for 225 /4 oe (implied by 56.25)
	(iii)	$\frac{2E}{v^2}$ or $E/\frac{1}{2}v^2$	B2	B1 for $2E$ or $E/\frac{1}{2}$ or division by $v^2$
	(b)	xy(y-x) final answer	B2	B1 for $x(y^2 - xy)$ or $y(xy - x^2)$ SC1 for $xy(y + x)$
	(c)	3x - 15 + 28 - 6x (= 7) $13 - 3x (= 7)$ $x = 2$	MA1 M1ft A1cao	Independent $ax + b$ (=7) from their expansion www 3
	(d)	Equating coefficients of $x$ or $y$ , or equivalent method. 5y = 5 oe or $10x = 30$ oe $x = 3$ , $y = 1$	M1 A1 A1	or a correctly substituted substitution. E.g. $y = 13 - 4x \Rightarrow 2x + 3(13 - 4x) = 9$ www 3
				[14]
4	(a) (i)	-10, -20, -60, 30, 20, 15	B2	B1 for $-20$ ( $x = -3$ ) or $20$ ( $x = 3$ )
	(ii)	Their 12 points plotted correctly.	P3ft	P2ft for 10 or 11 points correct.
		Smooth curves through all points.	C1	P1ft for 8 or 9 points or 1 quadrant correct. Two distinct curves; no part of curves between $x = -1$ and $x = 1$
	(b)	2	B1	
	(c)	Correct lines ruled	B1,B1	Minimum length from $x = -3$ to $x = 3$ .
	(d) (i)	(2.4 to 2.5, 24 to 25) (-2.4 to -2.5, -24 to -25)	B1ft B1ft	ft their points of intersection ft their points of intersection
	(ii)	y = 10x oe	B1	cao
	(e)	-10	В1	cao [13]

						Pap 03 Pap 10 10 10 10 10 10 10 10 10 10 10 10 10
	Page 4		Mark Schen	ne	Syllabus	Par The Total
			IGCSE – May/Jur	ne 2007	0580/0581	03
						SC/OUNT.
5	(a) (i)	135 (green)		B1		·com
	400	75 ( 11 )		D.1		

S
(iii) Ruled lines correct to $2^{\circ}$ 3 correctly labelled sectors  B1ft B1 Only if (a)(i) + (a)(ii) = $210^{\circ}$ . Independent of previous marks  (b) (i) $\frac{10}{24}$ oc  B1 Accept decimals, percentages  (ii) $\frac{15}{24}$ oc  B1 SC1 for $\frac{0}{12}$ and $\frac{12}{12}$ or $\frac{0}{24}$ and $\frac{24}{24}$ (c) (i) 0 B1 SC1 for $\frac{0}{12}$ and $\frac{12}{12}$ or $\frac{0}{24}$ and $\frac{24}{24}$ (d) Labelled arrows correctly positioned by eye  B3ft I mark for each. ft their probabilities from (b).  [12]  (a) (180 - 56)/2 B1 Alt. $90 - (56 \div 2)$ (ii) art $2.82$ B2 M1 for $6\cos 62^{\circ}$ (implied by $2.8$ ) Long method must be complete.  (iii) $5.63$ to $5.64$ B1ft $2 \times$ their (a)(ii)  (iv) $5.3$ or art $5.30$ B2 M1 for $6\sin 62^{\circ}$ oc Long method must be complete.  (b)(i) $29.8$ to $29.9$ B2ft M1 for their (a)(iii) $\times$ (a)(iv)  (iii) art $12.5$ B2ft M1 for $0.5 \times \pi \times$ (their (a)(iii) <sup>2</sup> )
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
(ii) $\frac{15}{24}$ oe       B1         (iii) $\frac{19}{24}$ oe       B1         (c) (i)       0       B1       SC1 for $\frac{0}{12}$ and $\frac{12}{12}$ or $\frac{0}{24}$ and $\frac{24}{24}$ (d)       Labelled arrows correctly positioned by eye       B3ft       1 mark for each. ft their probabilities from (b).         (ii)       (180 - 56)/2       B1       Alt. $90 - (56 \div 2)$ (iii)       art 2.82       B2       M1 for 6cos 62° (implied by 2.8) Long method must be complete.         (iii)       5.63 to 5.64       B1ft       2 × their (a)(ii)         (iv)       5.3 or art 5.30       B2       M1 for 6sin 62° oe Long method must be complete.         (b)(i)       29.8 to 29.9       B2ft       M1 for their (a)(iii) × (a)(iv)         (ii)       art 12.5       B2ft       M1 for 0.5 × $\pi$ × (their (a)(ii)²)
(iii) $\frac{19}{24}$ oe       B1         (c) (i)       0       B1       SC1 for $\frac{0}{12}$ and $\frac{12}{12}$ or $\frac{0}{24}$ and $\frac{24}{24}$ (d)       Labelled arrows correctly positioned by eye       B3ft       1 mark for each. ft their probabilities from (b).         6       (a) (i) $(180 - 56)/2$ B1       Alt. $90 - (56 \div 2)$ (ii)       art 2.82       B2       M1 for 6cos 62° (implied by 2.8) Long method must be complete.         (iii)       5.63 to 5.64       B1ft       2 × their (a)(ii)         (iv)       5.3 or art 5.30       B2       M1 for 6sin 62° oe Long method must be complete.         (b)(i)       29.8 to 29.9       B2ft       M1 for their (a)(iii) × (a)(iv)         (ii)       art 12.5       B2ft       M1 for 0.5 × $\pi$ × (their (a)(ii)²)
(c) (i)       0       B1       SC1 for $\frac{0}{12}$ and $\frac{12}{12}$ or $\frac{0}{24}$ and $\frac{24}{24}$ (d)       Labelled arrows correctly positioned by eye       B3ft       1 mark for each. ft their probabilities from (b).         6       (a) (i) $(180 - 56)/2$ B1       Alt. $90 - (56 \div 2)$ (ii)       art $2.82$ B2       M1 for 6cos $62^{\circ}$ (implied by $2.8$ ) Long method must be complete.         (iii) $5.63$ to $5.64$ B1ft $2 \times$ their (a)(ii)         (iv) $5.3$ or art $5.30$ B2       M1 for 6sin $62^{\circ}$ oe Long method must be complete.         (b)(i) $29.8$ to $29.9$ B2ft       M1 for their (a)(iii) $\times$ (a)(iv)         (ii)       art $12.5$ B2ft       M1 for $0.5 \times \pi \times$ (their (a)(ii) <sup>2</sup> )
(ii)       1       B1         (d)       Labelled arrows correctly positioned by eye       B3ft       1 mark for each. ft their probabilities from (b).         6       (a) (i)       (180 – 56)/2       B1       Alt. 90 – (56 ÷ 2)         (ii)       art 2.82       B2       M1 for 6cos 62° (implied by 2.8) Long method must be complete.         (iii)       5.63 to 5.64       B1ft       2 × their (a)(ii)         (iv)       5.3 or art 5.30       B2       M1 for 6sin 62° oe Long method must be complete.         (b)(i)       29.8 to 29.9       B2ft       M1 for their (a)(iii) × (a)(iv)         (ii)       art 12.5       B2ft       M1 for 0.5 × π × (their (a)(ii)²)
(d)       Labelled arrows correctly positioned by eye       B3ft       1 mark for each. ft their probabilities from (b).       [12]         6       (a) (i)       (180 – 56)/2       B1       Alt. 90 – (56 ÷ 2)       B2       M1 for 6cos 62° (implied by 2.8) Long method must be complete.         (iii)       5.63 to 5.64       B1ft       2 × their (a)(ii)       M1 for 6sin 62° oe Long method must be complete.         (b)(i)       29.8 to 29.9       B2ft       M1 for their (a)(iii) × (a)(iv)         (ii)       art 12.5       B2ft       M1 for 0.5 × π × (their (a)(ii)²)
positioned by eye   ft their probabilities from (b). [12]     6
(ii)       art 2.82       B2       M1 for 6cos 62° (implied by 2.8) Long method must be complete.         (iii)       5.63 to 5.64       B1ft       2 × their (a)(ii)         (iv)       5.3 or art 5.30       B2       M1 for 6sin 62° oe Long method must be complete.         (b)(i)       29.8 to 29.9       B2ft       M1 for their (a)(iii) × (a)(iv)         (ii)       art 12.5       B2ft       M1 for 0.5 × π × (their (a)(ii)²)
Long method must be complete.  (iii) $5.63 \text{ to } 5.64$ B1ft $2 \times \text{their } (\mathbf{a})(\mathbf{ii})$ (iv) $5.3 \text{ or art } 5.30$ B2 M1 for $6\sin 62^{\circ}\text{oe}$ Long method must be complete.  (b)(i) $29.8 \text{ to } 29.9$ B2ft M1 for their $(\mathbf{a})(\mathbf{iii}) \times (\mathbf{a})(\mathbf{iv})$ (ii) art $12.5$ B2ft M1 for $0.5 \times \pi \times (\text{their } (\mathbf{a})(\mathbf{ii})^2)$
(iv) 5.3 or art 5.30  B2 M1 for 6sin 62° oe Long method must be complete.  (b)(i) 29.8 to 29.9  B2ft M1 for their (a)(iii) × (a)(iv)  B2ft M1 for $0.5 \times \pi \times (\text{their (a)(ii)}^2)$
Long method must be complete.  (b)(i) 29.8 to 29.9  (ii) art 12.5  B2ft M1 for their (a)(iii) × (a)(iv)  B2ft M1 for $0.5 \times \pi \times (\text{their (a)(ii)}^2)$
(ii) art 12.5 B2ft M1 for $0.5 \times \pi \times (\text{their } (\mathbf{a})(\mathbf{ii})^2)$
(iii) 42.3 to 42.4 B1ft ft is their (b)(i) + (b)(ii)
(c)(i) 21100 to 21200 B2ft M1 for their (b)(iii) × 500
(ii) $\left(\frac{500}{60} \times \frac{3600}{1000}\right)$ oe M2 M1 for figs $500 \div \text{figs } 60$
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
or SC1 for1km per minute seen. www B3
[16]

					_	Pap 03 Pap 11 Scloud Con
	Page 5		Mark Schen	ne	Syllabus	Pap 72
			IGCSE – May/Jur	ne 2007	0580/0581	03
		·				SCIOLIGIC.
7	(a)	Trapezium		B1		Com

7	(a)	Trapezium	B1	
	(b) (i)	Translation 9 across, 3 down	B2	B1 for 9 across or 3 down or $\begin{pmatrix} -3\\ 9 \end{pmatrix}$
	(ii)	Correct reflection	B2	B1 any reflection of ABCD in a line parallel to <i>l</i> .
	(iii)	Correct rotation	B2	B1 90° clockwise rotation of ABCD about A
	(iv)	Correct enlargement	В3	B1 any enlargement of ABCD and B1 any enlargement of ABCD SF 3 or B1 any enlargement of ABCD centre O (not penalise lack of labelling provided intention clear)
				[10]
8	(a) (i)	Diameter from P through O to Q	B1	
	(ii)	90	B1cao	
	(iii)	P to R and Q to R ruled.	B1	
	(iv)	(angle in a ) semi-circle	B1	Angle on a diameter. Half the angle at the centre.
	(b) (i)	Bisector of QR with arcs.	B2	SC1 if accurate without arcs. Maximum errors 2mm from mid-point and 2° from perpendicular.
	(ii)	Bisector of PRQ with arcs.	B2	SC1 if accurate without arcs. Maximum error 2° in line from <i>R</i> . If wrong line and/or angle used treat as misread each time.
	(c)	Correct Shading	2	Dep. on B2 in <b>(b)(i)</b> and <b>(b)(ii)</b> . SC1 for 'correct' shading but dependent on at least SC1 in <b>(b)(i)</b> and <b>(b)(ii)</b> .  [10]

					Pau Park
	Page 6	Mark Schen	ne	Syllabus	Par
		IGCSE – May/Jur	ne 2007	0580/0581	03
					03 thschould
9	(a)	Letter E correctly drawn	B1		COM

9	(a)	Letter E correctly drawn	B1	
	(b)	22, 29, 36	В3	B1 for each correct number.
	(c) (i)	71	B2	B1 for $7 \times 10 + 1$ or $8 + 9 \times 7$ seen.
	(ii)	$7n + 1 \text{ or } 8 + (n-1) \times 7 \text{ oe}$	B2	SC1 for $7n + k$ seen. (k is an integer) oe
	(d)	Their (c)(ii) = 113 Full method of solution of their equation. 16	B1ft M1ft A1cao	ft any expression involving $n$ . ft only a linear equation. $(113 - k) / `7`$ www B2