

www.mymathscioud.com MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0580 MATHEMATICS

0580/22

Paper 22 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

		my 1
Page 2	Mark Scheme: Teachers' version	Syllabus 5
	IGCSE – May/June 2010	0580

		IGCSE – Ma		010	0580 Jun M	
Qu. Answers Mark Part Marks Openation Openation<						
Qu.	Answers		Mark	Part Marks	CIO	
1	(a) 1		1	Allow none		
	(b) 1		1			
2	0		2		lated and founding to 2.0 of	
				better (2.598) or $\frac{3\sqrt{3}}{2}$		
		_			2	
3	$2-\sqrt{3}, 2-\frac{1}{2}$	$\frac{\sqrt{3}}{2}, \frac{2}{\sqrt{3}}, \sqrt{3}$	2	M1 correct decima	als seen	
4	$\frac{15a+32}{40}$ oe		2	B1 $15a + 32$ seen		
				or SC1 $\frac{15a}{40} + \frac{32}{40}$	on answer line	
5	2 ¹⁰		2	M1 2^6 or 2^{-4} seen		
6	6.4×10^{7}		2	$\mathbf{M1} \ 64 \times 100^2 \times 1$	0 ² or 64 000 000 oe	
7	$(A \cup B \cup C)$		1	or $A' \cap B' \cap C'$	or $A' \cap (B \cup C)'$	
8	$(A \cup C)' \cap$ (a) 43 to 47	Ď	1	or $A' \cap C' \cap B$		
0	(a) 43 to 47		1			
	(b) 64 to 68		2	SC1 23 to 27		
9	63.84 <u>cao</u>		3	M1 figs 1995 M1 32 × their low	ver bound	
10	$x = \frac{3}{P - 1}$		4	M1 for each of the correctly	e four moves completed	
11	(a) 10(.0)		1			
	(b) 9.80		3	M2 $\sqrt{((a)^2 - 2^2)}$ or	M1 $PT^2 + 2^2 = (a)^2$	
12	(a) 440		2	M1 sin 37.1 or cos	$s 52.9 = \frac{h}{730}$ oe	
	(b) 3 min 20	sec	2	M1 $\frac{730}{3.65}$		
13	(a) $\begin{pmatrix} 6x-3\\4x+5 \end{pmatrix}$	but not $\begin{pmatrix} 6x & -3\\ 4x & (+)5 \end{pmatrix}$	2	B1 $6x - 3$ or B1 $4x$ answer line	a + 5 in a (2 × 1) matrix on	
	(b) $(6x^2 + x - x)^2$	+ 5) cao	2	M1 any 1×1 matrix	rix in answer space	
14	R		4	unshaded region if	of the letter R (or the worst FR is missing) as follows	
		······································		3 4	2.	

				version Syllabus Thumains Cloud Control of the second seco
F	Page 3 Mark Scheme: Te		Teachers' May/June 2	version Syllabus
		1803E – N	viay/Julie 2	UTO USOU AR
15	(a) (2, 4)		1	15C/01.
	(b) (6, 0)		1	40.CC
	(c) (i) (4, 2) f	ť	1 ft	From (a) and (b)
	(ii) $y = -3$	<i>x</i> + 14 oe	2	M1 sub their (c)(i) into $y = -3x + c$ oe
16 16 $\frac{1}{4}$ or 16.3			5	M1 finding the area under graph A1 130
				$\mathbf{M1} \ \frac{1}{2} \times 16 \times v$
				M1 equating and solving
17	(a) 201		$2 \qquad \mathbf{M1} \ \pi \times 8^2$	
	(b) 87.9 or 88.0)	4	$\mathbf{M1} \ \frac{45}{360} \times 2 \times \ \pi \times 12 \ \dots d$
				M1 $2 \times \pi \times 8$ e
				M1 ft for their $(4d + e)$ which must come from multiples of π
				SC2 43.9 or 44.0
18	(a) (i) 11		1	
	(ii) 1 − 6 <i>x</i>		2	M1 $3(1-2x)-2$
	(b) -1.65, 6.65		4	M1 $\frac{5 \pm k}{2}$ M1 $\sqrt{[(-5)^2 - 4 \times 1 \times (-11)]}$
				or better
10				A1 A1
19	(a) 6, 30, 70		2	B1 for 2 correct
	(b) graph		3	P2 7 plots correct from tableP1 5 or 6 plots correct from table
				C1 smooth curve through the points in the given
				range within one small square of the plots or the correct position
	(c) 82.5 or ft ±	1	1 ft	
	(d) 108 or ft ±1		1 ft	