www.mymathscloud.com

## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2013 series

## 0580 MATHEMATICS

0580/21

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

				n 1
F	Page 2	Mark Scheme	Syllabus	· h. 2
		IGCSE – May/June 2013	0580	200
				Dry Ors
1 hbro	eviations			Thymaths
		1		Cloud
cao		nswer only		400
cso	correct so	olution only		
dep	dependen	t		.con
ft	follow the	rough after error		.7
isw	ignore su	bsequent working		

## **Abbreviations**

follow through after error ft ignore subsequent working or equivalent isw

oe SC

Special Case without wrong working www

seen or implied soi

Qu.	Answers	Mark	Part Marks
1	11 or –11	1	
2 (a)	1.32656	1	
<b>(b)</b>	1.327	1ft	
3	72	2	<b>M1</b> for 84 ÷ 7
4	105	2	M1 for 180 – 55 – 50 or B1 for 55 or 75 seen in the correct angle inside the triangle
5	correct working; e.g. $\frac{3k}{2k} \times \frac{16n}{3n} = 8$	2	M1 for $\frac{3k}{2k}$ and A1 for $\frac{3k}{2k} \times \frac{16n}{3n} = 8$
6	3x(4y-x) final answer	2	<b>B1</b> for $3(4xy - x^2)$ or $x(12y - 3x)$
7 (a)	Equidistant from A and B (or C and D or AD and BC)	1	
(b)		1	
8	$x \ge -\frac{3}{8}$ oe	2	M1 for $-3 \le 8x$ oe If 0 then SC1 for $-\frac{3}{8}$ with incorrect inequality.
9	48.15, 48.45 cao	2	<b>B1 B1</b> If 0 then <b>M1</b> for 16.0 and 16.15 soi
10	(a+b)(p-2)	2	<b>B1</b> $p(a+b) - 2(a+b)$ or $a(p-2) + b(p-2)$
11	$3x^4$	2	<b>B1</b> for $kx^4$ or $3x^k$

		hy con
Page 3	Mark Scheme	Syllabus 22
	IGCSE – May/June 2013	0580

			9/4
12 (a)	$\frac{3}{11}$	1	'dthscloud.com
(b)		1	Y.COM
13	175 cao final answer	3	<b>B2</b> for 175.4 or <b>M1</b> for 200 ÷ 1.14
14	454.27 cao final answer	3	M1 for $420 \times (1 + \frac{4}{100})^2$ oe and A1 for 454 or 454.2 to 454.3 or SC2 for answer 34.27 or SC1 for answer 34.2 to 34.3
15	2.67 or 2.672 to 2.67301	3	M2 for $\sqrt[3]{(80 \div \frac{4}{3}\pi)}$ oe or M1 for $80 \div \left(\frac{4}{3}\pi\right)$ oe
16	35.4 or 35.36 to 35.37	3	<b>M2</b> for $1000 \div (\pi \times 0.75^2 \times 16)$ oe or <b>M1</b> for $\pi \times 0.75^2 \times 16$ oe or $1000 \div (\pi \times 0.75^2)$
17	y = 2x - 1	3	<b>B2</b> for $y = mx - 1$ or $y = 2x + c$ or $2x - 1$ or <b>B1</b> for gradient = 2, <b>B1</b> for $c = -1$ or <b>SC1</b> for $\frac{6}{3}$ or $\frac{51}{3[-0]}$
18 (a)	(x+6)(x-5)	2	SC1 for $(x + a)(x + b)$ where $ab = -30$ or $a + b$
(b)	$\frac{x+4}{x+6}$ final answer	1	
19	$\frac{6}{7}$ or 0.857[1]	3	M1 for $t = \frac{k}{\sqrt{u}}$ oe A1 for $k = 6$
20 (a) (i)	$\mathbf{p} + \frac{1}{2}\mathbf{r}$	1	
(ii)	$2\mathbf{p} + \mathbf{r}$	1ft	2 × their (i)
(b)	Midpoint of RQ	1	

		hun S
Page 4	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0580
	-	Jary Co

			·20
21	52.3 or 52.27 to 52.28	3	SC2 for 28.3 or 28.7 to 28.8 If 0, M2 for $\frac{135}{360} \times \pi \times 24 + 2 \times 12$ or M1 for $\frac{135}{360} \times \pi \times 24$
			If 0, <b>M2</b> for $\frac{135}{360} \times \pi \times 24 + 2 \times 12$
			or M1 for $\frac{135}{360} \times \pi \times 24$
22	$\frac{5x+13}{(x+3)(x+2)}$ oe final answer	3	<b>B1</b> for common denominator $(x + 3)(x + 2)$ seen <b>M1</b> for $2(x + 2) + 3(x + 3)$ soi
23	24.8 or 24.77 to 24.78	4	M1 for recognition of angle <i>CEA</i> M1 for $\sqrt{12^2 + 5^2}$
			$\mathbf{M1} \text{ for } \tan = \frac{6}{\text{their } AE} \text{ oe}$
24 (a)	$\left(\begin{array}{cc} 6 & 7 \\ 16 & 17 \end{array}\right)$	2	<b>B1</b> for 1 correct row or 1 correct column
(b)	$\begin{pmatrix} 6 & 7 \\ 16 & 17 \end{pmatrix}$ $\frac{1}{5} \begin{pmatrix} 2 & -3 \\ -1 & 4 \end{pmatrix}$	2	<b>B1</b> for $k \begin{pmatrix} 2 & -3 \\ -1 & 4 \end{pmatrix}$ or $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$
25 (a)	2.8 oe	1	
(b)	700	3	M2 for $\frac{1}{2}(20 + 30) \times 28$ oe or M1 for a correct area statement
26	420	5	<b>M1</b> for $[CB = ]\sqrt{4^2 + (9-6)^2}$
			M1 for <i>their CB</i> from Pythagoras $\times$ 15
			M1 for $[2 \times ] \frac{1}{2}(6+9) \times 4$
			M1 for $4 \times 15$ , $9 \times 15$ , $6 \times 15$ with intention to add