

---

**MATHEMATICS**

**0580/43**

Paper 4 (Extended)

**May/June 2016**

MARK SCHEME

Maximum Mark: 130

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

Page 2	Mark Scheme	Syllabus	Page
	Cambridge IGCSE – May/June 2016	0580	43

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
1 (a) (i)	36 600	3	<b>M2</b> for $6100 \div 2 \times (2 + 7 + 3)$ oe or <b>M1</b> for $6100 \div 2$ soi
	(ii) $16\frac{2}{3}$ or 16.7 [16.66 to 16.67]	1	
	(b) 1 231 708 final answer nfww	5	<b>M4</b> for $5964 \times 15 + 28400 \times 35 + 8236 \times 18$ or <b>M3</b> for $5964 \times 15$ and $28400 \times 35$ or for $5964 \times 15 + 42\,600 \times \textit{their decimal} \frac{2}{3}$ $\times 35 + (42\,600 - 5964 - 42\,600 \times \textit{their decimal} \frac{2}{3}) \times 18$ or <b>M2</b> for $5964 \times 15$ or $28400 \times 35$ or for $42\,600 \times \textit{their decimal} \frac{2}{3} \times 35$ or <b>M1</b> for $0.14 \times 42\,600$ or $42\,600 \div 3 \times 2$
(c)	27.2[0] nfww	5	<b>M2</b> for $23.80 \div 0.7$ oe or <b>M1</b> for 23.80 associated with 70% oe  and <b>M2</b> for <i>their</i> $(23.80 \div 0.7) \times 0.8$ or <b>M1</b> for <i>their</i> $(23.80 \div 0.7) \times 0.2$
2 (a)	$x > \frac{12}{5}$ oe final answer	2	<b>B1</b> for $\frac{12}{5}$ oe in answer with incorrect or no sign or <b>M1</b> for one correct step e.g. $5x > 9 + 3$
(b) (i)	$(y - 6)(x + 3)$ final answer	2	<b>M1</b> for $y(x + 3) - 6(3 + x)$ or $x(y - 6) + 3(y - 6)$
(ii)	$8(x + 3y)(x - 3y)$ final answer	3	<b>M2</b> for $2(2x + 6y)(2x - 6y)$ or $(8x + 24y)(x - 3y)$ or $(8x - 24y)(x + 3y)$ or $4(2x - 6y)(x + 3y)$ or $4(2x + 6y)(x - 3y)$ or $(4x - 12y)(2x + 6y)$ or $(4x + 12y)(2x - 6y)$ or <b>M1</b> for $8(x^2 - 9y^2)$ or $(x + 3y)(x - 3y)$

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0580	43

Question	Answer	Mark	Part marks
(c)	$r = \frac{1}{p+7}$ final answer nfw	4	<b>M1</b> removes fraction correctly <b>M1</b> collects terms in $r$ <b>M1</b> removes $r$ as a factor from their terms in $r$ <b>M1dep</b> divides by bracket to leave $r$ and denominator simplified
3 (a) (i)	10	1	
(ii)	-3.4 to -3.3 and -0.4 to -0.3 and 1.6 to 1.7	3	<b>B1</b> for each
(iii)	$y = -2.3$ to $-2.1$ oe $y = 10$ to $10.1$ oe	2	<b>B1</b> for each
(b) (i)	2, -1, 4	3	<b>B1</b> for each
(ii)	Fully correct curve drawn	4	<b>SC3</b> for correct curves but branches joined or touching $y$ -axis  or <b>B2FT</b> for 8 or 9 correct plots or <b>B1FT</b> for 6 or 7 correct plots  and <b>B1</b> indep for two separate branches not touching or crossing $y$ -axis
(iii)	-3.4 to -3.2 and 1.8 to 1.9	2	<b>B1</b> for each
(c)	3.2 oe	2FT	<b>FT</b> 2 ÷ <i>their</i> (a)(i) + 3 <b>M1</b> for $f(-2) = 10$ or <i>their</i> (a)(i) used
(d)	1	1	
4 (a) (i)	0.0025 or $\frac{1}{400}$ oe	2	<b>M1</b> for $0.05^2$ oe
(ii)	0.9975 or $\frac{399}{400}$ oe	1FT	<b>FT</b> for $1 - (\text{their (a)(i)})$ oe
(b)	0.171 or 0.1714 to 0.1715 or $\frac{6859}{40\,000}$	3	<b>M2</b> for $4(0.05 \times 0.95^3)$ oe  <b>M1</b> for $0.05 \times 0.95^3$ oe seen or for the 4 combinations correctly identified

Question	Answer	Mark	Part marks
(c)	376 nfw	4	<b>M1</b> for midpoints soi (condone 1 error or omission) (225, 275, 325, 375, 425, 475) and <b>M1</b> for use of $\Sigma fx$ with $x$ in correct interval including both boundaries (condone 1 further error or omission) and <b>M1</b> (dependent on second M) for $\Sigma fx \div 200$
(d) (i)	16	1	
(ii)	33	2	<b>M1</b> for $0.8 \times 50 + 0.26 \times 100$
5 (a) (i)	275	2	<b>M1</b> for $360 - 40 - 45$ oe
(ii)	095	2FT	<b>FT</b> <i>their</i> (a) – 180 <b>M1</b> for <i>their</i> (a) – 180 oe or $180 - 40 - 45$
(b)	464.66 to 464.67 [= 464.7]	4	<b>M2</b> for $510^2 + 720^2 - 2 \times 510 \times 720 \cos 40$ or <b>M1</b> for correct implicit equation <b>A1</b> for 215 900 to 215 920
(c)	44.9 or 44.86 to 44.87...	3	<b>M2</b> for $\frac{510 \sin(40)}{464.7}$ or <b>M1</b> for correct implicit equation
6 (a) (i)	Correct image (2, -5) (4, -5) (4, -1)	2	<b>SC1</b> for reflection in $y = 0$ or 3 correct points not joined
(ii)	Correct image (-2, 1) (-6, 1) (-6, -1)	2	<b>SC1</b> for rotation 90 clockwise any centre or 3 correct points not joined
(iii)	Translation by $\begin{pmatrix} 1 \\ 9 \end{pmatrix}$	2	<b>B1</b> for each
(iv)	Enlargement [SF] $-\frac{1}{2}$ oe [Centre] (2, 1)	1 1 1	
(b) (i)	$\begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix}$	2	<b>B1</b> for one correct row or column but not the identity matrix
(ii)	Reflection $x = 0$ oe	1 1	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0580	43

Question	Answer	Mark	Part marks
7 (a) (i)	$\frac{12}{x-1} - \frac{10}{x} = 0.5$ oe  $12x - 10(x-1) = 0.5x(x-1)$ or better  Brackets expanded  $x^2 - 5x - 20 = 0$ with no errors or omissions seen	<b>M2</b>  <b>M1</b>  <b>A1</b>	<b>M1</b> for $\frac{12}{x-1}$ or $\frac{10}{x}$  <b>FT</b> $\frac{10}{x} - \frac{12}{x-1} = 0.5$ only  Dep on <b>M3</b> and brackets expanded
(ii)	$\sqrt{(-5)^2 - 4(1)(-20)}$ or better  $p = -(-5), r = 2(1)$ or better  – 2.62, 7.62 final answers	<b>B1</b>  <b>B1</b>  <b>B1B1</b>	Seen anywhere or $(x - \frac{5}{2})^2$ oe  Must be in the form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$  or for $\frac{5}{2} + \sqrt{\left(\frac{5}{2}\right)^2 + 20}$ or $\frac{5}{2} - \sqrt{\left(\frac{5}{2}\right)^2 + 20}$  <b>SC1</b> for – 2.6 or – 2.623 to – 2.624 and 7.6 or 7.623 to 7.624 or – 2.62 and 7.62 seen in working or answers 2.62 and – 7.62
(iii)	1 [ hr] 49 [mins]	<b>2FT</b>	<b>FT</b> $12 \div (\text{their +ve root} - 1)$ or $0.5 + 10 \div (\text{their } 7.62)$ in hrs and mins, rounded to nearest min <b>M1</b> for $12 \div (\text{their +ve root} - 1)$ or $0.5 + 10 \div (\text{their } 7.62)$
(b) (i)	2.5	<b>1</b>	
(ii)	1312.5 final answer	<b>3</b>	<b>M2</b> for any complete correct method e.g $25 \times 10 \div 2 + 45 \times 25 + 5 \times 25 \div 2$ <b>M1</b> for any correct method for a relevant area under the graph
8 (a) (i)	Not possible	<b>1</b>	
(ii)	$\begin{pmatrix} 4 & 0 \\ -2 & 10 \\ 6 & -8 \end{pmatrix}$ final answer	<b>1</b>	
(iii)	$\begin{pmatrix} 14 & 35 \\ -8 & -20 \end{pmatrix}$ final answer	<b>2</b>	<b>M1</b> for one correct column or row
(iv)	(–6) final answer	<b>2</b>	<b>M1</b> for $14 - 20$
(v)	$\begin{pmatrix} -2 & 18 \\ -6 & 22 \end{pmatrix}$ final answer	<b>2</b>	<b>M1</b> for one correct column or row

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0580	43

Question	Answer	Mark	Part marks
(b)	$\frac{1}{8} \begin{pmatrix} 5 & -3 \\ 1 & 1 \end{pmatrix}$ or better isw	2	<b>B1</b> for $k \begin{pmatrix} 5 & -3 \\ 1 & 1 \end{pmatrix}$ seen or implied, $k \neq 0$ or $\frac{1}{8} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen
9 (a)	270 or 270.17 to 270.22	3	<b>M2</b> for $\frac{360-145}{360} \times \pi 12^2$ oe or <b>B1</b> for 215 seen or <b>M1</b> for $\frac{\theta}{360} \times \pi 12^2$ used
(b)	518 or 517.6 to 517.8 nfw	6	<b>B4</b> for vertical height = 9.62 to 9.63 or <b>B3</b> for radius = 7.166 to 7.17 or <b>B2</b> for length of sector = 45.[0] or 45.02 to 45.04 or <b>M1</b> for $\frac{360-145}{360} \times 2 \times \pi \times 12$ oe or for $\sqrt{12^2 - \text{their radius}^2}$ and <b>M1</b> indep for $\frac{1}{3} \pi \times \text{their radius}^2 \times \text{their } h$ ( $h \neq 12$ or $r \neq 12$ )
10 (a)	10 15 15 21 35 48	6	<b>B1</b> for each correct entry
(b) (i)	3	2	<b>M1</b> for any correct substitution in $n^2 + 4n + p$ = number of tiles eg $2^2 + 4(2) + p = 15$
(ii)	143	1FT	<b>FT</b> 140 + their (b)(i)
(c)	$a = \frac{1}{2}$ oe $b = \frac{3}{2}$ oe nfw	5	<b>B1</b> for a correct simplified equation e.g. $a + b + 1 = 3$ , $4a + 2b + 1 = 6$ , $9a + 3b + 1 = 10$ etc <b>B1</b> for a 2 <sup>nd</sup> correct simplified equation <b>M1</b> for correctly eliminating one variable for their equations in $a$ and $b$ <b>A1</b> for $a = \frac{1}{2}$ nfw <b>A1</b> for $b = \frac{3}{2}$ nfw

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0580	43

Question	Answer	Mark	Part marks
(d) (i)	171	2FT	<b>FT</b> <i>their</i> $a \times 17^2 + \text{their } b \times 17 + 1$ <b>M1</b> for <i>their</i> $a \times 17^2 + \text{their } b \times 17 + 1$
(ii)	673	1FT	<b>FT</b> <i>their</i> (d)(i) $\times 4 - 11$