

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

MATHEMATICS

0580/41 May/June 2017

www.mymathscloud.com

Paper 4 (Extended) MARK SCHEME Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.



Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working

soi seen or implied

Question	Answer	Marks	Part marks
1(a)(i)	275.31	2	M1 for 90 × 23.15 + 1885 × 13.5 oe
1(a)(ii)	3202	3	M2 for $\frac{198.16 - 90 \times 0.245}{0.055}$ oe
			M1 for 90×0.245 or 90×24.5 oe
1(b)	17.[0] or 17.00 to 17.01	2	M1 for $13.5 \times \left(1 + \frac{8}{100}\right)^3$
1(c)(i)	40	3	M2 for $\frac{7.7 - 5.5}{5.5}$ [×100] oe or $\frac{7.7}{5.5}$ ×100
			or M1 for $\frac{7.7}{5.5}$ oe
1(c)(ii)	11.9 or 11.86 to 11.87	3	M2 for $\sqrt[3]{\frac{7.7}{5.5}}$ oe or M1 for 5.5 × $x^3 = 7.7$ oe
1(d)	150 [million] oe	2	M1 for 390 [million] \div (5 + 2 + 6)
1(e)	250 nfww	3	M2 for $258.25 \div ((100 + 3.3) \div 100)$ or M1 for 258.25 associated with $103.3[\%]$
2(a)	$71 < t \leq 72$	1	
2(b)	72.3 or 72.27 to 72.28 nfww	4	M1 for midpoints soi (condone 1 error or omission)
			M1 for use of $\sum fx$ with x in correct interval including both boundaries
			M1 (dep on 2nd M1) for $\sum fx \div 90$
2(c)(i)	41, 62, 80, 90	2	B1 for 2 correct values

	Mark Scheme DUBLISHED Marks Marks Marks On Answer Marks PUBLISHED PUBLISHED On Answer Marks Part marks BIFT their (c)(i) for 5 correct heights B1 For 5 points plotted at upper ends of			
Question	Answer	Marks	Part marks	
2(c)(ii)	Correct curve	3	intervals B1FT (dep on at least B1) for increasing curve or increasing polygon through 5 points	
			If zero scored, SC1FT for 4 correct points plotted	
2(c)(iii)	72.1 to 72.4	1		
2(c)(iv)	1.9 to 2.2	2	M1 for UQ = 73.2 to 73.4 or LQ = 71.2 to 71.3	
2(d)	180 cao nfww	4	B3 for 50 [m/s] nfww OR M3 for $\frac{3725 \div 1000}{74.5 \div 3600}$ OR M2 for $3725 \div 74.5$ or M1 for $3725 \div 74.5$ seen or for (3715 to 3725) \div (74.5 to 75.5) M1 indep for multiply by 3.6 oe	
3(a)(i)	Image at (5, 1), (7, 1), (7, 4)	2	B1 reflection in $y = 4$ or $x = k$	
3(a)(ii)	Image at (-1, 1), (-4, 1), (-1, 3)	2	B1 correct size and correct orientation wrong position or for rotation 90° clockwise around (0, 0)	
3(a)(iii)	Image at $(2, -4)$, $(4, -4)$, $(2, -1)$	2	B1 for translation by $\begin{pmatrix} 1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$	
3(b)	Enlargement	1		
	[sf] – 0.5 oe	1		
	(5, 5)	1		
3(c)	$\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$	2	B1 for one correct column or row	
3(d)(i)	(4, 2)	2	M1 for $\begin{pmatrix} 1 & 0 \\ 0 & 2 \end{pmatrix} \begin{pmatrix} 4 \\ 1 \end{pmatrix}$ oe	

0580/41	Cambridge IGCSE – Mark Scheme PUBLISHEDMay,May,May,May,May,May,May,May,May,May,MarksPart marks(-4, 2)3MarksM2 for $\begin{pmatrix} -1 & 0 \\ 0 & 0 \end{pmatrix}$ or $\begin{pmatrix} 1 & 0 \\ -4 \end{pmatrix}$		T VISIIIS	
Question	Answer	Marks	Part marks	Cloud
3(d)(ii)	(-4,2)	3	$\mathbf{M2} \text{ for } \begin{pmatrix} -1 & 0 \\ 0 & 2 \end{pmatrix} \text{ or } \begin{pmatrix} 1 & 0 \\ 0 & 2 \end{pmatrix} \begin{pmatrix} -4 \\ 1 \end{pmatrix}$ or $\mathbf{M1} \text{ for } \begin{pmatrix} 1 & 0 \\ 0 & 2 \end{pmatrix} \begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix} \begin{bmatrix} 4 \\ 1 \end{bmatrix}$ or $\begin{pmatrix} -4 \\ 1 \end{pmatrix}$	com
3(d)(iii)	$\frac{1}{2} \begin{pmatrix} 2 & 0 \\ 0 & 1 \end{pmatrix} $ oe isw	3	M2 for det = 2 soi or $k \begin{pmatrix} 2 & 0 \\ 0 & 1 \end{pmatrix}$ soi or M1 for recognition that Q is inverse matrix of G or GQ = I or QG = I	
4(a)	-1.6 to -1.4	1		
4(b)	-0.5	1		
4(c)	k > -4	2	B1 for identifying the -4 or for horizontal line drawn $y = -4$	
4(d)	y = x - 5 ruled and -2.3 to -2.1 -1.2 to -1.1 1.3 to 1.4	3	B2 for correct line and 2 correct values or no line and 3 correct values or B1 for no line and 2 correct values or B1 for correct line	
4(e)	Tangent ruled at $x = 1$	B1	No daylight at point of contact. Consider point of contact as midpoint between two vertices of daylight, the midpoint must be between $x = 0.8$ and 1.2	_
	-6 to -4	2	Dep on B1 or close attempt at tangent at $x = 1$ M1 for rise/run for <i>their</i> tangent at $x = 1$	
5(a)(i)	50890 or 50893 to 50900.4	2	M1 for $\pi \times 18^2 \times 50$	1

80/41		IGCSE – Mark S PUBLISHED	Scheme May, May, May, May, May, May, May, May,
Question	Answer	Marks	Part marks
5(a)(ii)	20.5 or 20.52 to 20.534	3	B2 for answer 29.5 or 29.46 to 29.48 OR M2 for $(50900 - 30000) \div (\pi \times 18^2)$ oe or M1 for (figs 50.9 -figs 30) $\div (\pi \times \text{figs}18^2)$ or M1 for $(50900 - 30000) = (\pi \times 18^2)h$ oe OR <u>alternative method</u> M2 for $50 - \frac{30000}{\pi \times 18^2}$ oe M1 for figs $30 = \pi \times \text{figs} 18^2 \times (50 - h)$ oe or for $\frac{\text{figs} 30}{\pi \times \text{figs}18^2}$ oe OR <u>alternative method</u> M2 for $\frac{(50.9 - 30)}{50.9} \times 50$ oe or M1 for $\frac{(50.9 - 30)}{50.9} \times 50$ oe or M1 for $\frac{(\text{figs} 50.9 - \text{figs} 30)}{\text{figs} 50.9} \times 50$ oe
5(a)(iii)	334 nfww	4	M2 for figs $30 \div \frac{2}{3}\pi \times 3.5^3$ oe or M1 for $\frac{1}{2} \times \frac{4}{3}\pi \times 3.5^3$ oe and B1 for 30000
5(b)(i)	3.28[6] or 3.29	3	M2 for $[r^2 =] \frac{95 \times 3}{8.4\pi}$ oe or M1 for $\frac{1}{3}\pi \times r^2 \times 8.4$ [= 95]
5(b)(ii)	93.1 to 93.6	4	M3 for $\pi \times 3.3 \times \sqrt{3.3^2 + 8.4^2}$ or M2 for $\sqrt{3.3^2 + 8.4^2}$ or M1 for $3.3^2 + 8.4^2$
6(a)(i)	-7x + 55 final answer	2	M1 for $8x + 20$ or $-15x + 35$ or answer $-7x + k$ or $kx + 55$
6(a)(ii)	$x^2 - 14x + 49$ final answer	2	M1 for 3 of $x^2 - 7x - 7x + 49$

580/41	Wurker Cambridge IGCSE – Mark Scheme PUBLISHED May May May May May Marks Part marks -18 3 M1 for a correct first step ie correctly multiplying by 3 or correctly dividing by		
Question	Answer	Marks	Part marks
6(b)(i)	-18	3	M1 for a correct first step ie correctly multiplying by 3 or correctly dividing by 2 or for correctly subtracting 5 M1 for correctly reaching $ax = b$ from <i>their</i> first step
6(b)(ii)	15	3	M2 for $6x - 4x = 21 + 9$ oe or M1 for $6x - 21$ or correct division by 3 or for correctly reaching $ax = b$ from <i>their</i> first step
6(b)(iii)	5 and –5	3	B2 for 5 or -5 or M1 for $[x^2 =] (74 + 1) \div 3$ or better
7(a)	(-0.5, 3)	2	B1 for one correct value
7(b)	[y =] -2x + 2 final answer	3	M1 for $\frac{-2-8}{23}$ or better M1 for substitution of (-3, 8) or (2, -2) or <i>their</i> midpoint into $y = mx + c$ with <i>their</i> m
7(c)	y = -2x + 7 oe	2FT	FT <i>their</i> (b) M1 for $y = (their-2)x + k \ (k \neq 2)$ or $y = kx + 7 \ (k \neq 0)$ If zero scored, SC1 for $(their - 2)x + 7$
7(d)	x - 2y + 9 = 0 or $2y - x - 9 = 0$ oe	4	B3 for any correct equivalent in wrong form Or M2 for $y = \frac{1}{2}x + k$ oe (FT negative reciprocal of <i>their</i> gradient in (b)) or M1 for grad = $\frac{1}{2}$ (FT negative reciprocal of <i>their</i> gradient in (b)) M1 for substitution of (1, 5) into y = mx + c oe with <i>their</i> m
8(a)(i)	290	2	M1 for 180 + 110 oe
8(a)(ii)	156.8 or 156.7[9]	5	B1FT for <i>CBA</i> = 10° (<i>their</i> (a) – 280) and B3 for [angle <i>ACB</i> =]13.2° or M2 for [sin <i>C</i>] = $\frac{50 \sin(their10)}{38}$ or M1 for $\frac{50}{\sin C} = \frac{38}{\sin(their10)}$ oe

80/41	Marks Scheme DUBLISHED May May		
Question	Answer	Marks	Part marks
8(a)(iii)	8.68 or 8.677 to 8.684	3	M2 for [x =]50sin(<i>their</i> 10) oe or M1 for sin(<i>their</i> 10) = $\frac{x}{50}$ oe or M1 for a correct right-angled triangle drawn with 50 as hypotenuse
8(b)(i)	x(x-25) = 2200	1	and no errors seen
8(b)(ii)	$\frac{-(-25)\pm\sqrt{(-25)^2-4(1)(-2200)}}{2(1)} \text{ or }$ better	B2	B1 for $\sqrt{(-25)^2 - 4(1)(-2200)}$ or better or for $\left(x - \frac{25}{2}\right)^2$ oe or B1 for $\frac{-(-25) + \sqrt{q}}{2(1)}$ or $\frac{-(-25) - \sqrt{q}}{2(1)}$ or both or for $\frac{25}{2} + \text{or} - \sqrt{\left(\frac{25}{2}\right)^2 + 2200}$
	-36.04 and 61.04 final answer	B1,B1	If B0B0, SC1 for values in ranges -36.042 to -36.041 and 61.041 to 61.042 seen or for answers -36[.0] or -36.042 to -36.041 and 61[.0] or 61.041 to 61.042 or -36.04 and 61.04 seen in working or for -61.04 and 36.04 as final ans
9(a)(i)	5 and 13	1	
9(a)(ii)	8n - 3 = 203	M1	Evaluation of 25th or 26th term with supporting evidence or explanation
	25.75 or $25\frac{3}{4}$	A1	Second evaluation of 25th or 26th terms with supporting evidence or explanation If zero scored, SC1 for 25.75 or 197 and 205 with partial evidence or explanation
9(b)(i)	6n + 7 oe final answer	2	B1 for $6n + c$ or $kn + 7$ $k \neq 0$
9(b)(ii)	$n^2 + n + 2$ oe final answer	2	B1 for a quadratic expression or second difference = 2
9(c)	[<i>y</i> =] 10	2	M1 for $5(20 - y) = 50$
	[First term =] 14	2	M1 for $5(x - their y) = 20$ or for $20 \div 5 + their y$