## MARK SCHEME for the October/November 2015 series

## 0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

www.nymathscloud.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



			mm. n. m.
Page 2	2 Mark Scheme	Syllabus	P. Mary
	Cambridge IGCSE – October/November 2015	0580	22 4th 75
<b>Abbrevi</b> cao	correct answer only		MMM. My Mains 22 MMM. My Mains 22 MMM. Mains Cloud.com
dep FT	dependent fallow through after error		

## Abbreviations

- correct answer only cao
- dep dependent
- follow through after error  $\mathbf{FT}$
- ignore subsequent working isw
- oe or equivalent
- Special Case SC
- not from wrong working nfww
- seen or implied soi

Question	Answer	Mark	Part Marks
1	17	1	
2	Parallelogram	1	
3	694 or 694.4[4]	2	<b>M1</b> for 950 ÷ 1.368
4	5.83 or 5.830 to 5.831	2	<b>M1</b> for $\sqrt{(-3)^2 + 5^2}$
5	262 or 261.7 to 261.83	2	<b>M1</b> for $\frac{1}{2} \times \frac{4}{3} \pi \times 5^3$ If zero scored <b>SC1</b> for final answer 524 or 523.5 to 523.7
6 (a) (b)		1 1	
7	$\begin{pmatrix} 11 & -8 \\ -6 & 8 \end{pmatrix}$	2	B1 for two correct elements
8	3826 or 3826.38	2	<b>M1</b> for $8000 \times \left(1 - \frac{10}{100}\right)^7$ oe
9	0.3	2	<b>M1</b> for $\frac{k \times 50000 \times 50000}{100000 \times 100000}$ oe If zero scored <b>SC1</b> for figs 3
10	54	3	M2 for $14.4 \times \frac{15}{4}$ oe or M1 for $14.4 \div 4$ or $\frac{4}{15}$ associated with 14.4 If zero scored SC1 for final answer 19.6[4]

Page 3	Mark Sch	Syllabus P. Mar			
	Cambridge IGCSE – Octo	ber/No	vember 2015 0580 22 47		
11	6.24 or 6.244 to 6.245	3	SyllabusP.vember 2015058002 for $\sqrt{8^2 - 5^2}$ or M1 for $8^2 = 5^2 + x^2$ or better		
12	$2\frac{3}{12}$ or $1\frac{15}{12}$ or $\frac{27}{12}$ or $\frac{9\times3}{4\times3}$	M1	Accept any correct conversion with common denominator $12k$		
	<i>their</i> $\left(\frac{27}{12} - \frac{11}{12} = \frac{16}{12}\right)$ oe	M1	Correct resolving of <i>their</i> subtraction with denominator 12k showing full working		
	$1\frac{1}{3}$ or $\frac{4}{3}$ cao	A1	Working and then simplified answer must both be seen		
13	8.12 or 8.118	3	M2 for $\frac{12.4}{\sin 74} \times \sin 39$ or M1 for implicit version $\frac{\sin 39}{y} = \frac{\sin 74}{12.4}$ oe		
14	2500 nfww	3	M2 for $2475 \div \left(1 - \frac{1}{100}\right)$ oe or M1 for 2475 associated with 99%		
15 (a)	(3w+10)(3w-10) final answer	1			
(b)	(m+n)(p-6q) oe final answer	2	<b>B1</b> for $p(m+n)-6q(m+n)$ oe or m(p-6q)+n(p-6q) oe		
16	36.8 or 36.80 to 36.81	3	<b>M1</b> for $\frac{26}{360} \times 2 \times \pi \times 15$ <b>M1</b> for $2 \times 15 + a$ term involving $\pi$		
17	175	3	M1 for $y = k(x-1)^2$ oe A1 for $k = 7$ or M2 for $\frac{63}{(4-1)^2} = \frac{y}{(6-1)^2}$ oe		
18	16.2 16.6 nfww	3	M1 for two of 2.35, 5.75, 2.45, 5.85 seen or $2 \times (5.8 - 0.05 + 2.4 - 0.05)$ or $2 \times (5.8 + 0.05 + 2.4 + 0.05)$ A1 16.2 or 16.6 in either answer space If zero scored SC2 for both correct reversed answers provided 16.6 nfww		

						WWW. MYMATH	
Pa	ige 4	Mark Scheme Syllabus P. 7473				Mary Contraction	
		Cambridge IGCSE – October/November 2015 0580 22			22 41	S. S.	
		1					CHOUS.
19		$\sqrt{(-6)^2 - 4(5)(-3)}$ or better seen	<b>B</b> 1	If completing the square B1 for $\left(x - \frac{3}{5}\right)^2$ oe			<sup>4</sup> O,COM
		if $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ seen then $p = -(-6)$ and $r = 2 \times 5$ -0.38 1.58 cao final answers	B1 B1 B1	(5) <b>B1</b> for $\frac{3}{5} + \sqrt{\frac{3}{5} + \left(\frac{3}{5}\right)^2}$ o If B0, <b>SC1</b> for - 0.4 and 1.6 or - 0.379[795] and 1. or - 1.58 and 0.38 as final answers		$\overline{\left(\frac{3}{5}\right)^2}$ oe	
				or -0.38 and 1.58 see	en in working	g	
20	(a)	<b>↑</b>	<b>B</b> 1	line from (0, 8) to (10, 8)			
		8	<b>B</b> 1	line from <i>their</i> (10, 8) to	(55, 0)		
	(b)	10 55 260	3FT	<b>M2FT</b> for $8 \times 10 + 0.5 \times$ or for a fully correct area graph or <b>M1FT</b> for $8 \times 10$ or 0. correct area calculation for	calculation f $5 \times 8 \times 45$ or	r for one	
21	(a)	12	2	<b>M1</b> for $\frac{7.2}{x} = \frac{15}{25}$ or bo	etter eg 7.2×	<u>25</u> 15	-
	(b)	12.8	3	M2 for $16 \times \sqrt[3]{\frac{192}{375}}$ oe or M1 for $\sqrt[3]{\frac{192}{375}}$ or $\sqrt[3]{\frac{375}{192}}$ o	be or $\left(\frac{16}{y}\right)^3$	$=\frac{375}{192}$ oe	
22	(a)	3.5 nfww	3	<b>M1</b> for $\Sigma f x$ soi			
	(b)	2 nfww	3	M1 (dep) for $\div 24$ M2FT for $\frac{their 84 + x}{25} = 3$ or M1 for 25 × 3.44	.44 or better		

							www. m. m.
Ρ	Page 5 Mark Scheme					Syllabus	P. Mary
			Cambridge IGCSE – Octob	er/No	vember 2015	0580	22 Aths is
· · · · · ·							-0/0/
23	(a)		$\frac{8}{14}$ and $\frac{5}{13}$	1			MMM. ITY MAINS
			$\frac{6}{13}$ and $\frac{7}{13}$	1			
	(b)	(i)	$\frac{30}{182}$ oe	2	<b>M1FT</b> for $\frac{6}{14} \times their \frac{5}{13}$		
		(ii)	126 182 oe	3	M2FT for $1 - \frac{8}{14} \times \frac{7}{13}$ or $\frac{6}{14} \times \frac{5}{13} + \frac{6}{14} \times \frac{8}{13} + \frac{6}{14} + \frac{8}{13} + \frac{6}{13}$ or $\frac{6}{14} + \frac{8}{14} \times \frac{6}{13}$ oe or M1FT for sum of any $\frac{6}{14} \times \frac{5}{13}$ or $\frac{6}{14} \times \frac{8}{13}$ or $\frac{8}{14}$	two of	