



**Cambridge Assessment International Education**  
Cambridge International General Certificate of Secondary Education

**MATHEMATICS**

**0580/32**

Paper 3 (Core)

**October/November 2017**

MARK SCHEME

Maximum Mark: 104

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is a registered trademark.

This document consists of **5** printed pages.

**Abbreviations**

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

Question	Answer	Marks	Partial Marks
1(a)(i)	45	1	
1(a)(ii)	10 10	1	
1(a)(iii)	[0].55	2	<b>M1</b> for $(1.66 \times 5) - 7.75$ oe
1(b)(i)	50	1	
1(b)(ii)	2, 7, 4, 5, 6, 6	2	<b>B1</b> for 4 correct in frequency column or <b>B1</b> for correct tallies if frequency column blank or <b>B1</b> if 2, 7, 4, 5, 6, 6 seen in tally column with frequency column blank or incorrect
1(b)(iii)	Correctly scaled frequency axis	1	
	all heights correct	1FT	<b>FT</b> <i>their</i> table
	consistent width of bars	1	
1(b)(iv)	10 [to] 19	1	<b>FT</b> <i>their</i> bar chart if 5 or 6 bars or <i>their</i> table if no bar chart
2(a)	Eight thousand [and] forty-five	1	
2(b)(i)	64	1	
2(b)(ii)	61 or 67	1	
2(b)(iii)	68	1	
2(c)(i)	$2 \times 7^2$ or $2 \times 7 \times 7$	2	<b>M1</b> for 2, 7, 7 or 2, $7^2$ or $1 \times 2 \times 7 \times 7$ or $1 \times 2 \times 7^2$
2(c)(ii)	14	2	<b>M1</b> for $(182 = ) 2 \times 7 \times 13$ or 2, 7, 13 or <b>B1</b> for 2 or 7 or $2 \times 7$ as final answer

Question	Answer	Marks	Partial Marks
2(d)(i)	1296	1	
2(d)(ii)	29	1	
2(d)(iii)	14	1	
2(d)(iv)	0.008 or $\frac{1}{125}$	1	
3(a)	2, 6	2	<b>B1</b> mark for each
3(b)(i)	Triangle at (–3, 1) (–5, 3) (–3, 3)	2	<b>B1</b> for reflection in $x = k$ or $y = -1$
3(b)(ii)	Triangle at (2, 2) (2, 6) (6, 6)	2	<b>B1</b> for correct size and orientation, incorrect centre
3(b)(iii)	Translation	1	
	$\begin{pmatrix} -5 \\ 3 \end{pmatrix}$	1	
4(a)(i)	6 pens and 1.3[0]	3	<b>M1</b> for $\frac{10}{1.45}$ <b>M1</b> for $k \times 1.45$ where $k$ is an integer
4(a)(ii)	4.76	2	<b>M1</b> for $5.60 \times (1 - \frac{15}{100})$ oe
4(b)	22	2	<b>M1</b> for ordered list of first 6 or last 6 or <b>B1</b> for 19 and 25 both identified
4(c)	3000 1500 2500	3	<b>M2</b> for $\frac{7000}{6+3+5} \times k$ or better, where $k$ is 6 or 3 or 5  or <b>M1</b> for $\frac{7000}{6+3+5}$ or better implied by 500  If no working <b>M2</b> implied by one correct answer in correct place  If zero scored, <b>M1</b> for all correct answers in wrong order
4(d)	909.09 or 909.1[0] or 909.0 or 909	2	<b>M1</b> for $\frac{1400}{1.54}$
4(e)	2160.09 or 2160.1[0] or 2160.0 or 2160	3	<b>M2</b> for $2000 (1 + \frac{2.6}{100})^3$ oe or <b>M1</b> for $2000 (1 + \frac{2.6}{100})^2$ soi by 2105.35

Question	Answer	Marks	Partial Marks
5(a)	$\frac{90}{360} \times 900 [= 225]$	1	
5(b)	45	2	<b>M1</b> for $\frac{18}{360} \times 900$ oe
5(c)	Correct pie chart	2	<b>B1</b> for $56^\circ$ or $50^\circ$ soi
5(d)(i)	0	1	
5(d)(ii)	$\frac{1}{20}$ cao	2	<b>M1</b> for $\frac{18}{360}$ or $\frac{\text{their(b)}}{900}$ oe
5(e)	350	2	<b>M1</b> for $\frac{125}{900} \times 2520$ or $\frac{50}{360} \times 2520$ oe
6(a)(i)	95	2	<b>B1</b> for 9.5
6(a)(ii)	135	1	
6(b)(i)	Correct length and bearing	2	<b>B1</b> for 7.8 cm from <i>A</i> <b>B1</b> for $103^\circ$ from <i>A</i>
6(b)(ii)	104	2	<b>M1</b> for $\frac{78}{45} \times 60$ oe  or for $\frac{78}{\text{time}}$
6(c)	Correct region shaded with correct arcs	5	<b>B2</b> for correct bisector with correct arcs or <b>B1</b> for short bisector with correct/incorrect/no arcs or for correct arcs but no line  <b>B2</b> for arc 7 cm centre <i>A</i> or <b>B1</b> for short arc 7 cm from centre <i>A</i>
7(a)(i)	Pentagon	1	
7(a)(ii)	Parallelogram	1	
7(a)(iii)	Obtuse	1	
7(b)(i)	2400	2	<b>M1</b> for $25 \times 12 \times 8$
7(b)(ii)	[0] .0024	1FT	

Question	Answer	Marks	Partial Marks
7(c)(i)	Radius	1	
7(c)(ii)	Angle [in a] semicircle, $[90^\circ]$	1	
7(c)(iii)	50.3 or 50.26 to 50.27.....	2	<b>M1</b> for $2 \times 8 \times \pi$ or $16 \times \pi$
7(c)(iv)	11.5 or 11.48 to 11.49	3	<b>M2</b> for $\sqrt{14^2 - 8^2}$ soi or better or <b>M1</b> for $14^2 = 8^2 + CD^2$ or better
8(a)(i)	$12p - 7r$ final answer	2	<b>B1</b> for $12p + jr$ or $kp - 7r$ $j, k$ can be 0 or $12p + -7r$
8(a)(ii)	$24x^5$ final answer	1	
8(b)	$90x + 75y$ final answer	2	<b>B1</b> for $90x + jy$ or $kx + 75y$ $j, k$ can be 0 or $0.9x + 0.75y$
8(c)	$4p(3p - 2)$ final answer	2	<b>B1</b> for $4(3p^2 - 2p)$ or $p(12p - 8)$ or $2(6p^2 - 4p)$ or $2p(6p - 4)$
8(d)	5	3	<b>M1</b> for first correct step <b>M1FT</b> for second correct step
8(e)	Correctly equating one set of coefficients	<b>M1</b>	
	Correct method to eliminate one variable	<b>M1</b>	Dependent on the coefficients being the same for one of the variables. Correct consistent use of addition or subtraction using their equations.
	$[x = ] 2.5$	<b>A1</b>	
	$[y = ] 11$	<b>A1</b>	If zero scored, <b>SC1</b> if no working shown, but 2 correct answers given or <b>SC1</b> for 2 values satisfying one of the original equations
9(a)(i)	-6, 6, 14	3	<b>B1</b> for each
9(a)(ii)	Correct curve	4	<b>B3FT</b> for 6 or 7 points correctly plotted or <b>B2FT</b> for 4 or 5 points correctly plotted or <b>B1FT</b> for 2 or 3 points correctly plotted
9(b)(i)	Correct ruled line	1	
9(b)(ii)	$1.8 \leq x < 2.0, 5$	<b>1FT</b>	<b>FT</b> intersection of <i>their</i> curve with the line $y = 5$