Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

MATHEMATICS **0580/43**

Paper 4 (Extended) **October/November 2017**

MARK SCHEME

Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)(i)	180 ÷ (2 + 3 + 5) × 5 [= 90]	**1**	with no errors seen
1(a)(ii)	7.05 or 7.053….	**3**	**M2** for $\frac{x}{12} = \sin 36$ oe or better or **B1** for 36 or 54 seen
1(b)(i)	13	**2**	**M1** for 7.8 ÷ 3 soi
1(b)(ii)	36.9 or 36.86 to 36.87	**3**	**B1** for smallest angle identified **M1** for sin[ ] = $\frac{3}{5}$ oe or sin[ ] = $\frac{7.8}{\textit{their}\ \textbf{(b)(i)}}$ oe If zero scored, **SC1** for calculation of 53.1
2(a)	343	**1**	
2(b)(i)	1	**1**	
2(b)(ii)	x^{10} final answer	**1**	
2(b)(iii)	$9x^{16}$ final answer	**2**	**B1** for x^{12} or x^{16} or $(3x^8)^2$ seen
2(c)(i)	$2(x – 3)(x + 3)$ final answer	**2**	**M1** for $(2x + 6)(x – 3)$ or $(2x – 6)(x + 3)$ or $(x – 3)(x + 3)$
2(c)(ii)	$\frac{2(x+3)}{x+10}$ or $\frac{2x+6}{x+10}$ final answer nfww	**3**	**M2** for $(x + 10)(x – 3)$ or **M1** for $(x + a)(x + b)$ where $ab = –30$ or $a + b = 7$

Question	Answer	Marks	Partial Marks
3(a)(i)	1890	**2**	**M1** for 126 ÷ 4 [× 60] oe If zero scored, **SC1** for answer 31.5
3(a)(ii)	103.95	**4**	**M3** for $0.5 \times \left(\frac{44}{60} + \frac{55}{60}\right) \times 126$ oe or **SC3** for figs 10395 or figs 104 or **M2** for two correct area methods or for a full method without minutes to hours conversion or **M1** for one correct area with or without minutes to hours conversion
3(b)(i)	126 × 1000 ÷ (60 × 60)	**1**	
3(b)(ii)	46.3 or 46.28 to 46.29	**3**	**M2** for (1400 + 220) ÷ 35 oe or **M1** for distance ÷ speed or 1400 + 220
3(c)	180 nfww	**4**	**B3** for final answer 3 OR **M3** for $\frac{217.5}{72.5} \times 60$ oe or **M2** for 217.5 ÷ 72.5 oe or $\frac{210 \text{ to } 220}{72.5} \times 60$ or $\frac{217.5}{72 \text{ to } 74} \times 60$ or **M1** for 217.5 or 72.5 seen or $\frac{215}{73} \times 60$
4(a)	$80 < t \leqslant 100$	**1**	
4(b)	86 nfww	**4**	**M1** for midpoints soi **M1** for use of Σfx with x in correct interval including both boundaries **M1** (dep on 2nd **M1**) for $\Sigma fx \div 150$
4(c)(i)	Reference to not knowing the individual values so we do not know the highest or the lowest values	**1**	
4(c)(ii)	62.4	**2**	**M1** for 26 ÷ 150 or 360 ÷ 150 soi
4(d)	$\frac{22}{150}$ oe	**1**	

Question	Answer	Marks	Partial Marks
4(e)(i)	$\frac{90}{22350}$ oe	**2**	**M1** for $\frac{10}{150}\times\frac{9}{149}$ After zero scored, **SC1** for answer $\frac{100}{22500}$ oe
4(e)(ii)	$\frac{440}{22350}$ oe	**3**	**M2** for $\frac{10}{150}\times\frac{22}{149}+\frac{22}{150}\times\frac{10}{149}$ oe or **M1** for $\frac{10}{150}\times\frac{22}{149}$ or $\frac{22}{150}\times\frac{10}{149}$ oe After zero scored, **SC1** for answer $\frac{440}{22500}$ oe
4(f)	13, 8.5, 7.25, 1.1	**3**	**B2** for 3 correct or **B1** for 1 correct or for 3 correct FD.s 5.2, 3.4, 2.9, 0.44 oe
5(a)(i)	Image at (0, 1), (0, 2), (–3, 1)	**2**	**B1** for reflection in $y = 0$ or $x = k$
5(a)(ii)	Image at (0, 0), (0, –2), (6, –2)	**2**	**B1** for correct size and correct orientation wrong position or for 2 correct vertices plotted
5(a)(iii)	Image at (–5, 4), (–5, 5), (–2, 4)	**2**	**B1** for translation by $\begin{pmatrix}-5\\k\end{pmatrix}$ or $\begin{pmatrix}k\\3\end{pmatrix}$
5(b)	Rotation 90° clockwise oe (4, –1)	**3**	**B1** for each
5(c)(i)	(4, 1)	**2**	**M1** for $\begin{pmatrix}0&-1\\1&0\end{pmatrix}\begin{pmatrix}1\\-4\end{pmatrix}$
5(c)(ii)	(8, –1)	**2**	**M1** for $\begin{pmatrix}0&-1\\1&0\end{pmatrix}\begin{pmatrix}3&1\\0&2\end{pmatrix}\begin{pmatrix}1\\-4\end{pmatrix}$ or $\begin{pmatrix}0&-2\\3&1\end{pmatrix}\begin{pmatrix}1\\-4\end{pmatrix}$ or $\begin{pmatrix}0&-1\\1&0\end{pmatrix}\begin{pmatrix}-1\\-8\end{pmatrix}$
5(c)(iii)	Rotation 90° anti-clockwise oe Origin oe	**3**	**B1** for each

Question	Answer	Marks	Partial Marks
6(a)(i)	25.5 or 25.46…	**2**	**M1** for $\pi \times 5^2 \times h = 2000$ oe
6(a)(ii)	9.85 or 9.847…	**3**	**M2** for $[r^3=]\ 2000 \div \left(\frac{2}{3}\pi\right)$ oe or **M1** for $\frac{2}{3}\pi r^3 = 2000$ oe
6(a)(iii)	952 or 952.4….	**3**	**M2** for $[6 \times]\ \sqrt[3]{2000}^2$ or **M1** for $\sqrt[3]{2000}$ or 6 times *their* area of one face
6(b)(i)	22.5 or 22.49…	**2**	**M1** for $\frac{1}{2} \times 7 \times 10 \times \sin 40$
6(b)(ii)	$\sqrt{(10^2 + 7^2 - 2 \times 10 \times 7 \cos 40)} + 7 + 10$	**M3**	**M2** for $10^2 + 7^2 - 2 \times 10 \times 7 \cos 40$ or **M1** for correct implicit cosine rule
	23.46…	**A2**	**A1** for 6.46… or 41.7 to 41.8
6(c)	64.9 or 64.92 to 64.94	**3**	**M2** for $28.2 - 2 \times 9 = \frac{c}{360} \times 2 \times \pi \times 9$ oe or **M1** for $\frac{c}{360} \times 2 \times \pi \times 9$ soi
7(a)	9, – 6, 9	**3**	**B1** for each
7(b)	Correct graph	**4**	**B3FT** for 6 or 7 correct points or **B2FT** for 4 or 5 correct points or **B1FT** for 2 or 3 correct points
7(c)	–3.5 to –3.35 and 0.8 to 0.9..	**2FT**	**FT** *their* graph **B1FT** for either
7(d)	$a = \frac{5}{4}$ or $1\frac{1}{4}$ or 1.25 $b = -\frac{49}{8}$ or $-6\frac{1}{8}$ or –6.125	**3**	**B2** for either correct or **M1** for $[2]\left(x + \frac{5}{4}\right)^2$ seen isw or for $2x^2 + 4ax + 2a^2 + b$
8(a)(i)	5	**1**	
8(a)(ii)	$-\frac{3}{2}$ oe	**1**	
8(b)	$\left(\frac{4}{5}, 0\right)$ oe	**2**	**M1** for $5x - 4 = 0$ soi

Question	Answer	Marks	Partial Marks
8(c)	$y = -0.2x + 11$ final answer	**4**	**M2** for $y = -0.2x + c$ oe (any form) **FT** *their* **(a)** or **B1FT** for grad = $\frac{-1}{\textit{their}}$ **(a)(i)** soi and **M1** for substitution of (10, 9) into *their* equation
8(d)	(2, 6)	**3**	**M1** for elimination of one variable **A1** for $x = 2$ or $y = 6$
8(e)	13	**3**	**M2** for $(4 + 9) \times$ *their* $2 \div 2$ oe or **B1** for 9 oe or 4 or –4 seen
9(a)	$\frac{10}{x - 0.5}$ oe final answer	**1**	Accept $\frac{20}{2x - 1}$
9(b)(i)	$\frac{10}{x - 0.5} - \frac{10}{x} = 0.25$ oe	**M1**	**FT** *their* **(a)**
	$10x - 10(x - 0.5) = 0.25x\,(x - 0.5)$ oe	**M1**	Clears algebraic denominators or collects as a single fraction FT *their* algebraic fractions dep on two fractions with algebraic denominators
	$10x - 10x + 5 = 0.25x^2 - 0.125x$ or better	**B1**	Expands brackets
	$2x^2 - x - 40 = 0$	**A1**	Dep on **M1M1B1** and no errors seen
9(b)(ii)	$\frac{--1 \pm \sqrt{(-1)^2 - 4 \times 2 \times -40}}{2 \times 2}$ oe	**B2**	**B1** for $\sqrt{(-1)^2 - 4(2)(-40)}$ or better or **B1** for $\frac{--1 + \sqrt{q}}{2 \times 2}$ or $\frac{--1 - \sqrt{q}}{2 \times 2}$ or both
	–4.23 and 4.73 final answers	**B1 B1**	**SC1** for –4.229… **and** 4.729… or for –4.23 **and** 4.73 seen in working or for –4.73 **and** 4.23 as final answer or for –4.2 or –4.22 **and** 4.7 or 4.72 as final answer
9(b)(iii)	2 [hours] 7 [minutes]	**3**	**B2** for 2.11 or 2.114 to 2.115 or 126.8 to 126.9 or 127 or **M1** for $10 \div$ *their* positive root from **(b)(ii)**
10(a)(i)	$2^2 \times 3^2 \times 5$ oe	**2**	**M1** for 3 correct prime factors in a tree or table seen before the first error or for 2, 3, 5 identified
10(a)(ii)	540	**2**	**M1** for $2^2 \times 3^3 \times 5$ or 2×3^3 shown or answer $540k$

Question	Answer	Marks	Partial Marks
10(b)	$X = 8575$ $Y = 6125$	**4**	**B3** for $X = 8575$ or $Y = 6125$ or **B2** for $a = 5$ or $b = 1$ soi or **B1** for $1225 = 5^2 \times 7^2$ or $42\,875 = 5^3 \times 7^3$ or **M1** for $a^2 \times 7^2$ [= 1225] or $a^3 \times 7^{b+2}$ [= 42 875]