



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

7260877332

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/41

Paper 4 (Extended)

May/June 2015

2 hours 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Geometrical Instruments

Graphics Calculator

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, glue or correction fluid.

You may use an HB pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate. Answers in degrees should be given to one decimal place.

For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 120.



www.my.mainscloud.com

Formula List

For the equation

$$ax^2 + bx + c = 0$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Curved surface area, A, of cylinder of radius r, height h.

$$A = 2\pi rh$$

Curved surface area, A, of cone of radius r, sloping edge l.

$$A = \pi r l$$

Curved surface area, A, of sphere of radius r.

$$A = 4\pi r^2$$

Volume, V, of pyramid, base area A, height h.

$$V = \frac{1}{3}Ah$$

Volume, V, of cylinder of radius r, height h.

$$V = \pi r^2 h$$

Volume, V, of cone of radius r, height h.

$$V = \frac{1}{3}\pi r^2 h$$


Volume, V, of sphere of radius r.

$$V = \frac{4}{3}\pi r^3$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$Area = \frac{1}{2}bc\sin A$$



MNN. My Mathscloud.com

Answer all the questions.

1 The table shows the marks that 80 students scored in an examination.

Mark	0	1	2	3	4	5	6	7	8	9	10
Number of students	1	5	6	8	9	10	12	8	16	3	2

	students	1	5	6	8	9	10	12	8	16	3	2	
(a)	Write down t	he mo	de.										,
(b)	Write down t	he ran	ge.				Answer((a)					[1
(c)	Find the med	ian.					Answer(Ъ)					[1]
							Answer((c)					[1
(d)	Find the inter	rquarti	le rang	je.									
(e)	Calculate the	mean					Answer((d)					[2

Answer(e) [1]



m.	
www. Why	And
J.M.	Sep.
	W. a

2 Solve the simultaneous equations. You must show all your working.

$$5x - 2y = 11.5$$
$$4x + 3y = 0$$


Answer
$$x = \dots$$
 $y = \dots$ [4]

- 3 A car of length 4.5 metres is travelling at 72 km/h. The car approaches a tunnel of length 260 metres.
 - (a) Change 72 km/h into m/s.

Answer(a) m/s [1]

(b) Find the time it will take for the car to pass completely through the tunnel. Give your answer in seconds.

4



(a) Describe fully the **single** transformation that maps triangle A onto triangle B.

Answer(a)	 	 	 	
, ,				

- (b) Rotate triangle B through 90° clockwise, centre (-1, 6). Draw this triangle and label it C. [3]
- (c) Describe fully the **single** transformation that maps **triangle** C onto triangle A.

Answer(c) [2]

WWW. TOWN AND WARTH SCIOUD CON

5 (a) y varies inversely as the square root of x. y = 5 when x = 9.

(i) Find the value of y when x = 25.


(ii) Find the value of x when y = 25.

$$Answer(a)(ii) x = \dots [2]$$

(iii) Find x in terms of y.


$$Answer(a)(iii) x = \dots [2]$$

(b)



Find the equation of this quadratic curve.

6 The Venn diagram shows the sets A, B and C.



U = {1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15} A = {factors of 12} B = {factors of 6} C = {11, 12, 13, 14}

(a) List the elements of sets A and B.

$$Answer(a) A = \{ \dots \}$$

$$B = \{ \dots \} [2]$$

- (b) Write all the elements of U in the correct regions of the Venn diagram above. [3]
- (c) List the elements of
 - (i) $A \cap B$,

(ii) $A' \cap C$,

(iii) $B \cup C'$.

(d) Find

(i) $n(A \cup B \cup C)'$,

(ii) $n(A \cap B \cap C)'$.

Angway(d)(ii)	Г17
Answer $(a)(11)$	 [I]


www.my.mainscloud.com

7	Squash balls have radius 1.5 cm.
	They are sold in boxes. Each box is a cuboid.
	Each box has length 15 cm width 12 cm and height 3 cm

(a)	Show	that the	maximum	number	of halls	in a	hov	ic '	20
(a)	Snow	that the	maximum	number	or bails	ın a	DOX	IS.	ZU.

(b)	[1] Calculate the volume of one ball.
(c)	Answer(b)
(d)	Answer(c)
(e)	$Answer(d) \qquad \qquad \text{cm}^3 \ [1]$ Calculate the percentage of the volume of the box that the 20 balls fill.

Answer(e) % [2]



A, B and C lie on a circle, centre O.

AP and BP are tangents to the circle.

AB intersects OP at the point X and angle $OPB = 26^{\circ}$.

- (a) Find the size of
 - (i) angle ABP,

Answer(a)(i)	Γ11
answerianii	

(ii) angle *OBA*,


(iii) angle ACB.

(b) Write down the mathematical name of quadrilateral *AOBP*.

- (c) Complete these statements.

The table shows the amount in do	ollars, y,	that 10	10 familie	es of dit	ferent s	size, x, s	spend in	ı one w	www.	Mymath	Job Colos
Number in family, (x)	2	2	3	3	5	5	6	6	6	6	A.COW
Amount in dollars, (y).	60	65	80	75	100	105	120	135	125	115	

Complete the scatter diagram. The first four points have been plotted for you.



What type of correlation is shown by the scatter diagram?

Answer(a)(ii)[1]

[2]

71-1	- T	_1
m	Hin	n

(i) the mean family size,


(ii) the mean amount spent in one week.

(c) (i) Find the equation of the regression line in the form y = mx + c.

(ii) Use your answer to part (c)(i) to estimate the amount spent in one week by a family of 4.

Answer(c)(ii) \$ [1]





(a) Find AC.

my	4
1,57	MANASHIS COUNTY CON
	nsclou.
	*O.COM

(b) Calculate angle *CAD*.

Answer(b)		[3]	
-----------	--	-----	--


(c) Calculate the area of the quadrilateral *ABCD*.

www.mymathscloud.com

11	Pau	la inv	vests \$3000 in Bank A and \$3000 in Bank B.
	(a)	Ban	A pays compound interest at a rate of 4% each year.
		(i)	Find the total amount that Paula has in Bank A at the end of 3 years.
		(ii)	Answer(a)(i) \$
	(b)	Ban (i)	Answer(a)(ii)
		(ii)	$Answer(b)(i) \$ \dots [1]$ After how many complete years is the total amount that Paula has in Bank B greater than \$4000?
	(c)	Afte	Answer(b)(ii)

www.my.mainscloud.com

- Bag 1 only contains 6 blue balls and 4 red balls.
 Bag 2 only contains 8 blue balls and 2 red balls.
 Marco chooses a ball at random from Bag 1 and puts it in Bag 2.
 He then chooses a ball at random from Bag 2 and puts it in Bag 1.
 - (a) Complete the tree diagram.




[2]

- **(b)** Find the probability that the two balls chosen are
 - (i) both blue,

(ii) one red and one blue.

(c) Find the probability that, after Marco chooses the two balls, there are exactly 6 blue balls in Bag 1.

13 In this question all lengths are in centimetres.



(a) Write down a quadratic equation, in terms of x, and show that it simplifies to

$$7x^2 - 24x - 16 = 0.$$

[3]

(b) Factorise $7x^2 - 24x - 16$.

Answer(b) [2]

(c) Show that the area of the triangle is 84 cm ²
--

Γ		
Ι.	<i>)</i> I	
1 4	∸ 1	

(d) The area of this rectangle is equal to the area of the triangle.

Find the value of *y*.


y+2	

NOT TO SCALE

 $Answer(d) y = \dots [4]$

14 In this question all measurements are in metres.

A rectangular garden has length p and width q. The garden is divided into 3 sections as shown in the diagram.



(a) Write down an expression, in terms of p and q, for the area for flowers.

(b) Show that $x = \frac{3}{4}p$.

[2]

www.mymathscloud.com

(c)	Find an expression, in terms of p and q , for the area for grass.
	Give your answer in its simplest form.


Answer(c)	m ²	[2]
-----------	----------------	-----

(d) Find the ratio area for vegetables: area for grass.

Answer(d)[2]

Question 15 is printed on the next page.

The diagram shows a sketch of the graph of y = f(x) where $f(x) = \frac{x^2 + 4x + 3}{x^2 - 4x + 3}$



(a) (i) Find the equations of the three asymptotes.

Answer(a)(i) , [3]

(ii) Find the co-ordinates of the local maximum point.

(iii) Find the co-ordinates of the local minimum point.

- **(b)** Find the values of k, when
 - (i) f(x) = k has no solutions,

(ii) f(x) = k has one solution.

(c) Solve the inequality f(x) > 0.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.