
CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/33

Paper 3 (Core)

May/June 2017

MARK SCHEME

Maximum Mark: 96

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark



- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.


When a part of a question has two or more ‘method’ steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation ‘**dep**’ is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.



Abbreviations



| | |
|------|----------------------------|
| awrt | answers which round to |
| cao | correct answer only |
| dep | dependent |
| FT | follow through after error |
| isw | ignore subsequent working |
| nfww | not from wrong working |
| oe | or equivalent |
| rot | rounded or truncated |
| SC | Special Case |
| soi | seen or implied |

| Question | Answer | Marks | Part Marks |
|-----------|---------------------------------------------|-------|---------------------------------------------------------|
| 1(a)(i) | 4[.00] | 1 | |
| 1(a)(ii) | 1[.00] | 1 | FT 5 – their 4 |
| 1(a)(iii) | 8[.00] | 2 | B1 for 10 soi or for 3 bars = 1.6[0] |
| 1(a)(iv) | 6 | 2 | M1 for dividing by (3 + 2) soi |
| 1(b) | $6p + 2s = 4.2[0]$ oe | M1 | |
| | $p = [0].5[0]$ | A1 | |
| | $3 \times \text{their } p + 1s = 2.1[0]$ oe | M1 | |
| | $s = [0].6[0]$ | A1 | If zero scored, SC1 for correct answers with no working |
| 2(a)(i) | 3 002 001 | 1 | |
| 2(a)(ii) | -2 | 1 | |
| 2(a)(iii) | 11.2 | 1 | |
| 2(b) | [1], 2, 4, 5, 10,[20] | 2 | B1 for 2 correct values |
| 2(c)(i) | 70.516 | 1 | |
| 2(c)(ii) | 70.52 | 1 | FT their (c)(i) rounded to 2dp |
| 2(c)(iii) | 71 | 1 | FT their (c)(i) rounded to 2sf |
| 3(a) | $3a + 11b$ final answer | 2 | B1 for $11b$ or $3a$ seen |
| 3(b)(i) | -8 | 2 | B1 for -18 or 10 seen or M1 for $6(-3) + 2(5)$ |
| 3(b)(ii) | 3 | 2 | M1 for $26 = 6M + 2 \times 4$ oe |
| 3(c) | -5 | 2 | M1 for a correct first step |
| 3(d) | $3a(a - 4b)$ final answer | 2 | M1 for $3(a^2 - 4ab)$ or $a(3a - 12b)$ |
| 3(e) | $8x^5y^3$ final answer | 2 | B1 for $8x^k y^3$ or $8x^5 y^k$ or $kx^5 y^3$ |
| 4(a) | 4 correct points plotted | 2 | B1 for 2 points correctly plotted |
| 4(b)(i) | 169.375 | 1 | |
| 4(b)(ii) | 67.5 | 1 | |
| 4(c)(i) | Correct point plotted | 1 | FT their (b) |

| Question | Answer | Marks | Part Marks |
|-----------|----------------------------------------------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4(c)(ii) | Ruled line through <i>their</i> plotted mean point with positive gradient within tolerance | 2 | B1 for ruled line through <i>their</i> plotted mean point with positive gradient but not within tolerance or for ruled line within tolerance but not through <i>their</i> plotted mean point |
| 4(c)(iii) | 66 to 76 | 1 | |
| 5(a) | Correct bar chart  | 2 | B1 for 2 bars correct or for all heights correct but different widths. |
| 5(b)(i) | $\frac{8}{30}$ oe | 1 | |
| 5(b)(ii) | $\frac{6}{30}$ oe | 1 | |
| 5(b)(iii) | 0 oe | 1 | |
| 5(c) | Fully correct pie chart with labels  | 3 | B2 for correct sectors without labels or 1 correct sector with label or B1 for 1 correct sector without label or B1 for labelled diagram with sectors in the correct order of size or M1 for 1 angle correctly calculated |
| 6(a) | 180 | 2 | B1 for $\frac{35}{60}$ oe or $\frac{105}{35}$ soi |
| 6(b) | 1 hour 15 minutes | 2 | M1 for $\frac{105}{84}$ oe soi |

| Question | Answer | Marks | Part Marks | | | | | | | | |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------|-----|-------------|-----|-----------|-----|-------------|----------|--------------------------------------------------------------------------------------|
| 7(a) | <table style="border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">[1]</td> <td style="padding: 2px 5px;">[2] 5 6 6 8 8</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">[2]</td> <td style="padding: 2px 5px;">1 3 3 3 3 6</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">[3]</td> <td style="padding: 2px 5px;">2 3 4 5 7</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">[4]</td> <td style="padding: 2px 5px;">1 1 2 6 7 8</td> </tr> </table> | [1] | [2] 5 6 6 8 8 | [2] | 1 3 3 3 3 6 | [3] | 2 3 4 5 7 | [4] | 1 1 2 6 7 8 | 2 | B1 for correct table but 1 or 2 errors or for values correct but unordered |
| | [1] | [2] 5 6 6 8 8 | | | | | | | | | |
| [2] | 1 3 3 3 3 6 | | | | | | | | | | |
| [3] | 2 3 4 5 7 | | | | | | | | | | |
| [4] | 1 1 2 6 7 8 | | | | | | | | | | |
| | E.g. $1 \mid 2 = 12$ [steps] | 1 | | | | | | | | | |
| 7(b)(i) | 23 | 1 | | | | | | | | | |
| 7(b)(ii) | 26 | 1 | | | | | | | | | |
| 7(b)(iii) | 23 | 2 | B1 for 41 or 18 | | | | | | | | |
| 7(b)(iv) | 29.1 or 29.13... | 1 | | | | | | | | | |
| 8(a) | 0.215 | 1 | | | | | | | | | |
| 8(b) | $\frac{43}{200}$ $\frac{13}{50}$ $\frac{11}{40}$ $1\frac{1}{4}$ oe | 1 | | | | | | | | | |
| 8(c) | 26 | 1 | | | | | | | | | |
| 8(d) | 27.5 | 1 | | | | | | | | | |
| 8(e)(i) | $\frac{19}{40}$ oe | 1 | | | | | | | | | |
| 8(e)(ii) | $\frac{55}{52}$ oe | 1 | | | | | | | | | |
| 8(e)(iii) | $\frac{43}{160}$ oe | 1 | | | | | | | | | |
| 9(a) | 132 | 1 | | | | | | | | | |
| | 149 | 1 | FT <i>their</i> 132 + 17 | | | | | | | | |
| 9(b) | $47 + 17n$ oe | 2 | B1 for 47 or $17n$ | | | | | | | | |
| 10(a) | <p>U</p>  <p style="text-align: right;">[2]</p> | 2 | B1 for 1 number correct | | | | | | | | |
| 10(b) | 13 | 1 | FT <i>their</i> Venn diagram | | | | | | | | |

| Question | Answer | Marks | Part Marks |
|-----------|-------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10(c) | U  | 1 | |
| 10(d) | $\frac{9}{30}$ oe | 1 | FT <i>their</i> Venn diagram |
| 11(a) | Correct diagram with vertices at $(-1, 3), (-1, 1), (-4, 1), (-4, 3)$ | 1 | |
| 11(b) | Correct diagram with vertices at $(1, -1), (3, -1), (3, -4), (1, -4)$ | 2 | B1 for correct 90° anticlockwise rotation about origin or for correct orientation, wrong position |
| 11(c) | Correct diagram with vertices at $(-5, -2), (-5, -4), (-2, -2), (-2, -4)$ | 2 | B1 for translation $\begin{pmatrix} -6 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$ or SC1 for translation $\begin{pmatrix} -5 \\ -6 \end{pmatrix}$ |
| 12(a) | 18.8 to 18.9 | 3 | B2 for answer 11.78 to 11.8 or M2 for $2 \times \pi \times 1.5 \times 0.5 + 2 \times \pi \times 1.5^2$ seen or M1 for $2 \times \pi \times 1.5 \times 0.5$ or $[2 \times] \pi \times 1.5^2$ |
| 12(b)(i) | 53[.0] or 53.01 to 53.02 | 2 | M1 for $\pi \times 1.5^2 \times 0.5$ [$\times 15$] |
| 12(b)(ii) | 2.4 | 3 | B2 for 2.37... or M1 for <i>their</i> $53.0 = \pi \times r^2 \times 3$ oe soi |
| 13(a) | Correct sketch  | 2 | B1 for maximum and minimum in correct quadrants. |
| 13(b) | (0, 0) | 1 | |
| 13(c) | $(-3, 0), (0, 0), (2, 0)$ | 2 | B1 for 2 correct |
| 13(d) | $(1.12, -4.06)$ | 2 | B1 for each value or SC1 for $(1.1, -4.1)$ |

| Question | Answer | Marks | Part Marks |
|-----------|-----------------------------------------------------------------------------------------------------|-------|---------------------|
| 13(e)(i) | Correct sketch  | 1 | FT <i>their</i> (a) |
| 13(e)(ii) | Correct sketch  | 1 | FT <i>their</i> (a) |