

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE	
		TERNATIONAL MATHEMATICS	0607/31
	Paper 3 (Core)		May/June 2017
			1 hour 45 minutes
0	Candidates answ	er on the Question Paper.	
	Additional Materia	als: Geometrical Instruments Graphics Calculator	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, glue or correction fluid.

You may use an HB pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate. Answers in degrees should be given to one decimal place.

For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question. The total number of marks for this paper is 96.

This document consists of 16 printed pages.

www.mymathscloud.com



Formula List

Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A, of circle, radius r.	$A = \pi r^2$
Circumference, C, of circle, radius r.	$C = 2\pi r$
Curved surface area, A , of cylinder of radius r , height h .	$A=2\pi rh$
Curved surface area, A , of cone of radius r , sloping edge l .	$A = \pi r l$
Curved surface area, A , of sphere of radius r .	$A=4\pi r^2$
Volume, V , of prism, cross-sectional area A , length l .	V = Al
Volume, V , of pyramid, base area A , height h .	$V = \frac{1}{3}Ah$
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of cone of radius r , height h .	$V = \frac{1}{3}\pi r^2 h$
Volume, V , of sphere of radius r .	$V = \frac{4}{3}\pi r^3$

	www.my	Mainscioud.com
	3	hathe the
	Answer all the questions.	"CIOUD
1 (a) Wh Giv	at type of number is 7? we two possible mathematical words to describe it.	COM
	and	. [2]
(b) (i)	Write down a multiple of 7.	
		. [1]
(ii)	Write 7% as a fraction.	
(iii)	Work out. $7 + 7^2 + 7^3$. [1]
(c) Wri (i)	ite $\frac{1}{7}$ as a decimal, correct to 2 decimal places,	. [1]
(ii)	$\sqrt{7}$ as a decimal, correct to 3 significant figures,	. [2]
(iii)	7 ⁷ in standard form.	. [2]

......[2]

2 Rin asked some people how many pets they each have. The results are shown in the table.

ed some people how mar ults are shown in the tabl		4 y each hav	/e.				MMM. My Marins
Number of pets	0	1	2	3	4	5	
Number of people	14	45	18	11	7	5	

- (a) Find the number of people that Rin asked.
- (b) Find how many more people have 1 pet than have 2 pets.

......[1]


......[1]

(c) One of the people is chosen at random.

Work out the probability that this person has 1 pet. Give your answer as a fraction in its simplest form.



(d) Complete the bar chart.



© UCLES 2017

3 The price of a game of golf at each of two golf clubs is shown below.

a game of golf at each of two golf	5 clubs is	shown below.	WWW. ITYMathscioud.com
The Forest golf club		The Valley golf club	Con
		One game for \$15	
Each game \$13.50		Buy 6 games and get the 7th game free	

(a) (i) Find how much it costs to play 7 games at The Forest golf club.

	\$[1]
(ii)	Find how much it costs to play 7 games at The Valley golf club.
	\$[1]
(iii)	Find which golf club is cheaper for 7 games, and by how much.
	is cheaper by \$
(b) Jaso	on is given \$200 to spend playing golf at The Forest golf club.


Find the greatest number of games he can play.

Show all your working.

......[3]




4 (a) Here are three angles on a straight line.



Work out the size of angle *x*.



(b)



(i) Write down the mathematical name for this triangle.

......[1]


(ii) Find the size of angle y.

	y =
(iii)	Write down the number of lines of symmetry this triangle has.

......[1]



(c)



NOT TO SCALE

Work out the size of angle *z*.

......[1]

5 Write each of these as a single power of *x*.

(a) $x^7 \times x^4$	
(b) $\frac{x^{10}}{x^2}$	[1]
x^2	
(c) $(x^6)^3$	


<u><</u>		X	×			×	×	×						AM HISCIOUS
×	×			×	×]×					
<		×	×			×	×	×	4	 				
ern 1		Patte	ern 2			Р	attern	3		 	 Patte	rn 4		
			×	× ×	× ×									

1 2 4

Find two **different** sequences that could have 1, 2 and 4 as their first three terms. In each case, write down the next three terms and the rule for continuing the sequence.

1 , 2 , 4 , , ,
Rule
1 , 2 , 4 , , ,
Rule

[6]



A company sells tissues in two different boxes, *A* and *B*. Each box is a cuboid.


(a) Find the difference between the volumes of the two boxes.


...... cm³ [4]

(b) The total surface area of box A is 1165 cm^2 .

Show that the total surface area of box B is approximately 80% of the total surface area of box A.

7






10 Tariq sells cars.

www.mymainscloud.com For each of ten days he records the number of cars sold and the number of hours of sunshine. His results are shown in the table.

Number of hours of sunshine	6	5	2	10	11	4	8	2	5	7
Number of cars sold	3	6	11	2	0	7	2	12	7	5


(a) Complete the scatter diagram to show this information. The first 6 points have been plotted for you.



(b) What type of correlation is shown in your diagram?



[2]



- (d) On the diagram, draw a line of best fit. [2]
- (e) Use your line of best fit to estimate the number of cars sold on a day when there are 3 hours of sunshine.
 -[1]

This table shows the number of cars Tariq sold each week for one year. **(f)**

Number of cars sold	Number of weeks
0 to 20	12
21 to 40	17
41 to 60	15
61 to 80	7
81 to 100	1


Write down the modal class of the number of cars sold. (i)

Find the largest possible range and the smallest possible range of the number of cars sold. (ii)

Largest range	
Smallest range	 [2]

(c) Calculate

(ii)




(c) In a town, there are 208 roads. The speed limit on the roads is either 30 km/h or 50 km/h. The ratio number of 30 km/h roads : number of 50 km/h roads = 11 : 2.

Calculate the number of 30 km/h roads.

......[2]



12 The diagram shows a rectangular field.




15

(a) Find how much further it is from *A* to *B* when walking along two sides of the field rather than straight across the field.

.....m [4]

(b) Use trigonometry to calculate angle *x*.

Question 13 is printed on the next page.



(a) On the diagram, sketch the graph of
$$y = 2^x - 3$$
 for values of x from $x = -3$ to $x = 3$. [2]

(b) On the diagram, sketch the graph of
$$y = \frac{1}{x}$$
 for values of x from $x = -3$ to $x = 3$. [2]

(c) Find the *x* co-ordinates of the points of intersection of

$$y = 2^x - 3$$
 and $y = \frac{1}{x}$.

 $x = \dots$ and $x = \dots$ [2]

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.