www.mymathscloud.com MARK SCHEME for the October/November 2013 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/06

Paper 40 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

PA CAMBRIDGE

Page 2 Mark Scheme IGCSE – October/November			Syllabus 0607 FT their total ÷ their 5th number	
INVEST	IGATION SUMS OF SEQUENCES		Thsci	
	108 ÷ 27 [= 4]	1	.02	
(a) (i)	21.42, 38.32, 59.74, 98.06	1		
(ii)	4 www	1FT	FT their total ÷ their 5th number	
(b) (i)	Candidate's own negative sequence correct	1		
(ii)	4 www	1	Dep on (b)(i) correct	
(a)	$\begin{vmatrix} p+2q + 2p+3q \end{vmatrix} = 3p+5q$	1,1	Accept different order	
(b)	8p + 12q oe isw or $5p + 7q$ plus their $3p + 5q$ or 4 times 5 th term	1FT	FT their 6th term in 3(a) C opportunity	
(c)	$2p + 3q = \frac{8p + 12q}{4}$ OR $8p + 12q = 4(2p + 3q)$ isw OR $\frac{8p + 12q}{2p + 3q} = 4$	1		
(a)	5p + 8q 8p + 13q 13p + 21q 21p + 34q	2FT	 FT their previous 6th term in p and q in 3(a) B1 for any two correct including after incorrect FT If 0 scored SC1 for explicit sum of 2 previous terms not totalled for all 4 correct 	
(b)	55p + 88q oe isw	1	C opportunity	
(c)	$5p + 8q = \frac{55p + 88q}{11}$ OR 11(5p + 8q) = 55p + 88q isw			
	OR $\frac{55p + 88q}{5p + 8q} = 11$	1		

Page 3	Mark Scheme		Syllabus 7, 2
	IGCSE – October/November 2013		0607 M
	34p + 55q 55p + 89q 89p + 144q 144p + 233q	2FT	Syllabus 0607 FT their previous 9 th and terms in <i>p</i> and <i>q</i> in 4(a) B1 for any two correct include after incorrect FT If 0 scored SC1 for explicit sum of 2 previous terms not totalled for all 4 correct
(b) .	377p + 609q oe isw	1	C opportunity
(c)	29 soi	1	C opportunity
(d)	377p + 609q = 29 (13p + 21q) seen oe	1	SC1 if this statement seen in (c) and not here
	sum of first 10 terms =] 11 times 7th term sum of first 14 terms =] 29 times 9th term sum of first 18 terms =] 76 times 11th term	1	
	Communication seen in one of 3(b) 4(b) 5(b) 5(c)	1	
,	Fotal	20	

Page 4	IGCSE		Syllabus 74 Mar 4					
B MODEL	B MODELLING THE EARTH'S TEMPERATURE							
1 (a)	10 correctly plotted $\begin{pmatrix} \tau & 0.4 \\ (^{\circ}C) & 0.3 \\ 0.2 \\ 0.1 \\ 0 \\ R & Q & S \\ R & S $		011 011 011	P2 D1	Syllabus 0607 P1 for 8 or 9 correct points ± 1 mm D1 for smooth curve through plotted points			
(b) (i)	$T = aN^b$			1	plotted points			
(ii) (ii)	$0.03 = a [\times] 40^{b}$			1				
	$0.1 = a [\times] 80^{b}$ isw							
(iii)	$(0.03 = a \times 40^b) \div (0.1 = a \times 80^b)$ oe isw			1				
(iv)		[b =] 1.73696 correct to at least 3dp			C opportunity			
(v) (vi)	$[a =] (4.88 \text{ to } 4.9)$ $T = (4.9 \times 10^{-5}) \times N$ Substitute N = 60 to (0.0606 - 0.0609) is	give $T \approx 0.06$		1 1FT	C opportunity FT their <i>a</i> in part (v)			
2 (a) (i)	Number of years since 1860 (<i>N</i>)	Temperature Increase °C (T)	log T					
	30	0.02	-1.70					
	40	0.03	-1.52					
	50	0.04	-1.4[0]					
	60	0.06	-1.22					
	70	0.08	-1.1[0]					
	80	0.10	-1[.00]					
	90	0.13	-0.89					
	100	0.18	-0.74					
	110	0.24	-0.62					
	120	0.32	-0.49	2	-1 eeoo			

PA CAMBRIDGE

Page 5	Mark Scheme		Syllabus 7
	IGCSE – October/November 2013		0607 Jn 38
(ii)	9 correctly plotted points $\pm 2 \text{ mm}$ $\log \tau = 0.5$ 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.		Syllabus 0607 Multi Marinsclour
	N	P1	
(iii)	0.5 0 -0.5 -1 -1 -1.5 -2 -2.5	1	Line (within tolerance) through mean (within -1.05 to -1.1)
(iv)	FT from <i>their</i> line of best fit in part (iii) Correct to 1dp		M1 reading log T correctly from their graph $\pm 2 \text{ mm}$ Line must reach 160 If 0 scored in (iii) allow M1 only
(b) (i)	[m =] 0.006 to 0.018	1	If 0 scored M1 for working using
	[c =] -2.4 to -1.7	1	2 points on the line C opportunity
(ii)	FT from <i>their m</i> and c in (i), substituted in model Accuracy to 1dp	1FT	C opportunity
(iii)	Comment on 2020 being outside range of given data	1	
	Communication seen in one of 1(b)(iv) 1(b)(v) 2(b)(i) 2(b)(ii)	1	
	Total	20	

PA CAMBRIDGE