MARK SCHEME for the October/November 2014 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/42

Paper 4 (Extended), maximum raw mark 120

www.nymathscloud.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



	Page 2	Mark Sc Cambridge IGCSE – Oc	B1 for [principal] =480 soi	
			tober/November 2014	
L	(a)	$600 \div 5 \times 4$ oe	M1	40.0
	(b)	537.60	4	B1 for [principal] =480 soi and M2 for <i>their</i> 480 + $\frac{their 480 \times 4 \times 3}{100}$ oe or M1 for $\frac{their 480 \times 4 \times 3}{100}$ oe
	(c) (i)	532.18	3	M2 for $480 \times (1.035)^3$ oe or M1 for $480 \times (1.035)^k$ oe $k \ge 2$
	(ii)	21	3	M2 for $\frac{\log 2}{\log 1.035}$ oe or or other appropriate graph which can clearly lead to answer or M1 for $480(1.035)^n = 960$ oe
	(a)	0.3675	1	
	(b)	[0]5 37	1	
	(c)	87.3 or 87.27	2	M1 for 1200 ÷ time in hours (13 < time < 14) oe
	(d)	2.55 or 2.545	4	B1 for 21 min or 0.35 h and M2 for $\frac{their \ 0.35}{13.75} \times 100$ oe or M1 for $\frac{any time difference}{13.75 \text{ or } 13.45} \times 100$ oe
	(e)	420	3	M2 for 441 ÷ 1.05 oe or M1 for recognising 441 as 105%

Page 3	Mark Scheme	Syllabus Patha	14	
l uge e	Cambridge IGCSE – October/Novem	Syllabus P. 4 0607 42	500	
				- ¹ 04
(a) (i)	10	1		
(ii)	28	1		
(iii)	20	1		
(b) (i)	$\frac{18}{30}$ oe	1		
(ii)	$\frac{19}{30}$	1		
(c)	$\frac{42}{272}$ oe	3	M2 for $\frac{7}{17} \times \frac{6}{16}$	
	272		or M1 for product of fractions ove and 16	r 17
(a) (f) (i) (g) (i)		2	B1 for reasonable shaped and sepa branches but lacking reasonable accuracy	rate
	Fully correct graph drawn			
(b) (i)	(0, 0)	1		
(ii)	(4, 8)	1		
(c)	$[f(x)] \le 0, \ [f(x)] \ge 8$ o.e.	2	B1 B1	
(d)	1 or 2 or 3 or 4 or 5 or 6 or 7	1		
(e)	x = 2	1		
(f) (i)	Correct line drawn, positive gradient and approximately asymptotic	1		
(ii)	Asymptote	1		
(g) (i)	Correct curve drawn	2	B1 for reasonable shape but lackin reasonable accuracy	ıg
(ii)	2 < x x < 2.48 or 2.484 to 2.485 oe	2	B1 B1	

				mm m
	Page 4	Mark Scheme		Syllabus PL Day
		Cambridge IGCSE – October/Novembo	er 2014	4 0607 42 MS C/OUX
5	(a)	68	3	SyllabusP $M_{M_{M}}$ $M_{M_{M}}$ M_{M}
	(b)	36	4	B2 for $x = 10$ or M1 for $15x + 20 + x = 180$ oe and M1 FT for $360 \div$ <i>their x</i> only if answer is integer
	(c) (i)	30	1	
	(ii)	70	1	
	(iii)	100	1	
6	(a) (i)	18.1	2	M1 if at least 2 mid-values soi
	(ii)	Correct histogram drawn	3	B1 for correct widths no gapsB2 for 4 correct heightsor B1 for 3 correct heights drawn
	(b) (i)	22	1	
	(ii)	12	2	B1 for [LQ] = 15 or [UQ] = 27
	(iii)	10	2	B1 for 90 seen

Page 5	Mark Scheme	Syllabus	P۵
	Cambridge IGCSE – October/November 2014	0607	42

Page 5	Mark Scheme Cambridge IGCSE – October/Noven	Syllabus P. Market 4 0607 42 31/2	
L			°C/OU
' (a)	Correct reduction method to eliminate one variable or correct sketch x = -2 y = 3	M1 B1 B1	SC1 for correct answers without working
(b)	$\frac{13-21k}{11}$ oe	4	B1 for common denominator of 21 oe B2 for $3(x+2) - 7(2x-1)$ or better or B1 for $3(x+2)$ or $7(2x-1)$
(c) (i)	$\frac{120}{x}$	1	
(ii)	$\frac{90}{x+0.4}$	1	
(iii)	0.8[0] oe	4	M1 for their (c)(i) + their (c)(ii) = 225 A2 for sketch of $y = \frac{12}{x} + \frac{90}{x+4}$ and $y = 225$ or other sketch which could lead to correct answer or A1 for 120(x+0.4) + 90x = 225x(x+0.4) or better e.g. $225x^2 - 120x - 48 = 0$ and A1 for $(5x - 4)(45x + 12)$ or A2 for $\frac{-120 \pm \sqrt{(-120)^2 - 4(225)(-48)}}{2(225)}$ oe

Page 6	Mark Scheme	Syllabus	Ρ
	Cambridge IGCSE – October/November 2014	0607	

Page 6	Mark Scheme			Syllabus	P. M. Ma
	Cambridge IGCSE – October/No	vember 2014		0607	42 Ath
					404
(a)	$240^2 + 200^2 - 2 \times 240 \times 200 \cos 33$	M1			MUNN MY MATH
	131 or 130.7	B2	No further B1 for $[BV]$	wrong work	ing allowed
(b)	$\frac{\sin 77}{200} = \frac{\sin 68}{GB}$ oe	M1			
	190 or 190.3	B2	If B0 then A	A1 for $\frac{200 \text{ s}}{\text{sin}}$	in 68 77
(c)	240 or 239.6 to 239.9	5	B1 for angle	e MBG = 35	° soi
			M1 for corr conversion	rect use of so	cale and
			M2FT for	$\frac{1}{2} \times 24 \times 20 \mathrm{s}$	$in 33 + \frac{1}{2} \times 20 \times$
			$\frac{their(b)}{10}$ sin	n(180 - 68 -	77)
			or M1 for o	one of the tri	
(d) (i)	186	1			
(ii)	265	1			
(a)	14 h 21 or 22 min	5	M2 for $\pi \times$		5
			or M1 for 7 M1 FT for		
			M1 FT for min	decimal par	t of hours into
(b)	440 000	4FT	FT 225000 seen)0 – <i>their</i> vo	lume in (a) if
			seen	100 <i>–their</i> v	rolume in (a) if
			or M1 for 1 If B0 scored to 2 sf (if ar	d then B1 F	Γ for rounding
(c)	4.4×10^{5}	1FT	FT their (b))	

						WWW A M
	Pa	ge 7	,	Mark Scheme		Syllabus P. Ma
				Cambridge IGCSE – October/Novembe	er 2014	1 0607 42 ⁴ / ₁ / ₅
10	(a)			$\mathbf{r} + \mathbf{t}$	1	Mu ny
	(b)	(ii) (i)		$\frac{1}{3}\mathbf{r} - \frac{1}{3}\mathbf{t} \text{oe}$	2	M1 for a correct route.
		(ii)		$\frac{1}{3}$ r On <i>AB</i> [extended] oe dependent on part (b)(i) being <i>k</i> r	1dep	
11	(a)			11	2	B1 for [f(2) =] 5
	(b)	(i)		Curve translated one to left	2	B1 for any other translation parallel to x -axis
		(ii)		Translation	1	Marks independent
				$\begin{pmatrix} -1 \\ 0 \end{pmatrix}$ $\sqrt[3]{x} \text{ or } x^{\frac{1}{3}}$	1	
	(c)	(i)		$\sqrt[3]{x}$ or $x^{\frac{1}{3}}$	1	
		(ii)	(a)	Correct curve	1	
			(b)	Reflection y = x	1 1	
12	(a)			2.4	3	M2 for $\left(\frac{h}{4}\right)^3 = \frac{108}{500}$ oe or better or M1 for cube or cube root soi
	(b)			250	2	M1 for $\frac{A}{90} = \left(\frac{4}{their(\mathbf{a})}\right)^2$ oe or better
						or $\frac{A}{90} = \left(\sqrt[3]{\frac{500}{108}}\right)^2$ oe