

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/22

Paper 2 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper 2
	Cambridge IGCSE – October/November 2015	0607	22

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part Marks
1 (a)	20	1	
	(b) 1.6×10^{-6}	2	B1 for correct answer not in standard form
2 (a)	1.25 oe	3	M1 Correct expansion; condone 1 slip M1 Correct simplification of <i>their</i> equation into the form $kx = a$
	(b) -2 3.5	1 1	
3	50	3	B2 for $x = 2y^2$ oe or M1 for $x = ky^2$ B1 for $k = 2$
4 (a)	$\frac{1}{36}$	2	M1 for $\frac{1}{6} \times \frac{1}{6}$ or $\frac{k}{36}$
	(b) 0 oe	1	
	(c) $\frac{6}{36}$ oe	2	M1 for establishing all 6 possible combinations SC1 for $\frac{3}{36}$
5 (a)	$\begin{pmatrix} -1 \\ -3 \end{pmatrix}$	2	B1 for each component
	(b) 13	2	M1 for $\sqrt{5^2 + (-12)^2}$ or better
6 (a)	$(4x + y)(2a - b)$	2	B1 for factor of $4x + y$, or factor of $2a - b$ or factor of $b - 2a$ seen
	(b) $(3x + 4)(x - 3)$	2	M1 for $(3x + a)(x + b)$, where $ab = -12$, or $a + 3b = -5$
7 (a)	1	1	
	(b) $\frac{1}{25}$	1	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0607	22

Question	Answer	Mark	Part Marks
8	(a) 72	1	
	(b) 144	1FT	$2 \times \text{their (a)}$
	(c) 18	1FT	$\frac{180 - \text{their } 144}{2}$
	(d) 18	1FT	their (c)
9	(a) 4	3	M2 for $\sqrt{8^2 - \sqrt{48}^2}$ or M1 for $8^2 = \sqrt{48}^2 + BC^2$ or better
	(b) 30	2	B1 for $\sin = \frac{4}{8}$ or $\cos = \frac{\sqrt{48}}{8}$ or $\tan = \frac{4}{\sqrt{48}}$
10	[h=] 2	1	
	[k=] -3	1	
11	Bars with correct column widths	1	
	Bars with heights 0.8, 3.2, 4, 1.2, 0.7	2	B1 for 3 or 4 correct