

International GCSE in Mathematics A - Paper 1F mark scheme

Question	Working	Answer	Mark	AO	Notes
1					
a		15 or 31	4	AO1	B1 for 15 or 31 or both
b		24 or 36		AO1	B1 for 24 or 36 or both
c		36 or 64		AO1	B1 for 36 or 64 or both
d		2 or 31		AO1	B1 for 2 or 31 or both
2					
a	$\frac{64}{100}$			AO1	M1 any fraction equivalent to $\frac{64}{100}$
		$\frac{16}{25}$	2		A1
b		0.09	1	AO1	B1
c		14	1	AO1	B1
3					
a		Thursday	1	AO3	B1
b	$24 \div 3 \times 5$			AO3	M1 for $24 \div 3 (=8)$
		40	2		A1
c	$2 : 3.25$ oe or $2 \times '8' : 3.25 \times '8'$			AO1	M1 any correct ratio ft from '8' in (b)
		8.13	2		A1 accept $1 : \frac{13}{8}$ oe
4					
a		22, 26	1	AO1	B1
b		add 4	1	AO1	B1
c		42	1	AO1	B1
d		reason 1	1	AO1	B1 e.g. no numbers in sequence are odd numbers; $4n - 2 = 95$ gives $n = 24.25$ which is not an integer;

Question	Working	Answer	Mark	AO	Notes	
5		a	2	1	AO2	B1
		b	20	1	AO2	B1
		c	16	1	AO2	B1
		d	correct reflection	2	AO2	B2
6	$25 \div 3.95 (=6.32\dots)$ $25 - '6' \times 3.95$	1.3(0)	3	AO1	M1 M1 M1 accept repeated addition or repeated subtraction from 25	
7	a b $5x = 4 + 9$	$3c + 9m$	2	AO1	M1 A1 for $3c$ or $9m$ for $3c + 9m$ or $3(c + 3m)$	
		2.6 oe	2	AO1	M1 A1	
8	a b $249 \div 3$	195	1	AO1	B1 cao	
		83	2	AO1	M1 A1 cao	
		$d = 3w$	2	AO1	B2	B1 for $d =$ linear expression in w B1 for $3w$ oe SC: B1 for $w = \frac{d}{3}$ oe

Question	Working	Answer	Mark	AO	Notes
9	$180 - 132 (=48)$ $180 - 2 \times 48$	84	5	AO2	M1 M1 A1 B2 Angles in a triangle sum to 180° , base angles of an isosceles triangle are equal, angles on a straight line sum to 180° (B1 for any correct reason)
10	$0.8 \times 0.3 = 0.24$ or $108 \div 1000 (=0.108)$ ' 0.108 ' \div ' 0.24 '	0.45	3	AO2	M1 M1 A1 dep
11	a b	13.488(56...) 13.5	2 1	AO1 AO1	B2 B1 B1 for 144.76 or 10.73... ft from (a) from 4 or more sig figs

Question	Working	Answer	Mark	AO	Notes														
12	<table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>y</td> <td>-10</td> <td>-7</td> <td>-4</td> <td>-1</td> <td>2</td> <td>5</td> </tr> </table>	x	-2	-1	0	1	2	3	y	-10	-7	-4	-1	2	5	$y = 3x - 4$ drawn from $x = -2$ to $x = 3$	4	AO1	<p>B4 For a correct line between $x = -2$ and $x = 3$</p> <p>B3 For a correct straight line segment through at least 3 of $(-2, -10)$ $(-1, -7)$ $(0, -4)$ $(1, -1)$ $(2, 2)$ $(3, 5)$</p> <p>OR for all of $(-2, -10)$ $(-1, -7)$ $(0, -4)$ $(1, -1)$ $(2, 2)$ $(3, 5)$ plotted but not joined</p> <p>B2 For at least 2 correct points plotted OR for a line drawn with a positive gradient through $(0, -4)$ and clear intention to use of a gradient of 3 (eg. a line through $(0, -4)$ and $(0.5, -1)$)</p> <p>B1 For at least 2 correct points stated (may be in a table) OR for a line drawn with a positive gradient through $(0, -4)$ but not a line joining $(0, -4)$ and $(3, 0)$ OR a line with gradient 3</p>
x	-2	-1	0	1	2	3													
y	-10	-7	-4	-1	2	5													

Question	Working	Answer	Mark	AO	Notes		
13	a	$1 - (0.15 + 0.4 + 0.35)$ or $1 - 0.9$		AO3	M1		
	b	0.35×40		AO3	M1		
		0.1 oe	3		A1		
		14	2		A1		
14	a	$10g + 35$	1	AO1	B1		
	b	$-2, -1, 0, 1, 2$	2	AO1	B2		
					B1 for $-3, -2, -1, 0, 1, 2$ or $-2, -1, 0, 1$		
15		149×0.76 (=113...) or 113.24		AO1	M1	M1 for $149 \times 0.76 \times 1.54$ (=174...) M1 for "174..." - 164.78 (=9.6096) M1 for "9.6096" \div 1.54	
		$164.78 \div 1.54$ (=107)			M1		
		"113.24" - "107"			M1		dep on at least one previous M mark; accept "107" - "113.24"
			6.24	4			A1
16		$7800 \div 9.75$ or $7800 \div 585 \times 60$		AO2	M2	M1 for $7800 \div 9.45$ or $7800 \div 585$ or 13.3...	
			800	3		A1	

Question	Working	Answer	Mark	AO	Notes
17	$28 \div (6 - 4) (=14)$ "14" $\times 3 (=42)$	42		AO1	M1 or use of cancelled ratios (eg $3 : 6 : 4 = 0.75 : 1.5 : 1$) M1 (dep) $28 \div 0.5 (=56)$ or cancelled ratios, (e.g. 56×0.75) or M2 for $28 \div \frac{2}{3}$ oe A1
18 a		$25 < d \leq 30$	1	AO3	B1 B1 identifies $25 \rightarrow 30$ class
b	$(12 \times 2.5) + (6 \times 7.5) + (4 \times 12.5) +$ $(6 \times 17.5) + (14 \times 22.5) + (18 \times 27.5)$ or $30 + 45 + 50 + 105 + 315 + 495$ or 1040 '1040' $\div 60$	$17\frac{1}{3}$	4	AO3	M2 M1 for frequency \times consistent value within interval NB. Products do not need to be added Condone one error M1 A1 accept 17.3(33...)
c		$\frac{32}{60}$ oe	2	AO3	M1 For $\frac{a}{60}$ with $a < 60$ or $\frac{32}{b}$ with $b > 32$ A1

Question	Working	Answer	Mark	AO	Notes
19	<p>Working with all 12 boxes</p> <p>$12 \times 15 (=180)$ or $12 \times 12 (=144)$</p> <p>$12 \times 12 \times \frac{3}{4} \times 1.6$ oe ($=172.8$)</p> <p>$12 \times 15 \times 1.15$ oe ($=207$) or</p> <p>180×0.15 oe ($=27$)</p> <p>$\frac{'207' - '172.8'}{36}$ or $\frac{34.2}{36}$ or</p> <p>$\frac{'27' + ('180' - '172.8')}{36}$</p>	0.95	5	AO1	<p>M1 for correct total cost or correct total number of melons (either may appear as part of another calculation)</p> <p>M1 for revenue from all full price melons sold</p> <p>M1 for total revenue or total profit</p> <p>M1 dep on M3</p> <p>A1 cao</p>
	<p>Alternative – working with one box</p> <p>$15 \div 12 (=1.25)$ or $12 \times \frac{3}{4} (=9)$</p> <p>$12 \times \frac{3}{4} \times 1.6$ oe ($=14.4$)</p> <p>$15 \times 1.15 (=17.25)$</p> <p>$\frac{'17.25' - '14.4'}{3}$ or $\frac{2.85}{3}$</p>	0.95	5		<p>M1 for price of 1 melon or number of full price melons</p> <p>M1 for revenue from all full price melons sold</p> <p>M1 for total revenue from one box</p> <p>M1 dep on M3</p> <p>A1 cao</p>

Question	Working	Answer	Mark	AO	Notes
20	Circular arc, centre B , to intersect both lines AB and BC Equal length arcs, from intersections on each line, meeting to give a point on the bisector	correct bisector	2	AO2	M1 A1 dep on M1. Full construction shown.
21	a b $(x \pm 6)(x \pm 2)$ $(x - 6)(x + 2)$	$9e^2f(2e + 5f^3)$ 6, -2	2 3	AO1 AO1	M1 Any correct partially factorised expression A1 M1 or correct substitution into quadratic formula (condone one sign error) M1 or $\frac{4 \pm \sqrt{64}}{2}$ A1 dep. on at least M1
22	$\cos 35 = \frac{PR}{17.6}$ $17.6 \times \cos 35$	14.4	3	AO2	M1 M1 A1 14.4 ~ 14.42
23	$22.50 \div 15 (=1.5)$ or $100 \div 15 (=6.6\dots)$ '1.5' $\times 100 (=150)$ or '6.6...' $\times 22.5(0)$	150	3	AO1	M1 M1 dep A1 M2 for $22.5 \div 0.15$

Question	Working	Answer	Mark	AO	Notes	
24	a	140 000	1	AO1	B1	
	b	Mars	1	AO1	B1	
	c	$1.2 \times 10^5 - 5 \times 10^4$ or 120 000 – 50 000 or 70 000 oe			AO1	M1
		7×10^4	2		A1	
25	$\sqrt{9.5^2 - 7.6^2}$ or $\sqrt{90.25 - 57.76}$ or $\sqrt{32.49}$ or $\sqrt{32.5}$ (BC =) 5.7 $\frac{1}{2} \times 7.6 \times '5.7'$ or 21.6(6) or 21.7 $\frac{1}{2} \times \pi \times \left(\frac{'5.7'}{2}\right)^2$ or 12.7(587...) or 12.8			AO2	M1	
					A1	
					M1	dep on first M1
						or eg. $ACB = \sin^{-1}\left(\frac{7.6}{9.5}\right)$ (=53.1...) and $\frac{1}{2} \times 9.5 \times '5.7' \times \sin'53.1'$
	M1	dep on first M1				
	A1	for answer rounding to 34.4 ($\pi \rightarrow 34.4187... \quad 3.14 \rightarrow 34.4123...$)				
		34.4	5			