Please check the examination details below before entering your candidate information										
Candidate surname		Other names								
Centre Number Candidate N	umber									
Pearson Edexcel International GCSE										
Time 2 hours 30 minutes	Paper reference	4MB1/	02R							
Mathematics B			◆							
Mathematics D										
PAPER 2R										
You must have: Ruler graduated in c	You must have: Ruler graduated in centimetres and millimetres, Total Marks									
protractor, pair of compasses, pen, H			Total Marks							
Tracing paper may be used.	•									

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.
- Without sufficient working, correct answers may be awarded no marks.






Answer ALL ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 The Venn diagram shows information about the numbers of students in a school who study History (H), Music (M) and Geography (G).



(a) Find the number of students who study Geography.

(1)

(b) Find the number of students who study exactly two of the subjects History, Music and Geography.

(1)

(c) On the Venn diagram above, shade the region that represents the set $H \cap G'$

(1)

|
 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|
 |
|
 |
| | | | | | | | | | | | | | | | | |
|
 |
|
 |
|
 |
| | | | | | | | | | | | | | | | | |


Question 1 continued

 \mathscr{E} is the universal set and A and B are two sets such that

$$\mathscr{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

 $A \cap B = \{\text{multiples of 3}\}$
 $A \cap B' = \{2, 4, 8, 10\}$
 $(A \cup B)' = \{1, 7\}$

(d) Use the information about the sets \mathcal{E} , A and B to complete the Venn diagram below.



(3)

(e) Find n(B)		(1
		(1)

(Total for Question 1 is 7 marks)



2 16-sided polygon 5 cm 5cm

Diagram NOT accurately drawn

Figure 1

Figure 1 shows part of a regular 16-sided polygon in which PA and AB are two sides. Figure 1 also shows the isosceles triangle ABC in which AB = CB = 5 cm.

PAC is a straight line.

Calculate the length, in cm to 3 significant figures, of AC.

 \bar{P}

(4)

Sum of interior angles of polygon

(Total for Question 2 is 4 marks)

(2n-4) right angles



3 Arup collects information about the time delay, in minutes, of some trains. He is going to draw a pie chart for his results.

The incomplete table below gives some information about his results together with the size, in degrees, of the angle of each of three sectors in his pie chart.

Time delay (t minutes)	Frequency	Angle (in degrees)
1 < t ≤ 5	42	168
$5 < t \leqslant 10$		92
$10 < t \le 20$	15	
$20 < t \leqslant 25$		
$25 < t \leqslant 40$	2	8

(a) Comple	ete the	tab.	le.
------------	---------	------	-----


(2)

(b) Calculate an estimate, in minutes to 3 significant figures, for the mean time delay of these trains.

(4)



(Total for Question 3 is 6 marks)



Triangles A, B, C and D are drawn on the grid above.

Describe fully the single transformation that maps

(a) triangle A onto triangle B

(2)

(b) triangle A onto triangle C

(2)

(c) triangle A onto triangle D

(3)

Triangle E is the image of triangle A under an enlargement with scale factor -2 and centre of enlargement (4, 0)

(d) On the grid, draw and label triangle ${\it E}$

(2)




5 Dan is going to play one game of squash and one game of chess against his friend.

The probability that Dan will win the game of squash is $\frac{3}{5}$

The probability that Dan will win the game of chess is $\frac{1}{3}$

(a) Complete the probability tree diagram.



(b) Find the probability that Dan will win exactly one game.

(2)

Given that Dan won exactly one game,

(c) calculate the probability that he won his game of squash.

(2)



6 In 2018, a badminton club had 460 members.

Of these members,

A were younger than 30

B were aged between 30 and 60 inclusive

C were older than 60

Given that A:B:C = 2:5:3

(a) find the total number of members who were aged 30 or older in 2018

(2)

In 2018, the annual membership fee for each member who was older than 60 was \$65. The annual membership fee for each other member was \$135.

(b) Calculate the total amount, in \$, that the 460 members paid in annual membership fees in 2018

(2)

The annual membership fee for each member who was older than 60 in 2019 was 4% greater than the annual membership fee for each member who was older than 60 in 2018

(c) Calculate the annual membership fee for each member who was older than 60 in 2019

(2)

The badminton club buys 12 shuttlecocks for a total cost of \$5.10 The club then sells the shuttlecocks to members for \$0.50 each.

(d) Calculate the percentage profit, to 3 significant figures, made by the club on each shuttlecock that was sold.

(2)




Figure 2

Figure 2 shows a badminton net *ABCD* and two supports for the net. The badminton net is shaded in the diagram.

Figure 2 gives information about the dimensions of the badminton net. Each measurement is given to the nearest cm.

(e) Calculate the upper bound, in cm², of the area of the net ABCD

(3)





ÇX.		
0		
\otimes	DO	
×	Ŏ	
\approx	-	
X		
×	ō	
$\langle \langle \rangle$	\sim	
×	\divideontimes	
X		
S	\geq \times	
\approx	Ø.	
S	\simeq \times	
×	$\cong \times$	
\otimes		
X	m×	
\otimes	$\Rightarrow \Rightarrow \Rightarrow$	
XX	2	
×	$\times \times \times \times \times$	
×	\approx	
88		
\otimes	XXXX	
V.		
\otimes		
\otimes		
×	D.	
X		
×		
\otimes		
X	****	
\otimes	$\times\!\!\times\!\!\times$	
X	$\times\!\!\times\!\!\times$	
\otimes	$\times\!\!\times\!\!\times$	
\otimes	$\times\!\!\times\!\!\times$	
SS	$\times\!\!\times\!\!\times$	
×	$\times\!\!\times\!\!\times$	
×		
\otimes	$\times\!\!\times\!\!\times$	
SS	$\times \times \times \times$	
\otimes	$\times\!\!\times\!\!\times$	
\otimes		
\otimes	****	
×	>>>>	
×	$\sim\sim$	
\otimes	$\times\!\!\times\!\!\times$	
×	$\times\!\!\times\!\!\times$	
$\times \times$	Ō	
\otimes	\square	
XX	ŌX	
$\stackrel{\otimes}{\times}$		
S	Z	
\sim		
\otimes	<u>ā</u>	
\otimes	\times	
\otimes		
		>
\otimes		
\approx	JJX	
\otimes	Ħ	
X	\approx	
×	ĤΪX	
\otimes		
\otimes	3	
	\leftarrow	
$\langle \times \rangle$		
\otimes	$\times\!\!\!\times\!\!\!\!\times$	
\otimes	$\times\!\!\!\times\!\!\!\!\times$	
\otimes		
*	NEW YEAR	
	NEW YEAR	
	THIS	
	THIS AR	
	THIS ARE	
	THIS ARE	
	THIS AREA	
	THIS ARE	
	THIS AREA	
	THIS AREA D	
	THIS AREA	
	THIS AREA D	
	THIS AREA D	
	THIS AREA DO N	
	THIS AREA DO I	
	THIS AREA DO NO	
	THIS AREA DO NOT	
	THIS AREA DO NOT V	
	THIS AREA DO NOT W	
	THIS AREA DO NOT WI	
	THIS AREA DO NOT WR	
	THIS AREA DO NOT WRI	
	THIS AREA DO NOT WRIT	
	THIS AREA DO NOT WRI	
	THIS AREA DO NOT WRITE I	
	THIS AREA DO NOT WRITE II	
	THIS AREA DO NOT WRITE IN	
	THIS AREA DO NOT WRITE IN	
	THIS AREA DO NOT WRITE IN	
	THIS AREA DO NOT WRITE IN TH	
	THIS AREA DO NOT WRITE IN THI	
	THIS AREA DO NOT WRITE IN TH	
	THIS AREA DO NOT WRITE IN THI	
	THIS AREA DO NOT WRITE IN THIS	
	THIS AREA DO NOT WRITE IN THIS	
	THIS AREA DO NOT WRITE IN THIS AF	
	THIS AREA DO NOT WRITE IN THIS ARE	
	THIS AREA DO NOT WRITE IN THIS ARE	
	THIS AREA DO NOT WRITE IN THIS ARE	

	7	Ż	S	ż
И	۰	۰	,	
	3			e
Κ,	2	Ĺ	-	۷
	7	۹		
		7	₹	
<	2	2	S	3
S	Ė	7	Š	į
1	į	7	Ī	į
j	į	2		
1	2			
1		2		
3				
1				
3	2			
3	2			
3				
3	2			
3	2			
3	2			
	2			

Question 6 continued





A particle P is moving along a straight line through the fixed point O The speed, v m/s, of P at time t seconds is given by

$$v = \frac{t^2}{27} + 2 + \frac{3}{t^2}$$
 for $1 \le t \le 5$

(a) Complete the table of values for $v = \frac{t^2}{27} + 2 + \frac{3}{t^2}$

Give your values of v to 2 decimal places.

t	1	1.5	2	2.5	3	3.5	4	4.5	5
v	5.04		2.90	2.71		2.70	2.78	2.90	

(2)

(b) On the grid opposite, plot the points from your completed table and join them to form a smooth curve.

(3)

(c) Using your curve, find an estimate, to one decimal place, for the speed of P when t = 1.75

(1)

The acceleration of P at time t seconds where $1 \le t \le 5$ is $a \text{ m/s}^2$


(d) Find an expression for a in terms of t

(2)

(e) Using your answer to part (d), find the value of t when P has its minimum speed in the time interval $1 \le t \le 5$ Show clear algebraic working.

(3)

Question 7 continued



Turn over for a spare grid if you need to redraw your curve.



$\times \Box \times$
$\times \times \times \times \times \times$
× O×
$\times \times \times \times \times$
XXXXXX
∞
XXXXXX
XX - XX
\times
\times
$\times \times $
\times
\times
$\times m \times$
$\times \times $
888888
$\times \times $
×
$\times \times $
× = = ×
\times
\times ω
XXXXXX
(XXXXX)
\times
\times 33 \times
\times
D
\times
$\times\!\!\times\!\!\times\!\!\times$
\times
$\times\times\times\times\times$
\times
XXXXX
$\langle \times \times \times \times \times \rangle$
$\Diamond \Diamond $
000000

$\times\!\!\times\!\!\times\!\!\times\!\!\times$
$\times\times\times\times\times$
XXXXXX


U
Q
U
D O
Do
DON
DON
DON
DO NO
DO NO
DO NOT
DO NOT
DO NOT V
DO NOT W
DO NOT W
DO NOT W
DO NOT WRI
DO NOT WRI
DO NOT WRIT
DO NOT WRIT
DO NOT WRITE
DO NOT WRITE
DO NOT WRITE!
DO NOT WRITE
DO NOT WRITE!
DO NOT WRITE IN
DO NOT WRITE IN
DO NOT WRITE IN
DO NOT WRITE IN TH
DO NOT WRITE IN TH
DO NOT WRITE IN THI
DO NOT WRITE IN THI
DO NOT WRITE IN THI
DO NOT WRITE IN THIS
DO NOT WRITE IN THI
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS A
DO NOT WRITE IN THIS AR
DO NOT WRITE IN THIS AR
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS ARE/
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS ARE/
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS ARE/
DO NOT WRITE IN THIS AREA

Question 7 continued	



Question 7 continued

Only use this grid if you need to redraw your curve.



(Total for Question 7 is 11 marks)



- 8 The equation of the straight line L is y = 2 3x
 - (a) Find the exact coordinates of the points where L crosses the coordinate axes.

(2)

The functions f and g are defined as

$$f: x \mapsto 2 - 3x$$

$$g: x \mapsto \frac{3+x}{1-2x}$$
 $x \neq \frac{1}{2}$

(b) Find g(-2)

(1)

(c) Find the values of x for which ff(x) + g(x) = 0Show your working clearly and give your answer in the form

$$\frac{a \pm \sqrt{b}}{c}$$

where a, b and c are integers.

(5)

(d) Express the inverse of the composite function fg in the form $(fg)^{-1}: x \mapsto ...$

(5)

Solutions of $ax^2 + bx + c = 0$ are $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$





$\otimes \Box \otimes$
$\times\!\!\!\times\!\!\!\times\!\!\!\times$
\times
~~~
Z
$\otimes \otimes \otimes$
XXX1XX
****
<b></b>
$\times$
$\times$
$\times m \times$
$\times$
$\times$
$\times$
***
×35×
× Vn×
. III
$\otimes$
*****
$\times\!\!\times\!\!\times\!\!\times$
******
*****
$\times\!\!\times\!\!\times\!\!\times$
*****
XXXXX
$\times\!\!\times\!\!\times\!\!\times$
****
****
$\times\!\!\times\!\!\times\!\!\times\!\!\times$
*****
$\times\!\!\times\!\!\times\!\!\times$
*****
$\times \bigcirc \times$
ō
XX <b>33</b> XX
0000000
$\times\!\!\!=\!\!\!\times$
$\times$
$\times$
$\times$
< A A A & X >
F Z
F Z
TE IN T
TE IN T
TE IN T
E IN TH
TE IN THIS
FE IN THIS A
FE IN THIS A
TE IN THIS AR
TE IN THIS ARE
TE IN THIS AR
TE IN THIS ARE
TE IN THIS ARE
TE IN THIS ARE
TE IN THIS AREA
TE IN THIS AREA E
TE IN THIS AREA D
TE IN THIS AREA DC
TE IN THIS AREA D
TE IN THIS AREA DOI
TE IN THIS AREA DO N
TE IN THIS AREA DO NO
TE IN THIS AREA DO NO
TE IN THIS AREA DO NOT
TE IN THIS AREA DO NOT V
TE IN THIS AREA DO NOT W
TE IN THIS AREA DO NOT W
TE IN THIS AREA DO NOT WR
TE IN THIS AREA DO NOT WRI
TE IN THIS AREA DO NOT WRIT
TE IN THIS AREA DO NOT WRIT
TE IN THIS AREA DO NOT WRITE
TE IN THIS AREA DO NOT WRITE I
TE IN THIS AREA DO NOT WRITE IN
TE IN THIS AREA DO NOT WRITE IN
TE IN THIS AREA DO NOT WRITE IN T
TE IN THIS AREA DO NOT WRITE IN TH
TE IN THIS AREA DO NOT WRITE IN TH
TE IN THIS AREA DO NOT WRITE IN THI
TE IN THIS AREA DO NOT WRITE IN THI
TE IN THIS AREA DO NOT WRITE IN THI
TE IN THIS AREA DO NOT WRITE IN THIS A
TE IN THIS AREA DO NOT WRITE IN THIS A
TE IN THIS AREA DO NOT WRITE IN THIS AR
TE IN THIS AREA DO NOT WRITE IN THIS ARE
TE IN THIS AREA DO NOT WRITE IN THIS AR

Question 8 continued	





A O B

Diagram **NOT** accurately drawn

Figure 3

Figure 3 shows three points A, B and C on a circle with centre O where AOB is a diameter of the circle.

D is the point on AC such that AD:DC = 3:2

Given that  $\overrightarrow{OA} = \mathbf{a}$  and  $\overrightarrow{AD} = \mathbf{b}$ 

- (a) find, in terms of a or b or a and b where appropriate, a simplified expression for
  - (i)  $\overrightarrow{AC}$
- (ii)  $\overrightarrow{CO}$
- (iii)  $\overrightarrow{DB}$

**(4)** 

E is the point such that CEO and DEB are straight lines.

By considering both  $\overrightarrow{AD} + \overrightarrow{DE}$  and  $\overrightarrow{AC} + \overrightarrow{CE}$ 

(b) find a simplified expression for  $\overrightarrow{AE}$  in terms of **a** and **b** 

**(5)** 

Given that  $|\mathbf{a}| = 7 \,\mathrm{cm}$  and  $|\mathbf{b}| = 6 \,\mathrm{cm}$ ,

(c) calculate the exact area, in cm², of  $\triangle ABC$ 

**(4)** 



×	
	XX -
A X X X X	XX -
₩Ö	$\bowtie$
$\times\!\!\times\!\!\times\!\!\times$	XX.
$\times$	XX -
	<b>\\\</b>
$\otimes $	$\otimes$
$\times\!\!\times\!\!\times$	$\bowtie$
$\triangle X X X^*$	××-
	XX -
	$\times\!\!\times$
×3	×× -
<b>XX</b>	
$\times\!\!\times\!\!\times$	
	XX.
$\otimes n$	$\otimes$
$\times\!\!\times\!\!\times$	$\otimes$
$\times \times \sim$	$\times \times$
	88.
$\times$	
$\otimes v_0$	$\times \times$
	$\sim$
	ΧΧ.
	8
$\times \times \times \times$	XX.
$\times \mathfrak{m}$	88.
	XX -
	XX -
$\longleftrightarrow$	$\Diamond \Diamond$
$\times\!\!\times\!\!\times$	$\Diamond\Diamond$
$\times \times \times$	$\otimes$
$\times\!\!\times\!\!\times$	88
$\times\!\!\times\!\!\times$	$\otimes$
$\times\!\!\times\!\!\times$	XX -
$\times\!\!\times\!\!\times$	$\sim\sim$
***	88
$\times\!\!\times\!\!\times$	$\sim$
$\times$	$\Diamond \Diamond$
>>>	$\otimes$
$\times\!\!\times\!\!\times$	88
$\times\!\!\times\!\!\times$	ΧΧ.
XXXX	₩.
$\times\!\!\times\!\!\times$	$\approx$
$\times\!\!\times\!\!\times\!\!\times$	88.
$\langle \rangle \rangle$	$\otimes$
$\times\!\!\times\!\!\times$	$\otimes$
×ġ	88
$\times$	$\otimes$
$\otimes                                    $	$\bowtie$
×2	XX.
	$\boxtimes$
⊗©	$\bowtie$
	$\otimes$
$\times\!\!\times\!\!\times$	XX -
$\otimes$	
	XX -
$\times \times \times \times \times$	XX -
$\times\!\!\times\!\!\times\!\!\times$	$\sim$
	XX -
	$\otimes$
$\times \times \times \times$	$\otimes$
	$\sim$
$\times \times \times \times$	
	92
	$\otimes$
× CA	$\sim$
Ų,	$\otimes$
S	
S	
IS AR	
IS ARE	
IS AREA	
IS AREA DO N	
IS AREA	
IS AREA DO N	
IS AREA DO N	
IS AREA DO NOT	
IS AREA DO NOT V	
IS AREA DO NOT	
IS AREA DO NOT W	
IS AREA DO NOT WR	
IS AREA DO NOT WRI	
IS AREA DO NOT WRIT	
IS AREA DO NOT WRIT	
IS AREA DO NOT WRITE	
IS AREA DO NOT WRIT	
IS AREA DO NOT WRITE I	
IS AREA DO NOT WRITE IN	
IS AREA DO NOT WRITE I	
IS AREA DO NOT WRITE IN TH	
IS AREA DO NOT WRITE IN TH	
IS AREA DO NOT WRITE IN THI	
IS AREA DO NOT WRITE IN TH	
IS AREA DO NOT WRITE IN THI	
IS AREA DO NOT WRITE IN THI	
IS AREA DO NOT WRITE IN THI	
IS AREA DO NOT WRITE IN THI	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	
IS AREA DO NOT WRITE IN THIS ARE	

	ú	ú	2	ù	
		Ü			
	3		h	ú	
	٥	S	Ξ	5	ď
		2	7	₹	
		2		Ζ,	
	3	9	۰	ņ	7
			i	ú	í
		Š	Z		P
				ä	î
		3	_	2	
		ę	۰	3	
	3	۰		ú	ę
		ı			
	è	4		۲	
		×			ć
				C	ú
	d			۰	,
	7	Z	9		
	\     			c	
		7	₹	7	9
	è	Ħ	ú		ı
				C	
	7	,		7	9
					ì
					J
	Ħ		'n		
				Ď	
	₹			۲	Š
	۰	×	,	ij	ņ
	ú		ù	ú	i
		2	й	а	P
				è	è
					Ŷ
	'n	ı	ú	ь	
					1
	ú	ä	i	è	í
				К	
	ú	i			ù
	2	Š	2	2	۵
	3	7	7	₹	7
		"	¥	ø	١
		ú		15	
	ς		7		
	ż				
	٩		β	ú	ć
	≤		k		ø
	9	,	₹		
	b	į		Ħ	
	۷			K	
	Ą	×	0	7	۲
		ij		2	
				ľ	
	ä	š			
			þ	۹	í
	á		b	ρ	ø
	٠	Ø	r		

Question 9 continued	
	••





$$\mathbf{A} = \begin{pmatrix} 2k^2 & k - 9 \\ -3k & k + 1 \end{pmatrix} \qquad \mathbf{B} = \begin{pmatrix} 1 & -5 \\ 3 & k \end{pmatrix}$$

The determinant of matrix A is equal to the determinant of matrix B

(a) Show that k is a root of the equation

$$2k^3 + 5k^2 - 28k - 15 = 0$$

(3)

Given that  $f(k) = 2k^3 + 5k^2 - 28k - 15$ 

(b) use the factor theorem to show that (k + 5) is a factor of f(k)

**(2)** 

(c) Hence, factorise completely f(k)

(4)

The transformation with matrix C, where C is a  $2 \times 2$  matrix, is equivalent to the transformation with matrix A followed by the transformation with matrix B

Given that k is positive,

(d) find matrix C

(3)

| <br>      |
|------|------|------|------|------|------|------|------|------|-----------|
| <br>      |
|      |      |      |      |      |      |      |      |      |           |
| <br> | <br>••••• |
| <br>      |
|      |      |      |      |      |      |      |      |      |           |
|      |      |      |      |      |      |      |      |      |           |

Γ ( 1) ]

Determinant of matrix  $\begin{pmatrix} a & b \\ c & d \end{pmatrix} = ad - bc$ 





$\times$	$\times\!\!\times\!\!$	$\times\!\!\times$
$\otimes$	Ø	$\otimes$
$\otimes$	$\simeq$	$\times$
88	W	$\bowtie$
$\otimes$	**	≫
$\otimes$	4	X
$\times$	<b>2</b>	$\approx$
$\otimes$	201	$\otimes$
$\langle \! \rangle \! \langle$		$\otimes$
X	5	XX
X	S	$\approx$
X	N	X
$\otimes$	خبض	$\bowtie$
$\otimes$	$\approx$	$\bowtie$
$\times$		$\bowtie$
$\otimes$	$\sim$	$\approx$
$\times$		$\otimes$
$\infty$		$\bowtie$
×	$\approx$	$\bowtie$
X	T.	×
$\otimes$		$\bowtie$
$\otimes$	Un	$\bowtie$
$\otimes$		$\approx$
$\otimes$	Þ	$\otimes$
$\otimes$		$\approx$
$\infty$		$\approx$
88		
$\otimes$	D	$\bowtie$
$\otimes$	$\times\!\!\times$	$\approx$
$\otimes$	$\Leftrightarrow \Rightarrow$	✨
$\times$	$\times\!\!\times$	$\times\!\!\times$
$\langle \langle \rangle$	$\times\!\!\times$	$\Leftrightarrow$
X	$\times\!\!\times\!\!\times$	88
XX	$\times$	≫
X	$\times\!\!\times\!\!$	XX
$\otimes$	$\times\!\!\times$	$\langle \! \rangle$
$\otimes$	$\times\!\!\!\times$	$\otimes$
$\otimes$	$\times\!\!\times$	$\ll$
$\otimes$	$\times\!\!\!\times$	$\otimes$
$\otimes$	$\times\!\!\times$	$\otimes$
$\otimes$	$\bowtie$	$\otimes$
X	$\times\!\!\times$	$\times\!\!\times$
$\infty$	$\Longrightarrow$	$\infty$
$\times$	$\times\!\!\times\!\!\times$	$\times\!\!\times$
$\otimes$	$\stackrel{ ext{}}{ ext{}}$	✡
$\times$	W	$\bowtie$
$\otimes$	a	✡
X	~	×
$\langle \langle \rangle$	ž	$\approx$
×		×
XX	$\odot$	$\bowtie$
×	$\cong$	×
$\langle \! \rangle \! \langle$	$\otimes$	$\otimes$
$\otimes$		$\bowtie$
$\otimes$		$\otimes \! \otimes$
$\propto$	X	
		$\times \times$
XX	-	ХX
$\otimes$		$\otimes$
$\stackrel{\times}{\times}$		$\otimes$
		$\otimes$
		$\otimes$
*		
	TRENTES AREA	
	TRENTES AREA	
	TRIN TEIS AREA	
	TE IN THIS AREA	
	TE IN THIS AREA	
	THE IN THIS AREA	
*	THE IN THIS AREA	
	THE IN THIS AREA	
*	ITE IN THIS AREA DO NOT	
*	THE INTERS AREA	
*	ITE IN THIS AREA DO NOT W	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	THE THIS AREA	
*	TRENTES AREA  DO NOT WRITE	
*	ITE INTHIS AREA	
*	TRENTES AREA  DO NOT WRITE	
*	ITE INTHIS AREA	
*	TE INTHIS AREA	
*	THE INTELS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	
*	ITE IN THIS AREA	

Question 10 continued	
	••
	••





D

A

(4x-8) cm

$$AB = (2x + 3) \,\mathrm{cm}$$

$$BC = (4x - 8) \text{ cm}$$

C

$$EF = (4x + 2) \text{ cm}$$

$$\angle FEG = \theta^{\circ} \text{ where } \tan \theta^{\circ} = \frac{1}{2}$$

(2x + 3) cm

The perimeter of the rectangle is P cm and the area of the triangle is  $T \text{ cm}^2$ 

Given that  $P \geqslant T$ 

find the range of possible values of *x* Show your working clearly.

(8)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 11 continued	
	(Total for Question 11 is 8 marks)
	TOTAL FOR PAPER IS 100 MARKS

P 6 9 3 1 0 A 0 3 2 3 2