GCSE EDEXCEL MATHS

Aiming for Grade 7

REVISION BOOKLET

2017 Exam Dates:

Thursday 25th May at 9am Thursday 8th June at 9am Tuesday 13th June at 9am

Name: _____

Contents

	Page:
Number:	_
Surds	3
Bounds calculations	7
Algebra:	
Parallel and perpendicular graphs	11
Transformations of graphs	16
Algebraic fractions - simplifying	20
Algebraic fractions – solving	23
Solving quadratic inequalities	26
Shape, Space and Measure:	
Circle theorems	28
Vectors	32
Sine and cosine rules	40
Data Handling:	
Cumulative frequency and box plots	44
Histograms	51
Probability:	
Set theory	59
Ratio and Proportion:	
Proportion	62
Percentages – compound interest	66
Percentages – reverse	68

<u>Surds</u>

Things to remember:


- $\sqrt{10}$ means square root;
- To simplify surds, find all its factors;
- To rationalise the denominator, find an equivalent fraction where the denominator is rational.


Questions:

1. Work out

$$\frac{(5+\sqrt{3})(5-\sqrt{3})}{\sqrt{22}}$$

Give your answer in its simplest form.





k =(5) (Total 7 marks)

4.	Expand and simplify $(\sqrt{3} - \sqrt{2})(\sqrt{3} - \sqrt{2})$	
		(Total 2 marks)
5.	(a) Write down the value of $49^{1/2}$	
	(b) Write $\sqrt{45}$ in the form $k\sqrt{5}$, where k is an integer.	(1)
		(1) (Total 2 marks)
6.	Write $\frac{\sqrt{18} + 10}{\sqrt{2}}$ in the form $a + b\sqrt{3}$ where <i>a</i> and <i>b</i> are in	tegers.

5

a =

b =(Total 2 marks)

7. Expand and simplify $(2 + \sqrt{3})(7 - \sqrt{3})$ Give your answer in the form $a + b\sqrt{3}$ where *a* and *b* are integers.

(Total 3 marks)

8. Rationalise the denominator of
$$\frac{4 + \sqrt{2}(4 - \sqrt{2})}{\sqrt{7}}$$
Give your answer in its simplest form.

(Total for question = 3 marks)

9. Show that $\frac{4-\sqrt{3}(4+\sqrt{3})}{\sqrt{13}}$ simplifies to $\sqrt{13}$

(Total for question = 2 marks)


Bounds Calculations

 Things to remember: Calculating bounds is the opposite of rounding – they are the limits at which you would round up instead of down, and vice versa. When dividing bounds, UB = UB ÷ LB and LB = LB ÷ UB 			
Ques 1.	tions: A pie (a)	ce of wood has a length of 65 centimetres to the nearest centimetre. What is the least possible length of the piece of wood?	
	(b)	(1) What is the greatest possible length of the piece of wood?	
		(1) (Total for Question is 2 marks)	
2.	Chels (a)	sea's height is 168 cm to the nearest cm. What is Chelsea's minimum possible height? 	
(b) W	/hat is	(1) Chelsea's maximum possible height?	
		(1) (Total for Question is 2 marks)	
		V	

 $I = \frac{V}{R}$ V = 250 correct to the nearest 5 R = 3900 correct to the nearest 100 Work out the lower bound for the value of *I*. Give your answer correct to 3 decimal places. You must show your working. Here is a solid bar made of metal. The bar is in the shape of a cuboid. The height of the bar is *h* cm. The base of the bar is a square of side *d* cm. The mass of the bar is *M* kg.

> d = 8.3 correct to 1 decimal place. M = 13.91 correct to 2 decimal places. h = 84 correct to the nearest whole number.

Find the value of the density of the metal to an appropriate degree of accuracy. Give your answer in g/cm³. You must explain why your answer is to an appropriate degree of accuracy.



(Total for question = 5 marks)

 Steve travelled from Ashton to Barnfield. He travelled 235 miles, correct to the nearest 5 miles. The journey took him 200 minutes, correct to the nearest 5 minutes. Calculate the lower bound for the average speed of the journey. Give your answer in miles per hour, correct to 3 significant figures. You must show all your working.

6. The value of p is 4.3 The value of q is 0.4 Both p and q are given correct to the nearest 0.1 (a) Write down the lower bound for p.

.....

(1)

$$r = p + \frac{1}{q}$$

7.

(b) Work out the upper bound for *r*. You must show all your working.

> (3) (Total for question = 4 marks)


$$m = \frac{\sqrt{s}}{t}$$

s = 3.47 correct to 3 significant figures
t = 8.132 correct to 4 significant figures

By considering bounds, work out the value of m to a suitable degree of accuracy. Give a reason for your answer.

(Total for question = 5 marks)

8. *a* is 8.3 cm correct to the nearest mm *b* is 6.1 cm correct to the nearest mm



Calculate the upper bound for *c*. You must show your working.

> cm (Total for question = 4 marks)


Parallel and Perpendicular Graphs

Things to remember:

- The general equation of a linear graph is given by y = mx + c, where m is the gradient and c is the y-intercept.
- Parallel graphs have the same gradient.
- Gradients of perpendicular graphs have a product of -1.

Questions:

1. The diagram shows a straight line, L₁, drawn on a grid.




A straight line, L₂, is parallel to the straight line L₁ and passes through the point (0, -5). Find an equation of the straight line L₂.

(Total for Question is 3 marks)

2. The straight line L has equation y = 2x - 5Find an equation of the straight line perpendicular to L which passes through (-2, 3).

(Total for Question is 3 marks)


3. In the diagram, *ABC* is the line with equation $y = -\frac{1}{2}x + 5$ *AB* = *BC D* is the point with coordinates (-13, 0)





Find an equation of the line through A and D.

(Total for question = 5 marks)


4. Here are the graphs of 6 straight lines.








x






Match each of the graphs A, B, C, D, E and F to the equations in the table.

Equation	$y = \frac{1}{2}x + 2$	y = 2x - 2	$y = -\frac{1}{2}x + 2$	y = -2x - 2	y = 2x + 2	$y = -\frac{1}{2}x - 2$
Graph						

(Total for Question is 3 marks)



Find an equation of the line that passes through C and is perpendicular to AB.

(Total for Question is 4 marks)

6. Find an equation of the straight line that is perpendicular to the straight line x + 2y = 5 and that passes through the point (3, 7).

(Total for Question is 4 marks)

*7. A and B are straight lines. Line A has equation 2y = 3x + 8Line B goes through the points (-1, 2) and (2, 8)

> Do lines **A** and **B** intersect? You must show all your working.

> > (Total for Question is 3 marks)

8. A straight line, *L*, is perpendicular to the line with equation y = 1 - 3x. The point with coordinates (6, 3) is on the line *L*. Find an equation of the line *L*.

(Total for Question is 3 marks)


Transformations of graphs


Things to remember:

- f(x) means the function of x.
- -f(x) is a reflection in the x-axis.
- f(-x) is a reflection in the y-axis.
- f(x a) is a translation in the x-axis, a units.
- f(x) + b is a translation in the y-axis, b units.
- cf(x) is an enlargement in the y-axis, scale factor c.
- f(dx) is an enlargement in the x-axis, scale factor $\frac{1}{d}$.

Questions:


1. y = f(x)








The graph of y = f(x) is shown on the grid.




The graph **G** is a translation of the graph of y = f(x). (b) Write down the equation of graph **G**.


> (2) (Total for Question is 3 marks)

(2)











(Total for question = 2 marks)



3.


(2) (Total for Question is 4 marks)

4. The graph of y = f(x) is shown on the grid.



(a) On the grid above, sketch the graph of y = f(x + 3)

The graph of y = g(x) is shown below.



The graph **G** is the reflection of y = g(x) in the *x*-axis. (b) Write down an equation of graph **G**.

> (1) (Total for question = 3 marks)

.....

(2)

....

Algebraic Fractions – Simplifying

Things to remember:

- Factorise the numerator and denominator;
- Cancel common factors;
- Then add/subtract/multiply divide if necessary.

Questions:

1. Simplify

 $\frac{p^2-9}{2p+6}$

2.	Simplify fully	$\frac{6x^2+3x}{4x^2-1}$	 (Total 3 marks)
3.	Simplify	$\frac{x^2+2x+1}{x^2+3x+2}$	 (Total 3 marks)

..... (Total 3 marks)

		$\frac{x^2+x-6}{x^2-7x+10}$	Simplify fully	4.
(Total 3 marks)		$\frac{x^2 - 8x + 15}{2x^2 - 7x - 15}$	Simplify fully	/ 5.
(Total 3 marks)		$\frac{2x^2 + 3x + 1}{x^2 - 3x - 4}$	Simplify fully	6.
	21			

7.	(a) Simplify $\frac{2x+4}{x^2+4x+4}$	
		(3)
	(b) Write $\frac{1}{x+4} + \frac{2}{x-4}$ as a single fraction in its simplest form.	(-)
8.	Simplify fully $\frac{x+3}{4} + \frac{x-5}{3}$	(3) (Total 6 marks)
	22	(Total 3 marks)

Algebraic fractions - solving

Things to remember:

- Multiply every term by the product of the denominators;
- Solve to find x.

Questions:

1. Solve $\frac{5(2x+1)}{3} = 4x + 7$

x =

(Total 3 marks)

2. (a) Show that the equation
$$\frac{5}{x+2} = \frac{4-3x}{x-1}$$

can be rearranged to give $3x^2 + 7x - 13 = 0$

(b) Solve
$$3x^2 + 7x - 13 = 0$$

Give your solutions correct to 2 decimal places.

x = or *x* =

(3) (Total 6 marks)

(3)

3. Solve the equation

 $\frac{x}{2x-3} + \frac{4}{x+1} = 1$


x =

(Total 5 marks)

4.	Solve the equation	3	4	5 <i>x</i>
			=	=
		<i>x</i> +3	x-3	$x^2 - 9$

x =(Total 4 marks)

5. (a) Solve
$$\frac{3}{x} + \frac{3}{2x} = 2$$



Solving Quadratic Inequalities

Things to remember:

• Start by solving the quadratic to find the values of x, then sketch the graph to determine the inequality.

Questions:

1. Solve $x^2 > 3x + 4$

(Total for question = 3 marks)

2. Solve the inequality $x^2 > 3(x+6)$

(Total for question = 4 marks)

3. Solve the inequality $x^2 + 5x > 6$


(Total for question = 3 marks)


4.	Solve the inequality	x ² - 2x + 8 < 0	
5.	Solve the inequality	x² - x ≥ 12	
6.	Solve the inequality	x² ≤ 4(2x + 5)	


(Total for question = 4 marks)

Circle theorems

Things to remember:







The diagram A, B and C a DCO is a str DA is a tang Angle ADO	gent to the circle.	D
(b) (i)	Work out the size of angle ABC.	(2)
(ii)	Give a reason for your answer.	۰
		(3) (Total 5 marks)

5.


<u>Vectors</u>

Things to remember:

- Use the letter provided in the question.
- Going against the arrow is a negative.
- Vectors need to be written in bold or underlined.
- They can be manipulated similarly to algebra.

Questions:

1. The diagram shows a regular hexagon *ABCDEF* with centre *O*.



X is the midpoint of BC.


(b) Express \overrightarrow{EX} in terms of **a** and/or **b**

(2)


Y is the point on AB extended, such that AB : BY = 3:2(c) Prove that E, X and Y lie on the same straight line.

> (3) (Total 7 marks)

(2)



(Total 3 marks)



The midpoint of *CB* is *M*.(b) Prove that *OPM* is a straight line.

(2) (Total 5 marks)

.....

(3)

4. OPQ is a triangle. R is the midpoint of OP. S is the midpoint of PQ. $\overrightarrow{OP} = \mathbf{p}$ and $\overrightarrow{OQ} = \mathbf{q}$ Dia acc

Diagram **NOT** accurately drawn

 \mathcal{Q}

(ii) Show that *RS* is parallel to *OQ*.

q


Find \overrightarrow{OS} in terms of **p** and **q**.

0


(i)

$$\overrightarrow{OS}$$
 =


(Total 5 marks)




(2) (Total 4 marks)



(Total 3 marks)



(Total 3 marks)



The length of *P*Q is 3 cm. (c) Find the length of *PR*. (2)

..... cm (1) (Total 7 marks)


Sine and Cosine Rules

Things to remember:

- For any triangle ABC, $a^2 = b^2 + c^2 2bc \cos A$
- For any triangle ABC, $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
- For any triangle ABC, area = $\frac{1}{2}$ a b sinC


Questions:

1. Diagram **NOT** accurately drawn *ABC* is a triangle. *D* is a point on *AC*. Angle $BAD = 45^{\circ}$ Angle $ADB = 80^{\circ}$ AB = 7.4 cm DC = 5.8 cmWork out the length of *BC*. Give your answer correct to 3 significant figures.




..... cm (Total for question = 5 marks)

 Diagram NOT accurately drawn *ABC* is a triangle. *AB* = 8.7 cm. Angle *ABC* = 49°. Angle *ACB* = 64°. Calculate the area of triangle *ABC*. Give your answer correct to 3 significant figures.




...... cm² (Total for Question is 5 marks) ABCD is a quadrilateral. Diagram NOT accurately drawn Work out the length of DC. Give your answer correct to 3 significant figures.





..... cm (Total for Question is 6 marks)

 Diagram NOT accurately drawn ABC is an isosceles triangle. Work out the area of the triangle. Give your answer correct to 3 significant figures.





...... cm² (Total for Question is 4 marks) Diagram NOT accurately drawn The diagram shows triangle LMN. Calculate the length of LN. Give your answer correct to 3 significant figures.





 7. The diagram shows triangle ABC. The area of triangle ABC is $k\sqrt{3}$ cm². Find the exact value of *k*.






Cumulative frequency and box plots

Things to remember:

- Use a running total adding on to complete the cumulative frequency column;
- Plot at the end of the group;
- Join up with a smooth curve;
- To find the median find the value half way down the cumulative frequency, draw across to the line and then vertically down to find the value always show these working lines;
- To find the interquartile range find the upper quartile and the lower quartile and subtract them.
 Minimum
 Median
 Maximum
- To draw a box plot -
- When comparing box plots, use the median and the IQR and keep words consistent with the question.




Questions:

1. The table shows information about the heights of 40 bushes.


Height (<i>h</i> cm)	Frequency	Cumulative Frequency
170 ≤ <i>h</i> < 175	5	
175 ≤ <i>h</i> < 180	18	
180 ≤ <i>h</i> < 185	12	
185 ≤ <i>h</i> < 190	4	
190 ≤ <i>h</i> < 195	1	

- (a) Complete the cumulative frequency table above.
- (b) On the grid, draw a cumulative frequency graph for your table.




(2) (Total 3 marks)

(1)



Another IT company has 80 employees. The age of the youngest employee is 24 years. The age of the oldest employee is 54 years. The median age is 38 years. The lower quartile age is 30 years. The upper quartile age is 44 years.

(e) On the grid below, draw a box plot to show information about the ages of the employees.



3. A company tested 100 batteries. The table shows information about the number of hours that the batteries lasted.


Time (<i>t</i> hours)	Frequency	Cumulative Frequency
50 ≤ <i>t</i> < 55	12	
55 ≤ <i>t</i> < 60	21	
60 ≤ <i>t</i> < 65	36	
65 ≤ <i>t</i> < 70	23	
70 ≤ <i>t</i> < 75	8	

- (a) Complete the cumulative frequency table for this information.
- (b) On the grid, draw a cumulative frequency graph for your completed table.



(1)

(2)




(c) Use your completed graph to find an estimate for the median time. You must state the units of your answer.

.....

(2) (Total 5 marks) 4. The table shows information about the ages of the 240 people at a club.

Age (t years)	Frequency	Cumulative Frequency
15 ≤ <i>t</i> < 20	95	
20 ≤ <i>t</i> < 25	90	
25 ≤ <i>t</i> < 30	35	
30 ≤ <i>t</i> < 35	15	
$35 \le t < 40$	5	

(a) Complete the cumulative frequency table.




(1)


(Total 4 marks)

5. An operator took 100 calls at a call centre. The table gives information about the time (*t* seconds) it took the operator to answer each call.

Time (t seconds)	Frequency	Cumulative Frequency
0 < <i>t</i> ≤ 10	16	
10 < <i>t</i> ≤ 20	34	
20 < <i>t</i> ≤ 30	32	
30 < <i>t</i> ≤ 40	14	
40 < <i>t</i> ≤ 50	4	

- (a) Complete the cumulative frequency table.
- (b) On the grid, draw a cumulative frequency graph for your table.






Time (*t* seconds)


(2) (Total 5 marks)

(1)

6. 200 students took a test. The cumulative frequency graph gives information about their marks.



The lowest mark scored in the test was 10. The highest mark scored in the test was 60. Use this information and the cumulative frequency graph to draw a box plot showing information about the students' marks.




(Total 3 marks)

7. On Friday, Peter went to the airport.


He recorded the number of minutes that each plane was delayed. He used his results to work out the information in this table.

	Minutes
Shortest delay	0
Lower quartile	2
Median	8
Upper quartile	18
Longest delay	41

(a) On the grid, draw a box plot to show the information in the table.



Peter also went to the airport on Saturday. He recorded the number of minutes that each plane was delayed. The box plot below was drawn using this information.



(b) Make two comparisons between the distributions of plane delays on Friday and on Saturday.



(2)

Histograms

Things to remember:


- Frequency = Frequency Density x Class Width;
- The y-axis will always be labelled "frequency density";
- The x-axis will have a continuous scale.

Questions:


1. One Monday, Victoria measured the time, in seconds, that individual birds spent on her bird table. She used this information to complete the frequency table.

Time (<i>t</i> seconds)	Frequency
0 < <i>t</i> ≤ 10	8
10 < <i>t</i> ≤ 20	16
20 < <i>t</i> ≤ 25	15
25 < <i>t</i> ≤ 30	12
$30 < t \le 50$	6


(a) Use the table to complete the histogram.



(3)



On Tuesday she conducted a similar survey and drew the following histogram from her




(b) Use the histogram for Tuesday to complete the table.

Time (t seconds)	Frequency
0 < <i>t</i> ≤ 10	10
10 < <i>t</i> ≤ 20	
20 < <i>t</i> ≤ 25	
25 <i>< t</i> ≤ 30	
30 <i>< t</i> ≤ 50	

(2) (Total 5 marks)

2. This histogram gives information about the books sold in a bookshop one Saturday.



(a) Use the histogram to complete the table.


Price (P) in pounds (£)	Frequency
$0 < P \leq 5$	
5 < <i>P</i> ≤ 10	
10 < <i>P</i> ≤ 20	
$20 < P \le 40$	

(2)

The frequency table below gives information about the books sold in a second bookshop on the same Saturday.


Price (P) in pounds (£)	Frequency
0 < <i>P</i> ≤ 5	80
5 < <i>P</i> ≤ 10	20
10 < <i>P</i> ≤ 20	24
$20 < P \le 40$	96

(b) On the grid below, draw a histogram to represent the information about the books sold in the second bookshop.





3. The incomplete table and histogram give some information about the distances walked by some students in a school in one year.



(a) Use the information in the histogram to complete the frequency table.

Distance (d) in km	Frequency
0 < <i>d</i> ≤ 300	210
300 < <i>d</i> ≤ 400	350
400 < <i>d</i> ≤ 500	
500 < <i>d</i> ≤ 1000	

(b) Use the information in the table to complete the histogram.

(2)

(1) (Total 3 marks) **4.** The incomplete histogram and table show information about the weights of some containers.


Weight (<i>w</i>) in kg	Frequenc y
0 < <i>w</i> ≤ 1000	16
1000 < <i>w</i> ≤ 2000	
$2000 < w \le 4000$	
$4000 < w \le 6000$	16
$6000 < w \le 8000$	
$8000 < w \le 12000$	8

- (a) Use the information in the histogram to complete the table.
- (b) Use the information in the table to complete the histogram.

(2) (Total 4 marks)

(2)

5. The incomplete histogram and table give some information about the distances some teachers travel to school.



Distance (d km)

(a) Use the information in the histogram to complete the frequency table.

Distance (<i>d</i> km)	Frequency
0 < <i>d</i> ≤ 5	15
5 < <i>d</i> ≤ 10	20
10 < <i>d</i> ≤ 20	
20 < <i>d</i> ≤ 40	
$40 < d \le 60$	10


(2)

(b) Use the information in the table to complete the histogram.


(1) (Total 3 marks) 6. The table gives information about the heights, in centimetres, of some 15 year old students.

Height (h cm)	145 < <i>h</i> ≤ 155	155 < <i>h</i> ≤ 175	175 < <i>h</i> ≤ 190
Frequency	10	80	24

Use the table to draw a histogram.



(Total 3 marks)




Use the histogram to complete the table.

Time (<i>t</i> minutes)	Frequency
10 ≤ <i>t</i> < 15	10
15 ≤ <i>t</i> < 30	
$30 \le t < 40$	
$40 \le t < 50$	
$50 \le t < 70$	

(Total 2 marks)

Set Theory

Things to remember:





Questions:

1.

 $\mathcal{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$ $A = \{ \text{multiples of } 2 \}$ $A \cap B = \{2, 6\}$ $A \cup B = \{1, 2, 3, 4, 6, 8, 9, 10\}$ Draw a Venn diagram for this information.


(Total for question is 4 marks)





One of the numbers in the diagram is chosen at random.

(b) Find the probability that the number is in set A'



One of the numbers in the diagram is chosen at random.

(b) Find the probability that the number is in set A'

(2) (Total for question = 4 marks)

- **4.** Sami asked 50 people which drinks they liked from tea, coffee and milk. All 50 people like at least one of the drinks
 - 19 people like all three drinks.
 - 16 people like tea and coffee but do not like milk.
 - 21 people like coffee and milk.
 - 24 people like tea and milk.
 - 40 people like coffee.
 - 1 person likes only milk.
 - Sami selects at random one of the 50 people.
 - (a) Work out the probability that this person likes tea.

(b) Given that the person selected at random from the 50 people likes tea, find the probability that this person also likes exactly one other drink.

.....

(4)

(Total for question = 6 marks)

Proportion

Things to remember:

- Start by checking the question for squares, cubes and roots;
- "x is directly proportional to y" looks like x α y or x = ky
- "x is inversely proportional to y" looks like $\mathbf{x} \propto \frac{1}{y}$ or $\mathbf{x} = \frac{k}{y}$

Questions:

- **1.** The shutter speed, *S*, of a camera varies inversely as the square of the aperture setting, *f*. When f = 8, S = 125
 - (a) Find a formula for S in terms of f.

(3)

(b) Hence, or otherwise, calculate the value of S when f = 4

S =

(1) (Total 4 marks)

2. In a factory, chemical reactions are carried out in spherical containers. The time, *T* minutes, the chemical reaction takes is directly proportional to the square of the radius, *R* cm, of the spherical container. When R = 120, T = 32Find the value of *T* when R = 150

T =

(Total 4 marks)

3.		rectly proportional to the square of t . when $t = 4$ Express d in terms of t .	
	(b)	Work out the value of d when $t = 7$	(3)
	(c)	Work out the positive value of t when $d = 45$	d =(1)
4.		stance, <i>D</i> , travelled by a particle is directly p When $t = 40$, $D = 30$ Find a formula for <i>D</i> in terms of <i>t</i> .	<pre>t =(2) (Total 6 marks) roportional to the square of the time, t,</pre>
	(b)	Calculate the value of D when $t = 64$	D =(3)
	(c)	Calculate the value of t when $D = 12$ Give your answer correct to 3 significant fig	(1) ures.
			(2) (Total 6 marks)

5.	The time, <i>T</i> seconds, it takes a water heater to boil some water is directly proportional to the mass of water, <i>m</i> kg, in the water heater. When $m = 250$, $T = 600$ (a) Find T when $m = 400$	
	$T = \dots$ (3)	
	The time, <i>T</i> seconds, it takes a water heater to boil a constant mass of water is inversely proportional to the power, <i>P</i> watts, of the water heater. When $P = 1400$, $T = 360$ (b) Find the value of <i>T</i> when $P = 900$	
	<i>T</i> =	
	(3) (Total 6 marks)	·
6.	A ball falls vertically after being dropped. The ball falls a distance <i>d</i> metres in a time of <i>t</i> seconds. <i>d</i> is directly proportional to the square of <i>t</i> . The ball falls 20 metres in a time of 2 seconds. (a) Find a formula for <i>d</i> in terms of <i>t</i> .	•
(b)	d =(3) Calculate the distance the ball falls in 3 seconds.	
(b)		
(c)	r (1) Calculate the time the ball takes to fall 605 m.	
	(3) (3) (Total 7 marks))
		r

7.		pring, the tension (T newtons) is directly proportional to its extension (x cm). When the on is 150 newtons, the extension is 6 cm. Find a formula for T in terms of x .
	(b)	T =(3) Calculate the tension, in newtons, when the extension is 15 cm.
	(c)	
8.	When	
		<i>f</i> =(Total 3 marks)


<u>Perc</u>	entages – compound interest
•	New amount = original amount x multiplier ⁿ Number of years tions: Henry invests £4500 at a compound interest rate of 5% per annum. At the end of <i>n</i> complete years the investment has grown to £5469.78. Find the value of <i>n</i> .
2.	
	(1) Bill wants to work out the value of the machine after 2 years. (b) By what single decimal number should Bill multiply the value of the machine when new?
3.	(2) (Total 3 marks) Gwen bought a new car. Each year, the value of her car depreciated by 9%. Calculate the number of years after which the value of her car was 47% of its value when new.
4.	(Total 3 marks) The value of a car depreciates by 35% each year. At the end of 2007 the value of the car was £5460 Work out the value of the car at the end of 2006
	£ (Total 3 marks) 66

5.	 Toby invested £4500 for 2 years in a savings account. He was paid 4% per annum compound interest. (a) How much did Toby have in his savings account after 2 years?
	£
6.	(2) (Total 5 marks) Mario invests £2000 for 3 years at 5% per annum compound interest. Calculate the value of the investment at the end of 3 years.
7.	£
	£(Total 3 marks)

Percentages – reverse

Things to remember:

• Work out what the multiplier would have been;



Questions:

Loft insulation reduces annual heating costs by 20%.
 After he insulated his loft, Curtley's annual heating cost was £520.
 Work out Curtley's annual heating cost would have been, if he had not insulated his loft.

£ (Total 3 marks) 2. In a sale, normal prices are reduced by 20%. SALE - 20% OFF Andrew bought a saddle for his horse in the sale. The sale price of the saddle was £220. Calculate the normal price of the saddle. £ (Total 3 marks) 3. Hajra's weekly pay this year is £240 This is 20% more than her weekly pay last year. Bill says 'This means Hajra's weekly pay last year was £192'. Bill is wrong, Explain why. (a) (1) (b) Work out Hajra's weekly pay last year. £

(2) (Total 3 marks)

4.	The price of all rail season tickets to London increased by 4%. (a) The price of a rail season ticket from Cambridge to London increased by £121.60 Work out the price before this increase.	
	 (b) After the increase, the price of a rail season £2828.80 Work out the price before this increase. 	£(2) ticket from Brighton to London was
		£
		(3) (Total 5 marks)
5.	In a sale, normal prices are reduced by 25%. The sale price of a saw is £12.75 Calculate the normal price of the saw.	
		£ (Total 3 marks)
6.	In a sale, normal prices are reduced by 12%. The sale price of a DVD player is £242. Work out the normal price of the DVD player.	
		£ (Total 3 marks)
7.	A garage sells cars. It offers a discount of 20% off the normal price for o Dave pays £5200 cash for a car. Calculate the normal price of the car.	cash.
		£ (Total 3 marks)
	69	