

Q	Working	Answer	Mark	Notes
<b>1</b> (a)	$\frac{12}{3}(=3)$ <b>or</b> $\frac{4}{12}(=3)$ <b>or</b> $\frac{BC}{4} = \frac{16.5}{12}$ <b>or</b> $BC \div 16.5 = 4 \div 12$ <b>or</b> $(BC =) 16.5 \div \frac{12}{4}$		2	M1 correct scale factor (given as 3 ora fraction or a ratio) <b>or</b> correct equation using $BC$ <b>or</b> a correct expression for $BC$ (award for SF even if not used)
		5.5		A1
(b)		$3x$	1	B1 allow $3 \times x$ or $x \times 3$ ft their “3” in (a)
				<b>Total 3 marks</b>

<b>2</b>	eg $\sin 65 \sin 65 = \frac{AB}{8.4}$ <b>or</b> $\frac{AB}{\sin 65} = \frac{8.4}{\sin 90}$		3	M1 for setting up a trig equation in $AB$
	eg $(AB =) 8.4 \sin 65$ <b>or</b> $(AB =) \frac{8.4 \sin 65}{\sin 90}$			M1 for a complete method
		7.61		A1 accept 7.61 – 7.613
				<b>Total 3 marks</b>

Q	Working	Answer	Mark	Notes
3 (a)		$\frac{5}{12} \frac{8}{15} \frac{7}{15} \frac{8}{15} \frac{7}{15}$	2	B2 for all correct probabilities $\frac{5}{12}, \frac{8}{15}, \frac{7}{15}, \frac{8}{15}, \frac{7}{15}$  (B1 for $\frac{5}{12}$ or $\frac{8}{15}, \frac{7}{15}, \frac{8}{15}, \frac{7}{15}$ oe eg for $\frac{5}{12}$ accept 0.41(666...) or 0.42, for $\frac{8}{15}$ accept 0.53(333...) or 0.53,  for $\frac{7}{15}$ accept 0.46(666...) or 0.47
(b)	$\frac{7}{12} \times \frac{8}{15}$		2	M1 ft their tree diagram
		$\frac{14}{45}$		A1 oe eg $\frac{56}{180}$ or 0.31(111...) or 31(.111...)%
				<b>Total 4 marks</b>

Q	Working	Answer	Mark	Notes
4	eg $\frac{2}{5} \times 150 (= 60)$ <b>or</b> eg $0.32 \times 150 (= 48)$		5	M1 for finding the number of small mugs <b>or</b> number of medium mugs
	eg $150 - "60" - "48" (= 42)$			M1 for finding the number of large mugs
	eg $"60" \times 8.50 + "48" \times 11.20 + "42" \times 14.20 (= 1644)$ <b>or</b> $510 + 537.6 + 596.4 (= 1644)$			M1 for working out the income, Profit = 504 implies M3
	eg $\frac{"1644"-1140}{1140} \times 100$ <b>or</b> $\frac{"1644"-1140}{1140} \times 100 - 100$			M1 (indep) for a complete method to  find the percentage profit for <b>their total income</b> (must be greater than 1140) An answer of 144 implies M4
		44		A1 44 or better (44.2105...)
				<b>Total 5 marks</b>

Q	Working	Answer	Mark	Notes																																								
5	$2 \times 2 \times 7$ or $2 \times 3 \times 7$ or $3^2 \times 7$ oe condone 1's in factor tree <b>or</b> showing at least 5 correct multiples across at least 2 lists (excluding 28, 42, 63) (28) 56, 84, 112, 140, 168, 196, 224, 252 (42) 84, 126, 168, 210, 252 (63) 126, 189, 252		3	M1 accept prime factors seen in factor tree <b>or</b> correct position in Venn diagram for at least one of the numbers given.																																								
	$2 \times 2 \times 7$ <b>and</b> $2 \times 3 \times 7$ <b>and</b> $3 \times 3 \times 7$ <b>or</b> showing at least 9 correct multiples across all 3 lists (excluding 28, 42, 63)			M1 accept prime factors seen in factor tree <b>or</b> correct position in Venn diagram for all 3 of the numbers given.																																								
		252		A1 or $2^2 \times 3^2 \times 7$ oe Dep on M1																																								
5 alt	<table border="1" data-bbox="385 769 685 922"> <tr><td>7</td><td>28</td><td>42</td><td>63</td></tr> <tr><td>2</td><td>4</td><td>6</td><td>9</td></tr> <tr><td>3</td><td>2</td><td>3</td><td>9</td></tr> <tr><td></td><td>2</td><td>1</td><td>3</td></tr> </table> oe or <table border="1" data-bbox="385 986 685 1216"> <tr><td>7</td><td>28</td><td>42</td><td>63</td></tr> <tr><td>2</td><td>4</td><td>6</td><td>9</td></tr> <tr><td>3</td><td>2</td><td>3</td><td>9</td></tr> <tr><td>2</td><td>2</td><td>1</td><td>3</td></tr> <tr><td>3</td><td>1</td><td>1</td><td>3</td></tr> <tr><td>(1)</td><td>1</td><td>1</td><td>1</td></tr> </table>	7	28	42	63	2	4	6	9	3	2	3	9		2	1	3	7	28	42	63	2	4	6	9	3	2	3	9	2	2	1	3	3	1	1	3	(1)	1	1	1		3	M1 For one correct row in table eg division by 7 gives 4, 6, 9 M1 Fully correct table – need only go as far as top table – we want to see prime factors along the side or prime factors along the sides and bottom (condone 1's)
7	28	42	63																																									
2	4	6	9																																									
3	2	3	9																																									
	2	1	3																																									
7	28	42	63																																									
2	4	6	9																																									
3	2	3	9																																									
2	2	1	3																																									
3	1	1	3																																									
(1)	1	1	1																																									
		252		A1 or $2^3 \times 3^2 \times 7$ oe Dep on M1																																								
				<b>Total 3 marks</b>																																								

Q	Working	Answer	Mark	Notes
6 (a)		7, 33, 57, 71, 78, 80	1	B1
(b)			2	B2 Fully correct cf graph – points at ends of intervals and joined with curve or line segments. If not B2 then B1(ft from a table with only one arithmetic error) for 5 or 6 of their points at ends of intervals and joined with curve or line segments <b>OR</b> for 5 or 6 points plotted correct at ends of intervals not joined <b>OR</b> for 5 or 6 points from table plotted consistently within each interval (not at upper ends of intervals) at their correct heights and joined with smooth curve or line segments.
(c)		21 – 24	1	B1ft any value in range or ft their cf curve
(d)			2	M1ft eg reading of 72 – 74 or 6 – 8 could be seen as the numerator of a fraction ft their cf graph
		$\frac{8}{80}$		A1ft oe, ft their cf graph fractional answers must have an integer numerator and denominator
				<b>Total 6 marks</b>

Q	Working	Answer	Mark	Notes
7	$28 \div 0.35 (= 80)$ oe eg $(28 \div 7) \times 20 (= 80)$		5	M1 indep for calculating total number of sweets
	$1 - (0.2 + 0.35) (= 0.45)$ oe or $(0.2 + 0.35) \times "80" (= 44)$ or $28 + "16" (= 44)$			M1 or for a correct equation for missing values eg $x + 2x + 0.2 + 0.35 = 1$ oe (can be implied by 2 probabilities that total 0.45 in table if not contradicted in working space)
	"0.45" $\div 3 (= 0.15)$ oe or "0.45" $\times "80" (= 36)$ or "80" $- "44" (= 36)$			M1 (or 0.15 or 0.3 seen in table – either order)
	"80" $\times "0.15"$ or "80" $\times "0.3" (= 24)$ or "36" $\div 3$ or "36" $\div \frac{3}{2} (= 24)$			M1 A correct calculation for the number of white sweets or the number of pink sweets
		12		A1
7 alt	$1 - (0.2 + 0.35) (= 0.45)$ or $100(\%) - 20(\%) - 35(\%) = 45(\%)$		5	M1 or for a correct equation for missing values eg $x + 2x + 0.2 + 0.35 = 1$ oe
	"0.45" $\div 3 (= 0.15)$ $45(\%) \div 3 (= 15(\%))$			M1 (or 0.15 or 0.3 seen in table – either order)
	$\frac{n}{28} = \frac{0.15}{0.35}$ or $\left(\frac{n}{15} = \right) \frac{28}{0.35}$ oe or $\frac{n}{28} = \frac{0.3}{0.35}$ or $\left(\frac{n}{0.3} = \right) \frac{28}{0.35}$ or $35\% = 28$ so $5\% = 4$			M1 for using proportion with an expression for $n$ white sweets or finding 5% oe to enable calculation to 15%
	$(n =) 28 \times \frac{0.15}{0.35}$ or $(n =) 0.15 \times \frac{28}{0.35}$ or $15\% = 3 \times 4$ or $28 \times \frac{0.3}{0.35}$ or $0.3 \times \frac{28}{0.35}$ or $30\% = 6 \times 4 (= 24)$			M1 a calculation using proportion that would lead to finding their $n$ or $2n$
		12		A1
				<b>Total 5 marks</b>

Q	Working	Answer	Mark	Notes
<b>8</b>	$196 \div (9 - 5) (= 49)$ oe		3	M1
	$3 \times "49"$			M1
		147	A1	SCB1 for an answer from 34.5 – 34.6 <b>or</b> an answer of 42
				<b>Total 3 marks</b>
<b>9</b>	(a)	(5), 8, 8, 20, $x$ , (24)	3	B3 for (5), 8, 8, 20, $x$ , (24) where $x = 21$ <b>or</b> 22 <b>or</b> 23
		–		(B2 for (5), 8, 8, 20, $x$ , (24) where $x$ is blank <b>or any</b> value other than 21, 22 or 23)
				(B1 for a list with a median of 14 <b>or</b> a mode of 8 <b>or</b> the 3 <sup>rd</sup> and 4 <sup>th</sup> cards having a sum of 28 (ignoring other cards))
	(b)	eg $5 \times 21 (= 105)$ <b>or</b> $6 \times 23 (= 138)$	3	M1
	eg $6 \times 23 - 5 \times 21$	M1		
	33	A1		
				<b>Total 6 marks</b>

Q	Working	Answer	Mark	Notes
10 (a)	$(231\,776 - 228\,314) \div 228\,314$ or $3462 \div 228\,314 (= 0.01516\dots)$ or $231\,776 \div 228\,314 (= 1.01516\dots)$		2	M1
		1.5		A1 for 1.5 or better (1.516...)  (be careful: $3462 \div 231\,776 \times 100 = 1.49\dots$ )
(b)	$231\,776 \div 1.077$ oe		3	M2 If not M2 then M1 for $100 + 7.7 (=107.7)$ or $1 + 0.077 (=1.077)$ seen but not $1 + 7.7\%$
		215 000		A1 for 215 000 or better (215 205.19...)  (if no marks awarded SCB1 for 212000 or better (211990.71...))
				<b>Total 5 marks</b>

11	$(0 \times 13) + 1 \times 17 + 2 \times 8 + 3x + 4 \times 11$ or $(0 +) 17 + 16 + 3x + 44 (= 77 + 3x)$			M1 at least 3 correct products with intention to add. eg award for 77 seen as this is sum of 3 products
	$(13 + 17 + 8 + x + 11)$ oe eg $49 + x$ or $98 + 2x$			M1 Sum for total frequency or (frequency $\times 2$ )
	$\frac{"77 + 3x"}{"49 + x"} = 2$ oe e.g. $"77 + 3x" = 2("49 + x")$			M1 for use of mean in valid equation (ft their values for sum of products and their total frequency if M2 awarded previously)
		21		A1
				<b>Total 4 marks</b>



Q	Working	Answer	Mark	Notes
12	eg $200\,000 \times 0.018 (= 3600)$ or $200\,000 \times 1.018 (= 203\,600)$		3	M1 for method to find 1.8% or 101.8% of 200 000
	eg $209\,754 \div "203\,600" (= 1.015000\dots)$			M1 for a complete method to find the multiplier for the compound interest for 2 <sup>nd</sup> and 3 <sup>rd</sup> year
		1.5		A1 or better eg 1.500045971...
				<b>Total 3 marks</b>

13	eg $40 = \frac{k}{1.5^2}$ or $k = 90$ or $\frac{C^2}{1.5^2} = \frac{40}{1000}$ ( 0.04)		3	M1
	or $(C^2 =) 1.5^2 \times \frac{40}{1000} (= 0.09)$ or $\frac{1.5^2}{C^2} = \frac{1000}{40} (= 25)$			M1
	or $(C^2 =) 1.5^2 \div \frac{1000}{40} (= 0.09)$			
	eg $(C =) \sqrt{\frac{"90"}{1000}}$ oe or $(C =) \sqrt{1.5^2 \times "0.04"}$			
	or $(C =) \sqrt{1.5^2 \div "25"}$ or $(C =) \sqrt{"0.09"}$			
		0.3		A1 oe, allow $\pm 0.3$ oe or $-0.3$ oe
				<b>Total 3 marks</b>

Q	Working	Answer	Mark	Notes
14	3.445, 3.455, 1.85, 1.95, 4.5, 5.5		3	B1 any one bound
	$(A =) 3.445 - \frac{1.95^2}{4.5}$			M1 $A = LB_w - \frac{(UB_x)^2}{LB_y}$ where $3.445 \leq LB_w < 3.45$ , $1.9 < UB_x \leq 1.95$ , $4.5 \leq LB_y < 5$
		2.6		A1 oe, (dep on M1), from correct figures (3.445, 1.95, 4.5)
				<b>Total 3 marks</b>

15	eg $\frac{55}{360} \times \pi \times d = 5$ <b>or</b> $\frac{55}{360} \times \pi \times 2 \times r = 5$ oe <b>OR</b> $\frac{360}{55} \times 5 (= 32.7...)$ oe		4	M1 for a correct equation for the diameter <b>or</b> radius <b>OR</b> for a method to find the circumference of the circle
	eg $d = \frac{5 \times 360}{55\pi} (= 10.4...)$ <b>or</b> $r = \frac{5 \times 360}{55 \times 2 \times \pi} (= 5.2...)$ <b>OR</b> $d = \frac{"37.2"}{\pi} (= 10.4...)$ <b>or</b> $r = \frac{"37.2"}{2 \times \pi} (= 5.2...)$			M1 for a method to work out the diameter <b>or</b> radius
	(area =) eg $\pi \times \left(\frac{"10.4..."}{2}\right)^2$ <b>or</b> $\pi \times "5.2..."^2$			M1
		85.2		A1 allow 84.9 – 85.4
				<b>Total 4 marks</b>

Q	Working	Answer	Mark	Notes
16	$12 \times \tan 5 (=1.05)$ or $\tan 5 = \frac{'y'}{12}$ or $12 \tan 5$ or $\tan 85 = \frac{12}{'y'}$ or $\frac{12}{\tan 85}$ $\frac{y}{\sin 5} = \frac{12}{\sin 85}$ oe or $(y =) 1.04986\dots$ oe		3	M1 oe correct expression using tan or the sine rule or $\sqrt{\left(\frac{12}{\cos 5}\right)^2 - 12^2} (= 1.04986\dots)$
	$(AB =) 2.6 + "1.05"$ oe			M1
		3.65		A1 allow awrt 3.65
				<b>Total 3 marks</b>

Q	Working	Answer	Mark	Notes
17	$(2x + 3)(x - 1) < 75$		5	B1 For writing the correct inequality sign with a correct calculation or correct value – this could be initially or saying that $x < 6$ at the end
	$2x^2 + x - 78 < 0$			M1 rearranged to form correct quadratic $< 0$ (allow = 0 or other incorrect inequality sign) oe
	$(x - 6)(2x + 13) (< \underline{0})$ or $x = \frac{-1 \pm \sqrt{(1)^2 - (4 \times 2 \times -78)}}{2 \times 2}$ or $2\left(x + \frac{1}{4}\right)^2 - 2\left(\frac{1}{4}\right)^2 - 78 = 0$			M1 first step to find critical values from the correct quadratic
		$x = 6$		A1 $x = 6$ identified as critical value, ignore $-6.5$ if given
		$1 < x < 6$		A1 correct inequality
				<b>Total 5 marks</b>

Q	Working	Answer	Mark	Notes
18	$DFE = 42^\circ$ or $DOG = 180 - 2 \times 42 (= 96)$ or $EFG = 90^\circ$ or $EDG = 90^\circ$ or $DEG = 90 - 42 (= 48)$		4	M1 used or seen in diagram (must be clearly labelled if not in diagram)
		48°		A1 award 2 marks for 48 unless from an incorrect method
	<u>angles in same segment</u> or <u>angles from same chord</u> or <u>angles at the circumference subtended from the same arc</u> of the circle <u>angles in a semicircle</u> are $90^\circ$ <u>angles in a semicircle</u> are <u><math>90^\circ</math></u> <u>angle subtended by diameter</u> is $90^\circ$ <u>angle at centre</u> twice angle at <u>circumference</u> or <u>angles in a triangle</u> add to 180 <u>angles in a triangle</u> add to <u>180</u>			B2 Dep on a fully correct method to find angle $DFG$ for a full set of reasons relevant to their method. B1 dep on M1 for at least one relevant <b>circle theorem</b> .
				<b>Total 4 marks</b>

Q	Working	Answer	Mark	Notes
19	at least <b>two</b> of 3, 8, 5, 2 seen <b>or</b> at least <b>two</b> correct frequency densities from 0.6, 0.8, 1, 1.2, 0.4 <b>or</b> eg one cm on FD axis = 0.25 <b>or</b> eg top of FD axis labelled 2 <b>or</b> eg 1 plant = 20 small squares <b>or</b> total small squares in at least 2 bars (60, 160, 100, 240, 40) <b>or</b> total number of 1 cm squares for at least 2 bars (2.4, 6.4, 4, 9.6, 1.6) oe		4	M1 At least 2 frequencies for other bars  <b>or</b> scale on FD axis  <b>or</b> eg 20 small squares represents 1 plant oe
	3 + 8 + 5 + 12 + 2 (= 30) <b>or</b> adding the number of small squares in all bars: 60 + 160 + 100 + 240 + 40 (= 600) <b>or</b> adding the number of 1 cm squares in all bars: 2.4 + 6.4 + 4 + 9.6 + 1.6 (= 24) oe			M1 add up 5 frequencies (allow one error) or adding the number of small squares in all bars (allow one error) or adding the number of 1 cm squares in all bars (allow one error) oe
	$\frac{0.25 \times "12" + "2"}{"30"} \text{ or } \frac{0.25 \times "240" + "40"}{"600"} \text{ or } \frac{0.25 \times "9.6" + 1.6}{"24"} \text{ oe}$			M1 ft their figures dep on the previous M1
		$\frac{1}{6}$		A1 oe eg $\frac{100}{600}$  allow 0.16(66...) ie 2 dp truncated or rounded or better
				<b>Total 4 marks</b>

Q	Working	Answer	Mark	Notes
20	eg $2^3 : 3^3$ or $8 : 27$ or $10^3 : 15^3$ oe or $\left(\frac{15}{10}\right)^3$ or $1.5^3 (= 3.375)$ or $\left(\frac{3}{2}\right)^3 \left(= \frac{27}{8}\right)$ or $\left(\frac{10}{15}\right)^3$ or $\left(\frac{2}{3}\right)^3 \left(= \frac{8}{27}\right)$		4	M1 for a correct ratio or scale factor for the volumes
	eg $\frac{1197}{27-8}$ or $\frac{1197}{15^3-10^3}$ or $\frac{27}{8}V_A - V_A = 1197$ oe or $\frac{19}{8}V_A = 1197$ oe			M1 for a correct method to find the value of 1 share of volume or for setting up a correct equation using the scale factor for the volumes
	eg $8 \times \frac{1197}{27-8}$ or $10^3 \times \frac{1197}{15^3-10^3}$ or $\frac{8}{19} \times 1197$ oe			M1 complete correct method to find volume of vase A
		504		A1
				<b>Total 4 marks</b>

Q	Working	Answer	Mark	Notes
---	---------	--------	------	-------

Qn	Mean score	Max score	Mean %	Edexcel averages: scores of candidates who achieved grade:								
				ALL	9	8	7	6	5	4	3	U
1	2.50	3	83	2.50	2.97	2.91	2.88	2.73	2.23	1.58	0.82	0.00
2	2.28	3	76	2.28	2.92	2.84	2.81	2.44	1.98	0.94	0.25	0.02
3	3.06	4	77	3.06	3.94	3.76	3.56	3.09	2.39	1.67	0.94	0.00
4	3.61	5	72	3.61	4.71	4.46	4.24	3.77	2.75	1.87	0.96	0.15
5	2.31	3	77	2.31	2.84	2.62	2.51	2.20	1.91	1.76	1.36	0.65
6	4.21	6	70	4.21	5.77	5.36	4.90	3.99	3.36	1.89	0.92	0.00
7	3.37	5	67	3.37	4.69	4.33	3.95	3.41	2.42	1.36	0.48	0.04
8	1.97	3	66	1.97	2.83	2.60	2.22	1.94	1.32	0.81	0.41	0.00
9	3.77	6	63	3.77	5.63	4.91	4.38	3.40	2.51	1.28	0.59	0.00
10	2.97	5	59	2.97	4.64	3.90	3.29	2.54	1.95	0.98	0.29	0.00
11	2.20	4	55	2.20	3.78	3.21	2.49	1.61	0.86	0.43	0.19	0.09
12	1.41	3	47	1.41	2.50	1.84	1.45	0.96	0.72	0.47	0.28	0.07
13	1.46	3	49	1.46	2.81	2.39	1.43	0.72	0.40	0.17	0.13	0.00
14	1.24	3	41	1.24	2.39	1.73	1.31	0.79	0.41	0.13	0.04	0.02
15	1.70	4	43	1.70	3.68	2.78	1.53	0.60	0.27	0.05	0.05	0.00
16	1.21	3	40	1.21	2.51	1.78	1.14	0.70	0.27	0.08	0.00	0.00
17	1.83	5	37	1.83	3.65	2.72	1.82	1.09	0.49	0.12	0.00	0.06
18	1.30	4	33	1.30	2.83	1.71	1.15	0.58	0.41	0.19	0.09	0.02
19	1.32	4	33	1.32	3.07	1.88	1.11	0.49	0.19	0.03	0.00	0.00
20	1.06	4	27	1.06	2.87	1.30	0.58	0.26	0.09	0.05	0.01	0.00
	<b>44.78</b>	<b>80</b>	<b>45</b>	<b>44.78</b>	<b>71.03</b>	<b>59.03</b>	<b>48.75</b>	<b>37.31</b>	<b>26.93</b>	<b>15.86</b>	<b>7.81</b>	<b>1.12</b>

## Suggested grade boundaries

Grade	9	8	7	6	5	4	3
Mark	65	54	43	32	21	12	6