

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
1.	(a)		35 000	1	B1 cao
	(b)		430	1	B1 cao
2.	(a)		2 hours 20 minutes	2	M1 for a full method to find the difference between the two times or 2.2 hours A1 2 hours and 20 minutes or 140 minutes
	(b)		No with supporting calculations	3	M1 for adding 18 and 24 to 20 50 A1 21 32 C1 (dep M1) correct conclusion from the comparison of their figure with 21 30  <b>Or</b> M1 for subtracting 18 and 24 from 21 30 A1 20 48 C1 (dep M1) correct conclusion from the comparison of their figure with 20 50  <b>Or</b> M1 for finding the time differences A1 for 40 minutes and 42 minutes C1 (dep M1) correct conclusion from the comparison of their

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
				time durations
3.		3	3	M1 for $4200 \div 25 (= 168)$ M1 for “168” $\div 60 (= 2.8)$ or “160” $- 60 - 60 (= 40)$ A1 cao OR M1 for $25 \times 60 (=1500)$ M1 for $4200 \div \text{“1500”} (= 2.8)$ or $4200 - \text{“1500”} - \text{“1500”} (= 1200)$ A1 cao
4.		40	3	M1 for $24 \div 3 (= 8)$ M1 for “8” $\times 5$ A1 cao OR M1 for $3 \times 24 (= 72)$ M1 for “ $3 \times 24$ ” $- 8 - 8 - 8 - 8$ A1 cao

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
5.	(a)	$\begin{array}{rcccc c} 24 & 12 & \times & \times & & \times \\ \times & \times & 6 & 11 & & 46 \\ \hline \times & 21 & \times & 19 & \times & \end{array}$	3	B3 cao (B2 for 4, 5 or 6 entries correct) (B1 for 2 or 3 entries correct)
	(b)	20	1	B1 cao
	(c)	84	1	B1 cao
6.	(a)(i)	2.5 marked with arrow		B1 for 2.5 marked with arrow
	(a)	2500		B1 cao
	(ii)			
	(b)	$2.5 \times 40 = 100,$	11.20 (a.m.)	M1 for a correct method to find the total cooking time



**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>8.</b>		$\frac{130}{100} \times 340 = 442$ <p style="text-align: center;"><b>OR</b></p> $\frac{30}{100} \times 340 = 102$ $340 + 102 = 442$ <p style="text-align: center;"><b>OR</b></p> $\frac{30}{100} \times 340 = 102$	<p style="text-align: center;">£442</p> <p style="text-align: center;"><b>or</b></p> <p style="text-align: center;">32.35%</p> <p style="text-align: center;"><b>or</b></p> <p style="text-align: center;">348</p>	3	<p>M1 for <math>\frac{100 + 30}{100}</math> oe</p> <p>M1 for <math>\frac{130}{100} \times 340</math> oe (= 442)</p> <p>A1 442</p> <p><b>OR</b></p> <p>M1 <math>\frac{30}{100} \times 340</math> (= 102) oe</p> <p>M1(dep) 340 + 102 (= 442)</p> <p>A1 442</p> <p><b>OR</b></p> <p>M1 <math>\frac{30}{100} \times 340</math> (= 102) oe</p> <p>M1 (dep) 450 – 102 (= 348) or 450 – 340 (= 110)</p>

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

<b>1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0</b>					
<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>	
	450 – 102 = 348			A1 348 <b>or</b> 102 and 110	
<b>9.</b>	(i)		6	3	B1 cao
	(ii)		5		B1 cao
	(iii)		9		B1 cao
<b>10.</b>	(a)		2	1	B1 cao
	(b)		4	2	M1 for showing a clear intention to add all ten numbers <b>and</b> to divide by 10  A1 cao
	(c)		55	2	M1 for evidence of at least 4 attempts to multiply number of birds by frequency  e.g. $0 \times 3$ , $2 \times 1$ , $3 \times 2$ , $4 \times 3$ , $5 \times 4$ , $3 \times 5$  A1 cao
<b>11.</b>	(a)		23	1	B1

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0					
Question	Working	Answer	Mark	Notes	
	(b)	$(-5 - 3) \div 4$	-2	2	M1 A1
	(c)		$y = 4x + 3$	2	B2 for $y = 4x + 3$ oe If not B2 then B1 for $4x + 3$ <b>or</b> $x = (y - 3) \div 4$
<b>12.</b>	(a)		12	1	B1 cao
	(b)		16	2	M1 for $96 \div 2 (= 48)$ or $96 \div 3 (= 32)$ or $96 \div 6$ oe  A1 cao
<b>13.</b>		$60 - 18 = 42, 42 \div 2 = 21$  <b>OR</b>  $x + x + 18 = 60, 2x = 42$	21	2	M1 for $(60 - 18) \div 2$  A1 cao  <b>Or</b>  M1 for $x + x + 18 = 60$ oe  A1 cao  <b>Or</b>  M1 for 3 trials differing by 18 eg (20, 38), (10, 28), (22, 40)

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

<b>1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0</b>				
<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>
				A1 cao
<b>14.</b>		4.20	4	M1 for $30 \div (2 + 1)$ (=10) M1 for “10” $\times 2 \times 2.8$ (=56) oe M1 for $(98 - \text{“56”}) \div \text{“10”}$ A1 cao 4.2(0) <b>OR</b> algebraic approach M1 for (eg) $c=2a$ and $c+a=30$ M1 for (eg) $2.8 c+wa=98$ M1 for $(w =) (98 - \text{“56”}) \div \text{“10”}$ A1 cao 4.2(0)
<b>15.</b>		2.15 p.m.	3	M1 for $240 \div 60$ (=4) M1 for adding at least 3 of the 4 periods of time eg 20 (mins) +



**IMA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

IMA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
				“4 (hrs)” + 25 (mins) + 30 (mins) (= 5 h 15 min) oe or 2.15 without units  A1 for 2.15 pm 14 15 (h or p.m.) oe
<b>16.</b>	8 cans of cola  12 burgers  10 buns  LCM is 120  Cola $5 \times 2 \times \text{£}3.95 = \text{£}39.50$  Burgers $10 \times \text{£}4.95 = \text{£}49.50$  Buns $12 \times \text{£}1.95 = \text{£}23.40$	£112.40	6	M1 for attempt to find LCM of 8, 12 and 10, eg by listing multiples or 120 seen  M1 for (cola = ) $120 \div 8 (= 15)$ packs or (burgers = ) $120 \div 12 (= 10)$ packs or (buns = ) $120 \div 10 (= 12)$ packs  M1 for (packs of cola = ) $\frac{2}{3} \times 15 (= 10)$  M2 for (total cost = ) $\frac{2}{3} \times 15 \times 3.95 + 10 \times 4.95 + 12 \times 1.95$  (M1 for total cost for their packs of cola, burgers and buns)  C1 (dep on first M1) for £112.4(0) or ft their costs with work for cola, burgers and buns clearly identified
<b>17.</b>	$4.5 \times 1000 \times 1000$	4 500 000	2	M1 for complete method equivalent to $4.5 \times 1000 \times 1000$  A1 for 4 500 000 oe

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

<b>1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0</b>				
<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>
<b>18.</b>		195	2	<p>M1 for <math>325 \div (8 - 3) (= 65)</math></p> <p>A1 cao</p>
<b>19.</b>		The Friendly Bank	4	<p>M1 for a correct method to find interest for the first year for either bank <b>OR</b> correct method to find the value of investment after one year for either bank <b>OR</b> use of the multiplier 1.04 or 1.05</p> <p>M1 for a correct full method to find the value of the investment (or the value of the total interest) at the end of 2 years in either bank</p> <p>A1 for 2100.8(0) and 2110.5(0) (accept 100.8(0) and 110.5(0))</p> <p>C1 (dep on M1) ft for a correct comparison of <i>their</i> total amounts, identifying the bank from their calculations</p> <p><b>OR</b></p> <p>M1 for either <math>1.04 \times 1.01</math> or <math>1.05 \times 1.005</math></p> <p>M1 for <math>1.04 \times 1.01</math> and <math>1.05 \times 1.005</math></p>

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

<b>1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0</b>				
<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>
				<p>A1 for 1.0504 and 1.05525</p> <p>C1 (dep on M1) ft for a correct comparison of <i>their</i> total multiplying factors identifying the bank from their calculations</p>
<b>20.</b>	$30x + 4y = 46 \quad (\times 2)$ $24x + 8y = 45.20 \quad (\times 0.5)$ Eg $60x + 8y = 92$ $24x + 8y = 45.20$ $36x = 46.8$ $x = \frac{46.8}{36}$ Eg $30x + 4y = 46$ $12x + 4y = 22.60$ $18x = 23.4$	Petrol £1.30 Oil £1.75	5	<p>B1 for correct equations expressed in terms of two variables (oe)</p> <p>M1 for correct process to eliminate either variable (condone one arithmetic error)</p> <p>A1 for either <math>x = £1.30</math> or <math>£1.75</math> oe</p> <p>M1 (dep on 1<sup>st</sup> M1) for correct substitution of their found variable</p> <p><b>OR</b></p> <p>M1 (indep of 1<sup>st</sup> M1 for a correct process to eliminate the other variable (condone one arithmetic error)</p> <p>A1 cao for both <math>x = £1.30</math> and <math>£1.75</math> oe</p>

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
	$x = \frac{23.4}{18}$ <p><b>OR</b></p> <p>Eliminates <math>x</math> first</p> <p><b>Or</b> substitution back into any correct equation</p>			(SC B1 for $x = £1.30$ , B1 for $y = £1.75$ oe if M0 scored)
<b>21.</b>	$(100\% - 10\%) \times \text{Normal Price} = £4.86$  $\text{Normal Price} = £4.86 \div 0.9$	£5.40	3	M1 for '4.86 is 90%'  or $(100\% - 10\%) \times \text{Normal Price} = 4.86$ or $4.86 \div 90$  M1 for $4.86 \div 0.9$ or $4.86 \times 10 \div 9$ oe  A1 £5.40 (accept 5.4)  <b>OR</b>  M1 $10\% = £0.54$ or $£4.86 \div 9$ M1 (dep) $£4.86 + '£0.54'$ A1 £5.40 (accept 5.4)
<b>22.</b>	$180 - 150 (=30)$  $360 \div "30"$	12	3	M1 for $180 - 150 (=30)$  M1 for $360 \div "30"$

**1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0**

<b>1MA1 Practice papers Set 5: Paper 2F (Regular) mark scheme – Version 1.0</b>				
<b>Question</b>	<b>Working</b>	<b>Answer</b>	<b>Mark</b>	<b>Notes</b>
	OR  $\frac{N-2}{N} \times 180 = 150$  $(N-2)180 = 150N$  $30N = 360$			A1 cao  <b>OR</b>  M1 for $\frac{N-2}{N} \times 180 = 150$  M1 for $360 \div "30"$  A1 cao

National performance data from Results Plus

Original source of questions					Mean score of students achieving grade:							
Qn	Spec	Paper	Session YYMM	Qn	Topic	Max score	ALL	C	D	E	F	G
1	5AM1	1F	1306	Q01	Rounding to dp or sf	2	1.76	1.91	1.83	1.71	1.50	1.56
2	1MA0	2F	1511	Q02	Time calculations	5	4.34	4.73	4.52	4.23	3.70	3.03
3	5MB3	3F	1511	Q05	Number problems	3	2.48	2.67	2.64	2.57	1.00	1.33
4	5MB2	2F	1511	Q14	Perimeter	3	2.12	2.71	2.24	2.00	1.12	0.33
5	1380	2F	1011	Q20	Two-way tables	5	4.26	4.82	4.67	4.32	3.45	2.11
6	5AM1	1F	1311	Q07	Conversions	5	3.76	4.56	3.77	3.43	2.60	2.00
7	5AM2	2F	1211	Q12	Conversion graphs	4	2.38	3.44	2.51	2.01	1.41	0.90
8	5AM1	1F	1406	Q18	Percentages	3	1.49	2.51	1.93	0.90	0.27	0.08
9	1380	2F	1111	Q14	Properties of 2D shapes	3	1.99	2.49	2.20	1.90	1.57	1.22
10	1MA0	2F	1311	Q14	Mean, median, mode	5	2.84	4.02	3.34	2.64	1.86	1.15
11	4MA0(R)	2F	1405	Q05	Derive expressions	5	3.32	3.98	3.77	2.14	2.08	0.29
12	5MM2	2F	1411	Q05	Volume	3	1.40	2.37	1.76	1.23	0.62	0.86
13	5AM2	2F	1211	Q07	Derive expressions	2	0.89	1.55	1.01	0.52	0.22	0.11
14	5AM2	2F	1411	Q19	Fractions, percentages, decimals	4	2.32	3.10	2.71	2.12	0.47	1.50
15	1MA0	2H	1406	Q06	Time calculations	3	2.12	2.01	1.43	0.83		
16	5AM1	1H	1211	Q07	Money calculations	6	4.36	3.72	2.07			
17	5MB3	3H	1303	09b	Conversions	2	0.26	0.03	0.02	0.05		
18	NEW				Ratio	2						
19	1MA0	2H	1306	Q14	Compound interest	4	2.22	1.94	0.97	0.23		
20	5AM1	1H	1206	Q15	Simultaneous equations	5	3.05	1.43	0.36	0.00		
21	1380	2H	1106	Q16	Reverse percentages	3	1.41	0.65	0.21	0.05		
22	5MM2	2H	1106	Q08	Interior and exterior angles	3	1.08	0.41	0.09	0.00		
						<b>80</b>						