



Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

* 5 7 1 2 5 0 5 2 0 7 *



MATHEMATICS

9709/12

Paper 1 Pure Mathematics 1

February/March 2021

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

1 (a) Find the first three terms in the expansion, in ascending powers of x , of $(1 + x)^5$. [1]

.....
.....
.....
.....
.....
.....


(b) Find the first three terms in the expansion, in ascending powers of x , of $(1 - 2x)^6$. [2]

.....
.....
.....
.....
.....
.....

(c) Hence find the coefficient of x^2 in the expansion of $(1 + x)^5(1 - 2x)^6$. [2]

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

5



In the diagram, the graph of $y = f(x)$ is shown with solid lines. The graph shown with broken lines is a transformation of $y = f(x)$.

- (a) Describe fully the two single transformations of $y = f(x)$ that have been combined to give the resulting transformation. [4]

.....

.....

.....

.....

.....

.....

.....

.....

- (b) State in terms of y , f and x , the equation of the graph shown with broken lines. [2]

.....

.....

.....

.....

.....

(b) Find an expression for $f^{-1}(x)$. [2]

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(c) Solve the equation $gf(x) = 13$. [3]

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

9 The first term of a progression is $\cos \theta$, where $0 < \theta < \frac{1}{2}\pi$.

(a) For the case where the progression is geometric, the sum to infinity is $\frac{1}{\cos \theta}$.

(i) Show that the second term is $\cos \theta \sin^2 \theta$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Find the sum of the first 12 terms when $\theta = \frac{1}{3}\pi$, giving your answer correct to 4 significant figures. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

11



The diagram shows the curve with equation $y = 9(x^{-\frac{1}{2}} - 4x^{-\frac{3}{2}})$. The curve crosses the x -axis at the point A .

(a) Find the x -coordinate of A . [2]

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the equation of the tangent to the curve at A . [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

