

**GCE**

**Mathematics**

Unit **4736**: Decision Mathematics 1

Advanced Subsidiary GCE

**Mark Scheme for June 2016**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2016

## 1. Annotations and abbreviations

Annotation in scoris	Meaning
✓ and ✖	
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working
M0, M1	Method mark awarded 0, 1
A0, A1	Accuracy mark awarded 0, 1
B0, B1	Independent mark awarded 0, 1
SC	Special case
^	Omission sign
MR	Misread
Highlighting	
Other abbreviations in mark scheme	Meaning
M1 dep*	Method mark dependent on a previous mark, indicated by *
cao	Correct answer only
oe	Or equivalent
rot	Rounded or truncated
soi	Seen or implied
nfw	Not from wrong working

## 2. Subject specific instructions

- a Annotations should be used whenever appropriate during your marking.

**The A, M and B annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks.** It is vital that you annotate standardisation scripts fully to show how the marks have been awarded.

For subsequent marking you must make it clear how you have arrived at the mark you have awarded.

- b An element of professional judgement is required in the marking of any written paper. Remember that the mark scheme is designed to assist in marking incorrect solutions. Correct *solutions* leading to correct answers are awarded full marks but work must not be judged on the answer alone, and answers that are given in the question, especially, must be validly obtained; key steps in the working must always be looked at and anything unfamiliar must be investigated thoroughly.

Correct but unfamiliar or unexpected methods are often signalled by a correct result following an *apparently* incorrect method. Such work must be carefully assessed. When a candidate adopts a method which does not correspond to the mark scheme, award marks according to the spirit of the basic scheme; if you are in any doubt whatsoever (especially if several marks or candidates are involved) you should contact your Team Leader.

- c The following types of marks are available.

**M**

A suitable method has been selected and *applied* in a manner which shows that the method is essentially understood. Method marks are not usually lost for numerical errors, algebraic slips or errors in units. However, it is not usually sufficient for a candidate just to indicate an intention of using some method or just to quote a formula; the formula or idea must be applied to the specific problem in hand, eg by substituting the relevant quantities into the formula. In some cases the nature of the errors allowed for the award of an M mark may be specified.

**A**

Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. Accuracy marks cannot be given unless the associated Method mark is earned (or implied). Therefore M0 A1 cannot ever be awarded.

**B**

Mark for a correct result or statement independent of Method marks.

Unless otherwise indicated, marks once gained cannot subsequently be lost, eg wrong working following a correct form of

answer is ignored. Sometimes this is reinforced in the mark scheme by the abbreviation isw. However, this would not apply to a case where a candidate passes through the correct answer as part of a wrong argument.

d When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. (The notation 'dep \*' is used to indicate that a particular mark is dependent on an earlier, asterisked, mark in the scheme.) Of course, in practice it may happen that when a candidate has once gone wrong in a part of a question, the work from there on is worthless so that no more marks can sensibly be given. On the other hand, when two or more steps are successfully run together by the candidate, the earlier marks are implied and full credit must be given.

e The abbreviation ft implies that the A or B mark indicated is allowed for work correctly following on from previously incorrect results. Otherwise, A and B marks are given for correct work only — differences in notation are of course permitted. A (accuracy) marks are not given for answers obtained from incorrect working. When A or B marks are awarded for work at an intermediate stage of a solution, there may be various alternatives that are equally acceptable. In such cases, exactly what is acceptable will be detailed in the mark scheme rationale. If this is not the case please consult your Team Leader.

Sometimes the answer to one part of a question is used in a later part of the same question. In this case, A marks will often be 'follow through'. In such cases you must ensure that you refer back to the answer of the previous part question even if this is not shown within the image zone. You may find it easier to mark follow through questions candidate-by-candidate rather than question-by-question.

f Wrong or missing units in an answer should not lead to the loss of a mark unless the scheme specifically indicates otherwise. Candidates are expected to give numerical answers to an appropriate degree of accuracy, with 3 significant figures often being the norm. Small variations in the degree of accuracy to which an answer is given (e.g. 2 or 4 significant figures where 3 is expected) should not normally be penalised, while answers which are grossly over- or under-specified should normally result in the loss of a mark. The situation regarding any particular cases where the accuracy of the answer may be a marking issue should be detailed in the mark scheme rationale. If in doubt, contact your Team Leader.

g Rules for replaced work

If a candidate attempts a question more than once, and indicates which attempt he/she wishes to be marked, then examiners should do as the candidate requests.

If there are two or more attempts at a question which have not been crossed out, examiners should mark what appears to be the last (complete) attempt and ignore the others.

NB Follow these maths-specific instructions rather than those in the assessor handbook.

h For a *genuine* misreading (of numbers or symbols) which is such that the object and the difficulty of the question remain


4736


### Mark Scheme

June

unaltered, mark according to the scheme but following through from the candidate's data. A penalty is then applied; 1 mark is generally appropriate, though this may differ for some units. This is achieved by withholding one A mark in the question.

Note that a miscopy of the candidate's own working is not a misread but an accuracy error.




Question	Answer/Indicative content	Mark	Guidance																																																	
1	<table border="1" data-bbox="369 231 1097 486"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr> <th>A</th> <td>-</td> <td>5</td> <td>7</td> <td>9</td> <td>8</td> <td>12</td> </tr> <tr> <th>B</th> <td>5</td> <td>-</td> <td>4</td> <td>6</td> <td>5</td> <td>10</td> </tr> <tr> <th>C</th> <td>7</td> <td>4</td> <td>-</td> <td>7</td> <td>6</td> <td>8</td> </tr> <tr> <th>D</th> <td>9</td> <td>6</td> <td>7</td> <td>-</td> <td>5</td> <td>10</td> </tr> <tr> <th>E</th> <td>8</td> <td>5</td> <td>6</td> <td>5</td> <td>-</td> <td>10</td> </tr> <tr> <th>F</th> <td>12</td> <td>10</td> <td>8</td> <td>10</td> <td>10</td> <td>-</td> </tr> </tbody> </table> <p data-bbox="392 518 638 550"><i>AB, BC, BE, ED, CF</i></p>  <p data-bbox="392 853 548 885">Weight = 27</p>		A	B	C	D	E	F	A	-	5	7	9	8	12	B	5	-	4	6	5	10	C	7	4	-	7	6	8	D	9	6	7	-	5	10	E	8	5	6	5	-	10	F	12	10	8	10	10	-	<p data-bbox="1176 311 1220 343">M1</p> <p data-bbox="1176 375 1220 406">A1</p> <p data-bbox="1176 510 1220 542">B1</p> <p data-bbox="1176 678 1243 710">M1 ft</p> <p data-bbox="1176 853 1243 885">A1 ft</p> <p data-bbox="1176 981 1220 1013">[5]</p>	<p data-bbox="1276 199 1937 271">Working for the first two marks must be shown on table. Do <u>not</u> accept rows and columns interchanged.</p> <p data-bbox="1276 303 2049 375">Choosing <i>AB</i> from first column and both <i>BC</i> and <i>BE</i> from second column.</p> <p data-bbox="1276 375 2049 438">All correct (i.e. choosing <i>CF</i> from third column and <i>ED</i> from fifth column as well).</p> <p data-bbox="1276 502 2049 606">These <u>arcs</u> listed in this order. May reverse the order of the letters (e.g. <i>BA</i> rather than <i>AB</i>), but must be a list of arcs (rather than vertices or numbers on table or tree) and arcs must be in this order.</p> <p data-bbox="1276 678 2049 813">Tree drawn (correct <u>or</u> follow through from ringed entries or arcs listed) Must have 6 vertices, 5 arcs and at least one vertex of order <math>\geq 3</math> (i.e. a branching tree not a ‘string’)</p> <p data-bbox="1276 845 2049 981">27 from correct tree or weight of <u>their</u> tree stated If their tree is not the correct tree, total their weights written (on diagram or in working) or ringed in table, but do not hunt for weights if no calculation shown</p>
	A	B	C	D	E	F																																														
A	-	5	7	9	8	12																																														
B	5	-	4	6	5	10																																														
C	7	4	-	7	6	8																																														
D	9	6	7	-	5	10																																														
E	8	5	6	5	-	10																																														
F	12	10	8	10	10	-																																														


Question		Answer/Indicative content	Mark	Guidance
2	(i)	The largest value, 53, is not at the end of the list or 26 is at the end of the list and this is not the largest value	B1  [1]	Recognising that after one pass of bubble sort (increasing) the largest value would be at the right-hand end of the list Allow 'bottom' or 'top' for 'end' Need not specifically identify values 53 or 26
	(ii)	32 41 22 37 53 43 29 15 26 41 32 22 37 53 43 29 15 26	B1  [1]	Need <b>both</b> of these <b>written out in full</b> for the mark A genuine misread can be identified here and credited in subsequent parts, but this mark will <b>not</b> be available for a MR
	(iii)	22 32 41 [ 37 53 43 29 15 26 ]	B1  [1]	Allow 22 32 41 or any list that starts with this (ignore errors later in list) If multiple lists are shown, mark the last one
	(iv)	8	B1  [1]	cao (no follow through for lost values, 'nine bags' given in question)
	(v)	[ 53 43 41 37 32 29 26 22 15 ]  BIN 1: 53 43 BIN 2: 41 37 22 BIN 3: 32 29 26 BIN 4: 15	B1  M1  A1  [3]	Condone (at most) one miscopy/misread/omission/extra for B and M, provided the intention for the mark is satisfied  A packing of the 9 bags into at most four bins none of which has a total over 100, even if not packed in correct order. Try to interpret candidate's intention.  53, 43, 41, 37, 32 (first five bags) correctly placed  All correct, in four bins and packed in the correct order (cao) Final A mark will not be available if entries have been miscopied/misread or entries are omitted from list or extras added to list
	(vi)	BIN 1: 41 37 22 BIN 2: 53 32 15 BIN 3: 43 29 26	M1  A1  [2]	A packing of the 9 bags into exactly 3 bins  No bin has a total over 100 Order of bins and order of bags in bins does not matter Miscopy/misread/omitted entries or extras get A0



Question		Answer/Indicative content	Mark	Guidance																												
3	(i)	$P = 10x - 2y - 3z$	B1 [1]	$10x - 2y - 3z$ , may imply ' $P =$ ' Not $P - 10x + 2y + 3z = 0$ and not multiples of $10x - 2y - 3z$																												
	(ii)	$5x - 5z \leq 60$ (or $x - z \leq 12$ )  $4x + 3y \leq 100$  $x \geq 0, y \geq 0, z \geq 0$	M1  A1  B1 [3]	$5x - 5z$ ( $\leq, <, \geq, >$ or $=$ ) 60 or $4x + 3y$ ( $\leq, <, \geq, >$ or $=$ ) 100 (or scaled versions of these) or with slack variables or similar, including slack variables and inequalities Both correct, with inequality signs and no slack variables No extra (incorrect) constraints isw subsequent inclusion of slack variables to make equalities Non-negativity for $x, y$ and $z$ (as inequalities, not in words)																												
	(iii)	Rows and columns may be reordered, try to follow candidate's intention Check tableau first, correct tableau $\Rightarrow$ 4 marks  Pivot on $x$ column $60 \div 5 = 12, 100 \div 4 = 25, 12 < 25$ so pivot on 5 in column $x$ (row 2 in column $x$ )  Pivot row (new row 2) = row 2 $\div$ 5 New row 1 = row 1 + $10 \times$ pivot row New row 3 = row 3 - $4 \times$ pivot row  <table border="1" data-bbox="367 979 994 1142"> <thead> <tr> <th><math>P</math></th> <th><math>x</math></th> <th><math>y</math></th> <th><math>z</math></th> <th><math>s</math></th> <th><math>t</math></th> <th>RHS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> <td>2</td> <td>-7</td> <td>2</td> <td>0</td> <td>120</td> </tr> <tr> <td>0</td> <td>1</td> <td>0</td> <td>-1</td> <td><math>\frac{1}{5}</math></td> <td>0</td> <td>12</td> </tr> <tr> <td>0</td> <td>0</td> <td>3</td> <td>4</td> <td><math>-\frac{4}{5}</math></td> <td>1</td> <td>52</td> </tr> </tbody> </table>	$P$	$x$	$y$	$z$	$s$	$t$	RHS	1	0	2	-7	2	0	120	0	1	0	-1	$\frac{1}{5}$	0	12	0	0	3	4	$-\frac{4}{5}$	1	52	B1  M1  M1  A1  [4]	Candidates may use an intermediate tableau with the new pivot row but the other rows as original and then follow this with the augmented tableau  Correct pivot choice (may be implied from augmented tableau)  Dividing through their pivot row correctly, even if pivot choice was wrong (may be implied from working <u>or</u> augmented tableau)  Augmented table has correct structure, in terms of existence of basis/non-basis columns, entries in RHS column are non-negative and $P$ value in RHS column (their 120) has increased (from 0)  Correct tableau, using fractions and/or decimals Mark printed table in answer book unless crossed out and replaced (or candidate has made their intention clear)
$P$	$x$	$y$	$z$	$s$	$t$	RHS																										
1	0	2	-7	2	0	120																										
0	1	0	-1	$\frac{1}{5}$	0	12																										
0	0	3	4	$-\frac{4}{5}$	1	52																										
	(iv)	No negative values in objective row	B1 [1]	Recognising that all entries in top/first row are non-negative <u>Or</u> entries in top row are positive or zero (but not 'positive' without 'or zero') or equivalent using inequality signs																												
	(v)	$x = 25, y = 0, z = 13$  $P = 211$	B1  B1 [2]	All three, including $y = 0$ . Need values and have them identified with $x, y$ and $z$ appropriately. Not just (25, 0, 13). 211, cao but may imply ' $P =$ '																												

Question		Answer/Indicative content	Mark	Guidance
4	(i)	All graphs have an even number of odd vertices <u>or</u> Cannot have an odd number of odd vertices <u>or</u> Sum of vertex orders is 15 so 7.5 arcs	B1  [1]	Recognising that a graph cannot have (exactly) three odd vertices (or nodes) <u>or</u> that the sum of the vertex (node) orders (or degrees or valencies) cannot be odd Sum (of orders) is 15/odd <u>but</u> it must be even/come in pairs/... Do not accept answers that say things like 'it can't be drawn' or 'cannot have a vertex of order 5'
	(ii)	(a)	M1 A1  [2]	Identifying the vertex of order 6 (only) as causing the problem Explaining why the graph is not simple, must include both possibilities (repeated arc and loop) Giving only one possibility ('repeated arc' or 'loop') is not enough  Candidates must identify that the problem is that the graph cannot be simple, and why, although they need not explicitly say that it cannot be simple
		(b)	M1 A1  [2]	Correct choice, with an attempt at a reason, allowing misspelling Correct reason, all nodes are even (but not just using a diagram of a specific case)
	(iii)	(a)	B1 [1]	10 Minimum is 10, $\text{sum} \geq 10$
		(b)	B1  [1]	2, 4 Both 2 and 4 stated (and no other values), but not just a specific example. Accept 'even <u>and</u> positive <u>and</u> less than 6'
	(iv)	(a)	M1 A1 [2]	They can only be 2 or 4 <u>and</u> must sum to 20  2, 2, 4, 4, 4, 4 (in any order)
		(b)	M1 A1 [2]	e.g.  Arcs may cross, provided intention for vertices is obvious  A connected graph with exactly six vertices Graph is <u>simple</u> (no repeated arcs or loops) has exactly ten arcs and vertex orders 2, 2, 4, 4, 4, 4

Question	Answer/Indicative content	Mark	Guidance
<p>5 (i)</p>	<p>Shortest distance = 12 km Routes: <math>G J I L N</math></p>	<p>B1 M1 A1  B1 B1 [5]</p>	<p>Permanent labels (shown in upper right boxes) and order of labelling (shown in upper left boxes) all correct</p> <p>Temporary labels 6 at <math>I</math>, 10 at <math>L</math> and 15 at <math>N</math></p> <p>No extra temporary labels (allow missing temporary values that becomes the permanent label) If values are crossed out, crossing out must be consistent (not a mixture of values we want and extras) and any values we want must be legible</p> <p>12 Allow route written in reverse</p>
<p>(ii)</p>	<p>Shortest <math>G</math> to <math>K = 7</math>, <math>KL = 2</math>, shortest <math>L</math> to <math>N = 4 \Rightarrow 13</math> km (shortest <math>G</math> to <math>L = 8</math>, <math>LK = 2</math>, shortest <math>K</math> to <math>N = 6 \Rightarrow 16</math> km)</p> <p>Route: <math>G H K L N</math></p>	<p>B1 ft  B1 [2]</p>	<p>Showing using part (i) to calculate <math>G \dots KL \dots N = 13</math> or <math>G \dots LK \dots N = 16</math> (ft their distances) i.e. ‘their 7’ + 2+4 or ‘their 7’ + 6 or ‘their 8’ + 2+6 or ‘their 8’ + 8 NOT 8 + 2 + 8 (and 13 on its own is not enough, even with correct route, we need evidence of how the answer to (i) was used) cao, this route (or in reverse)</p>
<p>(iii)</p>	<p>Odd vertices: <math>I, K, M, N</math></p> $IK = 5 \quad IM = 6 \quad IN = 7$ $MN = \frac{5}{10} \quad KN = \frac{6}{12} \quad KM = \frac{5}{12}$ <p>Minimum distance = 70 km</p> <p>Repeat <math>IL, LK</math> and <math>MN</math> (written) Percy will pass through <math>L</math> four times</p>	<p>B1 M1 A1 B1 B1 [5]</p>	<p>Odd vertices correct, or implied from subsequent working</p> <p>These three pairings seen (i.e. <math>IK + MN, IM + KN, IN + KM</math>, each with correct weights or totals)</p> <p>70 (from correct method)</p> <p>These <u>three arcs</u> (allow <math>IL+LK</math> but not <math>IK</math> or <math>ILK</math> or route <math>I-L-K</math>) 4 times (allow 4 if it appears to be the answer to the final request)</p>

Question		Answer/Indicative content	Mark	Guidance
6	(i)	<p>Time constraint  <math>20x + 15y \leq 100 \Rightarrow 4x + 3y \leq 20</math> (as given)</p> <p>Cost constraint:  <math>(8 \times 8 + 35)x + (8 \times 3 + 80)y \leq 600 \Rightarrow 99x + 104y \leq 600</math></p> <p>Lower bound constraints:  <math>x \geq 1</math> and <math>y \geq 1</math></p>	<p>B1</p> <p>M1</p> <p>A1</p> <p>B1</p> <p>[4]</p>	<p>Need to see <math>20x + 15y</math>, 100 <u>and</u> 'time' or 'hours'</p> <p>Using <math>8(8x + 3y)</math> to cost the material (seen, or implied from <math>99x + 104y</math>)</p> <p><math>99x + 104y \leq 600</math> or any positive multiple of this constraint</p> <p>Both <math>x \geq 1</math> and <math>y \geq 1</math> and no extras (apart from non-negativity, which can be ignored)</p>
	(ii)	<p>Line <math>4x + 3y = 20</math>, passing through <math>(5, 0)</math> and <math>(0, 6\frac{2}{3})</math></p> <p>Line <math>99x + 104y = 600</math> passing close to <math>(6, 0)</math> and <math>(0, 6)</math></p> <p>Lines <math>x = 1</math> and <math>y = 1</math></p> 	<p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>[4]</p>	<p>Line plotted so that it cuts axes at <math>(4.75 - 5.25, 0)</math> and <math>(0, 6.5 - 6.75)</math> (when extrapolated, if necessary)</p> <p>Line plotted so that it cuts axes at <math>(6 - 6.25, 0)</math> and <math>(0, 5.75 - 6)</math> (when extrapolated, if necessary)</p> <p><math>x = 1</math> and <math>y = 1</math> (e.g. as boundaries of feasible region)</p> <p>Feasible region correct (indicated by, for example, shading in, shading out or labelling as <i>FR</i>, <i>R</i> or similar)          The A mark is dependent on all three M marks.</p>
	(iii)	5	<p>B1</p> <p>[1]</p>	<p>SC1 if <math>(0, 6)</math>, <math>(1, 5)</math> or <math>(2, 4)</math> is written as a feasible point (or in <math>x =</math>, <math>y =</math> form) <u>and</u> total is shown as 6</p>
	(iv)	<p>Total cost (£) = <math>15(20x+15y) + (99x+104y) = (399x+329y)</math></p> <p>Need <math>x+y = 5</math> with <math>y</math> as large as possible <math>\Rightarrow x = 1, y = 4</math></p> <p>1 bridesmaid and 4 page boys (costing £1715)</p>	<p>B1</p> <p>M1</p> <p>A1</p> <p>[3]</p>	<p><math>399x + 329y</math> or <math>7(57x + 47y)</math>, not follow through, need not give £, ignore <math>\leq 600</math> if written</p> <p>One of the points <math>(1, 4)</math>, <math>(2, 3)</math>, <math>(3, 2)</math>, <math>(4, 1)</math> soi as solution (written or seen used in working)</p> <p>This solution (cao) in context (in words), with or without cost</p>

Question		Answer/Indicative content	Mark	Guidance
7	(i)	<p><math>Y Z R S W X T Q Y</math></p> <p>135 minutes</p>	<p>M1</p> <p>A1</p> <p>B1</p> <p>[3]</p>	<p>Route starts <math>Y Z R S W</math> (allow correct list of arcs: <math>YZ, ZR, RS, SW</math>)</p> <p>Correct cycle, including returning to <math>Y</math> (allow correct list of arcs)</p> <p>135 cao, units not necessary</p>
	(ii)	<p><math>RZ=8 \quad WX=8 \quad SW=10 \quad RS=12 \quad TW=12 \quad YZ=13 \quad \cancel{WY=14}</math></p> <p>.....</p> <p>..... <math>\cancel{XZ=22} \quad QT = 25</math></p> <p>88 (minutes)</p>	<p>B1</p> <p>M1</p> <p>A1</p> <p>B1</p> <p>[4]</p>	<p>Using Kruskal's algorithm <u>on list</u> (indicating either which arcs are used or which are not used, at least as far as <math>WY</math> – i.e. dealing with the whole of the top row correctly)</p> <p>Drawing a spanning tree for the eight vertices (i.e. any tree that has 7 arcs, whether it branches or not)</p> <p>Correct tree</p> <p>88 cao, units not necessary</p>
	(iii) (a)	$88 - 25 = 63$	<p>B1 ft</p> <p>[1]</p>	<p>'their 88' – their arc weight(s) from <math>Q</math>, <u>strict ft</u> from (ii)</p> <p>Units not necessary</p> <p>If no numerical response to (ii) then accept 63</p>
	(iii) (b)	$QT = 25, QR = 30, 63+25+30 = 118$ minutes	<p>B1 ft</p> <p>[1]</p>	<p>'their 63' + 55 <u>strict ft</u> from (iii)(a), units not necessary</p> <p>If no numerical response to (iii)(a) then accept 118 only</p>
	(iv)	<p><math>Q T W X Y Z R S Q</math></p> <p>= 130 mins, time for stops = 170 mins <math>\Rightarrow</math> 300 minutes</p> <p>Route: <math>Y Z R S Q T W X Y</math></p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>[3]</p>	<p>This closed route written, in this order starting and ending at <math>Q</math> (allow correct list of arcs: <math>QT, TW, WX, \dots, SQ</math>)</p> <p>130, 170 and 300 seen <u>or</u> 300 from an appropriate calculation, such as 130 (cao) and <math>5+5+10+30+30+30+30+30</math></p> <p>This route written (or in reverse) starting and ending at <math>Y</math> (allow correct list of arcs: <math>YZ, ZR, RS, \dots, XY</math>)</p>

For  
reference

	<i>Q</i>	<i>R</i>	<i>S</i>	<i>T</i>	<i>W</i>	<i>X</i>	<i>Y</i>	<i>Z</i>
<i>Q</i>	-	30	35	25	37	40	43	32
<i>R</i>	30	-	12	15	15	20	20	8
<i>S</i>	35	12	-	20	10	18	25	16
<i>T</i>	25	15	20	-	12	16	18	18
<i>W</i>	37	15	10	12	-	8	14	20
<i>X</i>	40	20	18	16	8	-	17	22
<i>Y</i>	43	20	25	18	14	17	-	13
<i>Z</i>	32	8	16	18	20	22	13	-

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2016

