



Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

MATHEMATICS
Paper 4 (Extended)
MARK SCHEME
Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.



Cambridge IGCSE – Mark Scheme **PUBLISHED**



Abbreviations

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Question	Answer	Marks	Partial marks
1(a)(i)	4:5	1	
1(a)(ii)	4:5	1	
1(a)(iii)	3:4	2	B1 for 12 : 16 or answer 4 : 3
1(b)(i)	26.8 or 26.79	3	M2 for $\frac{15600 - 11420}{15600} [\times 100]$ or $\frac{11420}{15600} \times 100$ or M1 for $\frac{11420}{15600}$
1(b)(ii)	16 000 nfww	3	M2 for $15600 \times \frac{100}{100 - 2.5}$ oe or M1 for 15600 associated with 97.5[%] seen
1(c)	1.6 or $\frac{8}{5}$	2	M1 for $\frac{200 \times x \times 15}{100} = 48$ oe or M1 for figs 16
1(d)	2.5 or $\frac{5}{2}$ cao nfww	3	B2 for 2.49[9] or 102.4[99] or 1.024[99] or 2.50 or 102.5 or 1.025 or $\sqrt[10]{\frac{256}{200}}$ oe or M1 for $256 = 200(x)^{10}$ seen

© UCLES 2017 Page 2 of 7

Question	Answer	Marks	Partial marks
2(a)(i)	1070 or 1072	3	M1 for $\pi \times 8^2 \times 2 \times 8$ M1 for $\frac{4}{3} \times \pi \times 8^3$ or M2 for $\frac{2}{3}\pi r^3$ or M1 for $\pi r^2 2r - \frac{4}{3}\pi r^3$
2(a)(ii)	2.58 or 2.580 to 2.581	3	B2 for $r^3 = \frac{36 \times 3}{2\pi}$ or better or M1 for $\pi \times r^2 \times 2 \times r - \frac{4}{3} \times \pi \times r^3 = 36$ oe
2(b)(i)	4.24 or 4.241 to 4.242	4	M3 for $(\pi \times 5^2 + \pi \times 5 \times \sqrt{5^2 + 12^2})$ or M2 for $\pi \times 5 \times \sqrt{5^2 + 12^2}$ or M1 for $5^2 + 12^2$ or $\pi \times 5^2$
2(b)(ii)	64 cao final answer	3	M2 for $\frac{[k\pi] \times 5^2 \times 12}{[k\pi] \times 1.25^2 \times 3}$ or M1 for $\frac{1}{3} \times \pi \times 5^2 \times 12$ or $\frac{1}{3} \times \pi \times 1.25^2 \times 3$ OR M2 for 4^3 or $\left(\frac{1}{4}\right)^3$ seen or M1 for factor 4 or $\frac{1}{4}$ soi
3(a)	7040 or 7035	3	M1 for $\frac{1}{2} \times 100 \times 70$ oe M1 for $\frac{1}{2} \times 100 \times 110 \times \sin 40$ oe
3(b)	374 or 375 or 374.4 to 374.5	5	M2 for $110^2 + 100^2 - 2 \times 110 \times 100 \times \cos 40$ oe or M1 for implicit form A1 for 5250 or 5247 (or 72.4 or 72.43 to 72.44) M1 for $70^2 + 100^2$
3(c)	64.3 or 64.27 to 64.28 nfww	2	$\mathbf{M1} \text{ for } \sin 40 = \frac{\text{distance}}{100} \text{ oe}$
3(d)	235	3	B2 for [angle $ACB =]$ 34.99 to 35 or [angle $ABC =]$ 55[.0] or M1 for tan[ACB] = $\frac{70}{100}$ or tan[ABC] = $\frac{100}{70}$ or equivalent trig ratio

Question	Answer	Marks	Partial marks
4(a)(i)	Correct translation	2	B1 for translation $\begin{pmatrix} 6 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$
4(a)(ii)	Correct rotation	2	B1 for rotation 180° but other centre
4(a)(iii)	Correct reflection	2	B1 for reflection in $y = -x$
4(b)(i)	Enlargement [factor] $\frac{1}{2}$ or 0.5 [centre] (0, 0) oe	3	B1 for each
4(b)(ii)	$ \begin{pmatrix} \frac{1}{2} & 0 \\ 0 & \frac{1}{2} \end{pmatrix} $ oe	2	B1 for matrix of form $\begin{pmatrix} k & 0 \\ 0 & k \end{pmatrix}$ oe, $k \neq 0$ or 1
4(c)	± 2.5	3	B2 for $25u^2 = 156.25$ or $5u = [\pm]12.5$ or M1 for $(4u)^2 + (3u)^2$
5(a)	3.2 or 3.15 or 3.152 to 3.153 5.2 or 5.19 or 5.20 or 5.196	2	B1 for each
5(b)	Correct graph for $0.5 \le x \le 3.5$	4	B3FT for 6 or 7 correct points or B2FT for 4 or 5 correct points or B1FT for 2 or 3 correct points
5(c)	1.7 to 1.8	1FT	FT their graph if one answer
5(d)(i)	Any integer $k \geqslant -1$	1	
5(d)(ii)	Any integer $k < -1$	1	
5(e)	Tangent ruled at $x = -3$	B1	
	2.5 to 4	B2	dep on tangent drawn at $x = -3$ or close attempt at tangent at $x = -3$ M1 for rise/run also dep on tangent at $x = -3$ or close attempt at tangent at $x = -3$

		1 25 2	107
Question	Answer	Marks	Partial marks
5(f)(i)	y = 6 - x ruled accurately	M2	M1 for correct line but freehand or ruled line gradient -1.1 to -0.9 , or through $(0, 6)$ but not $y = 6$
	$2.85 \leqslant x \leqslant 3$	A1	
5(f)(ii)	[a =] 8 [b =] -48 [c =] -16	4	B3 for 2 correct or $x^5 + 8x^3 - 48x^2 - 16 = 0$ seen or $-x^5 - 8x^3 + 48x^2 + 16 = 0$ seen or M2 for correct multiplication by $8x^2$ or B1 for answers $\pm 8, \pm 48, \pm 16$ or M1 for $\frac{x^2 \times x^3 - 8 \times 2}{x^2 \times 8} = 6 - x$ or M1 for correct multiplication by 8 or M1 for correct multiplication by x^2
6(a)(i)	280	1	
6(a)(ii)	320	1	
6(a)(iii)	90	1	
6(a)(iv)	10	2	M1 for 90 written
6(b)(i)	250.2 nfww cao	4	M1 for at least 4 correct mid-values M1 for Σfx M1 dep on second M1 for $\Sigma fx \div 100$
6(b)(ii)	Correct completion of histogram	4	B1 for each correct block If zero scored, then SC1 for correct frequency densities seen
6(c)	[22 m] further oe	1	
7(a)	$\frac{5}{6}$	1	
7(b)	$\frac{4}{36}$ oe	2	M1 for $\frac{2}{6} \times \frac{2}{6}$
7(c)	20	1	

Question	Answer	Marks	Partial marks
7(d)(i)	Diagram completed correctly x x 3 3 3 9 x x 2 2 2 6 x x 2 2 2 6 x x 2 2 2 6 x x 1 1 1 3	2	B1 for 3 correct columns or for 4 correct rows
7(d)(ii)(a)	$\frac{9}{36}$ oe	1FT	FT their (d)(i)
7(d)(ii)(b)	$\frac{4}{36}$ oe	1FT	FT their (d)(i)
7(e)	$\frac{512}{7776}$ oe	2	M1 for $\left(\frac{4}{6}\right)^k \times \frac{2}{6}$ oe $k = 3, 4$ or 5 only
8(a)(i)	7a + 9p = 354 oe final answer	1	
8(a)(ii)	[a =] 21 [p =] 23	3	M1 for correctly eliminating one variable A1 for $a = 21$ A1 for $p = 23$
8(b)(i)	$\frac{2}{x}$	1	
8(b)(ii)(a)	$\frac{2}{x} + \frac{3}{x-1} = 2$	M1	
	2(x-1) + 3x = 2x(x-1) oe	M1dep	Both sides of the equation could be over $x(x-1)$ at this stage Dep on M1 or 3 term equation with fractions but one sign error
	$2x-2+3x = 2x^2 - 2x \text{ oe} $ $2x^2 - 7x + 2 = 0$	A1	Answer reached with one correctly expanded line seen and no errors seen
8(b)(ii)(b)	$\sqrt{(-7)^2 - 4(2)(2)}$	B1	or for $\left(x - \frac{7}{4}\right)^2$
	$\frac{-7+\sqrt{q}}{2\times 2} \text{ or } \frac{-7-\sqrt{q}}{2\times 2}$	B1	or for $\frac{7}{4}$ + or $-\sqrt{-1+\left(\frac{7}{4}\right)^2}$
	3.19 only	B2	B1 for 3.19 with other root or for 3.2 or 3.186 isw other root or for 0.31 or 0.314 or 0.3138 to 0.3139

Page 6 of 7

			· OZ
Question	Answer	Marks	Partial marks
9(a)	3	1	
9(b)	$-\frac{2}{5}$ oe	2	M1 for $2(1-2x) = x + 4$
9(c)	-2x-7 final answer	2	M1 for $1 - 2(x + 4)$
9(d)	26	2	B1 for h(5) soi or M1 for $(x^2 + 1)^2 + 1$
9(e)	$\frac{1-x}{2}$ oe final answer	2	M1 for $x = 1 - 2y$ or $2x = 1 - y$ or $\frac{y}{2} = \frac{1}{2} - x$ or $y - 1 = -2x$
9(f)	[p =] - 20 [q =] 26	4	B3 for [hgf(x)] = $4x^2 - 20x + 26$ seen and not spoilt by further working or M1 for $(1 - 2x) + 4$ M1 dep for $(their (5 - 2x))^2 + 1$ B1FT dep for $(25 - 10x - 10x + 4x^2)$
10(a)	5.68 or 5.684 to 5.685	5	M2 for $2x\sqrt{x^2 + x^2}$ oe or $2 \times \sqrt{2} \times x^2$ or M1 for $x\sqrt{2}$ or $\sqrt{x^2 + x^2}$ oe soi M1 for $\frac{270}{360} \times \pi \times x^2$ oe M1 for $0.5 \ x^2$ oe
10(b)	4.4[0] or 4.398 to 4.401	2	dep on a correct value for k in (a) M1 for $\left[x^2\right] = \frac{110}{their\ k}$